

# FILM

## LOAD FILM

practice in the light with demo film

*do in total darkness.  
be gentle with your film*

## PRE-WASH

plain water  
1 minute, constant agitation

## DEVELOPER

1:7 dilution - be sure it's film developer  
5-15 minutes, depending on film + temp  
30 seconds, constant agitation, then  
5 seconds agitation, every 30 seconds

## STOP

30 seconds, constant agitation  
*dilute 1 capful of stop per tank*

## FIX

5-10 minutes  
(twice the time it takes film to clear)  
1 minute, constant agitation, then  
10 seconds agitation, every 60 seconds  
*return used fixer to the bottle  
don't pour down the drain*

## WASH

5 minutes  
slow water

## HYPO CLEAR

1 minute, constant agitation

## WASH

5 minutes  
slow water

## PHOTO FLO

30 seconds  
soak - no agitation

## DRY

10 - 20 minutes

## CUT

based on sleeve type

## SLEEVE

pay attention to order and orientation

# ING