


LAB

Tuesday 8/19/2008

Design and implement a program that contains two digital clocks, one that displays local time (Los Angeles time) and the other that show New York time as below.

- 1) without the NetBeans GUI tool
- 2) with the NetBeans GUI tool

**1) without the NetBeans GUI tool**

```
import java.awt.*;
import javax.swing.*;
import java.awt.event.*;
import java.util.*;
import java.text.*;
```

```
public class DigitalClock extends JLabel implements ActionListener {
    private DateFormat df = DateFormat.getTimeInstance();
```

```
    public DigitalClock(){
        // Design and implement GUI
        ....

        // Create a timer object and start it
        ....
    }
}
```

```
public DigitalClock(String zone){
    this();
    df.setTimeZone(TimeZone.getTimeZone(zone));
}
```

```

    }

    public void actionPerformed(ActionEvent e){
        setText(df.format (new Date()));
    }
}
import java.awt.*;
import javax.swing.*;
import java.util.*;

public class ClockDemo extends JFrame{
    private DigitalClock c1 = new DigitalClock("America/Los_Angeles");
    private DigitalClock c2 = new DigitalClock("America/New_York");

    public ClockDemo(){
        super("CLOCK");
        Container c = getContentPane();

        // create labels
        ....

        // set the fonts
        ....

        // set GridLayout
        ....

        // add digital clocks
        ....

        setSize(350,150);
        setVisible(true);
        setDefaultCloseOperation(EXIT_ON_CLOSE);
    }
    public static void main(String[] args){
        ClockDemo cd = new ClockDemo();
    }
}

```

2) with the NetBeans GUI tool

```

/*
 * DigitalClockUI.java

```

```
*
* Created on August 16, 2008, 10:19 AM
*/

package my.DigitalClock;

import java.awt.*;
import javax.swing.*;
import java.awt.event.*;
import java.util.*;
import java.text.*;

/**
 *
 * @author Taehyung
 */
public class DigitalClockUI extends javax.swing.JFrame {

    /** Creates new form DigitalClockUI */
    public DigitalClockUI() {
        super("Digital Clock");
        initComponents();
    }

    DigitalClock c1 = new DigitalClock("America/Los_Angeles");
    DigitalClock c2 = new DigitalClock("America/New_York");

    /** This method is called from within the constructor to
     * initialize the form.
     * WARNING: Do NOT modify this code. The content of this method is
     * always regenerated by the Form Editor.
     */
    // GENERATED CODE
    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new DigitalClockUI().setVisible(true);
            }
        });
    }
}
```

```
private class DigitalClock implements ActionListener{
    private DateFormat df = DateFormat.getTimeInstance();
    private String zone;

    public DigitalClock(){
        javax.swing.Timer timer = new javax.swing.Timer(1000, this);
        timer.start();
    }

    public DigitalClock(String zone){
        this();
        this.zone = zone;
        df.setTimeZone(TimeZone.getTimeZone(zone));
    }
    public void actionPerformed(ActionEvent e){
        //update local time and New York time

        ....
    }
}
```

```
// Variables declaration - do not modify
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
// End of variables declaration

}
```