

**If You Think Your Child Has A Speech Problem...**

Your child's speech begins at age 2-3 months, with early sounds. We usually hear babbling (playful sounds) around 5-7 months. Jargon (strings of sounds) are usually heard from 8-24 months.

Before age 2 years, strangers can only understand about 25% of what a child is saying. At a child's 2<sup>nd</sup> birthday party, most people should be able to understand the child at the party as he or she talks about presents.

At age 3 or 4, a child should be understood 80% of the time. At age 4-5, a child should be understood by a stranger 90-100% of the time, even though there may be some sound errors.

Here is a guide to help you understand when speech sounds develop:

By age 3: h, w, m, n, b, p, f

By age 4: d, t, y, k, g, ng

By age 6: l, j, ch, sh, v. Children of this age may still have errors  
With such sounds as r, s, z, th, and the soft "z" sound as in garage

By age 8: Children should be able to produce all speech sounds like an adult.

You can help your child if you use short sentences. Don't use baby talk. Model correct speech. Pronounce words slowly and correctly. Look at your child when you are both talking. Let your child watch you as you pronounce words. Repeat new words often so your child has a chance to hear the words over.

Seek the help of a Speech-Language Pathologist if your child does not produce speech sounds appropriate for his age. If teachers recommend help, or if your child requests help. If your child shows frustration.

**If You Think Your Child Has A Hearing Loss...**

A child's hearing can be affected by many things. Some children have a high risk of hearing loss due to diseases or medications, low birth weight, or meningitis.

Toddlers and preschoolers may acquire a temporary or permanent hearing loss with repeated middle ear infections. Older children may acquire a hearing loss with exposure to loud noises such as loud music.

If you suspect your child has difficulty hearing, seek professional help immediately. Early attention to your child's hearing will help your child reach his or her full potential.

Here is a guide to help you understand your child's hearing development:

From birth to 3 months: your child should wake up to loud sounds

From 3 to 6 months, your child should turn toward a speaker, smile when you speak, and recognize mother's voice.

From 6 to 9 months, your child should look when you call his name, look up when you say "No", and babble and make lots of different speech sounds.

From 9-12 months, your child should turn when you call his name, respond when you say "come here" or "give me", and understand "bye bye".

From 12-18 months, your child should point to objects or people by name, imitate sounds or words, follow simple directions, say 2 words by 12 months, and 10 words by 18 months.

By 18 months, your child should hear you call from another room, hear TV at the same loudness as everyone else, and hear quiet speech.

Si usted piensa que su hijo tiene una dificultad en el habla

El habla de su hijo empieza con las vocalizaciones iniciales que empieza a los 2 o 3 meses, seguidas del balbuceo (juego de sonidos vocales) alrededor de los 5 a 7 meses y luego la jerga (una serie de sonidos) de los 8 o los 24 meses.

Estos diferentes tipos de vocalizaciones usualmente continúan a través de las primeras 50 palabras del niño. A los 12 meses, el niño empieza a unir sonidos para formar sus palabras "verdaderas".

¿Que tan entendido es el habla de su hijo para los extraños durante sus primeros años? Hay un rango muy amplio acerca de lo que es normal, pero a la edad de 19 a 24 meses el niño será de un 25% entendido para los extraños. Entre los 2 y los 3 años, el niño será de un 50% entendido. De los 4 años, será un 80%, y de los 5 años será 100% entendido para un extraño, aunque unos pocos errores de articulación estén presente.

Los sonidos del habla son desarrollados gradualmente. Por ejemplo:

A los 3 años: m, n, p, l, b, c, d, f, j, k, ñ, t.

A los 4 años: g, ch, ll, y.

A los 6 años: s, r, pero los errores con "r" y "s" pueden persistir.

A los 8 años: Los niños producen todos los sonidos consonánticos del una manera que iguale el habla del adulto.

Usted puede ayudar a su hijo a hablar más claramente si usa oraciones corta.

No usa lenguaje de bebé.

Modela un habla correcta y despacio para su hijo.

Repita las palabras y los nuevos sonidos muchas veces a su hijo,

Usa las palabras nuevas en sus conversaciones con el niño.

Si usted piensa que su hijo tiene una deficiencia auditiva

Es importante que los padres estén conscientes de la audición de su hijo desde el momento en que nace. La audición de un niño puede ser afectado por muchos factores. Algunos niños tienen un alto riesgo de sufrir una pérdida auditiva por ciertas enfermedades, herencia o complicaciones prenatales, or meningitis.

Los niños pequeños y de edad preescolar pueden adquirir una pérdida auditiva temporal o permanente debido a repetidas infecciones del oído. Los niños más grandes pueden adquirir pérdida auditiva debido a repetidas exposiciones a ruidos fuertes, tales como escuchar música a un volumen muy alto.

Si sospecha que su hijo tiene dificultad para escuchar, busque ayuda profesional or doctor inmediatamente. Una atención temprana a la audición de su hijo lo ayudará a alcanzar su máximo potencial.

Desde el nacimiento hasta los 3 meses, el niño debe: reaccionar o llorar si escucha un ruido fuerte, despertar si escucha un sonido fuerte, y detener su movimiento y hacer como que escucha palabras o sonidos.

De 3 a 6 meses el niño debe: sonreír cuando se el habla, reconocer la voz de su mamá, entretenerse con sonajas y otros juguetes que hacen ruido.

De 6 a 9 meses, el niño debe: responder a su nombre, balbucear y hacer muchos sonidos diferentes, y responder a "No".

De 9 a 12 meses, el niño debe: responder a sencillas órdenes como "Dame", y "Ven", y su nombre. Entender "Adiós".

De 12 a 18 meses, el niño debe: imitar sonidos o palabras simples, seguir instrucciones sencillas, señalar objetos o gente familiar cuando se les nombra. Hablar 10 palabras a los 18 meses.