

ICPSR 31581

Evaluation of Child Care Subsidy Strategies: Massachusetts Family Child Care Study, 2005-2007

Ann Collins
Abt Associates Inc.

Codebook for 2006 One Year Observation Data


ICPSR | INTER-UNIVERSITY
CONSORTIUM FOR
POLITICAL AND
SOCIAL RESEARCH

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

About *Research Connections*

These data are made available by the Child Care and Early Education *Research Connections* project. *Research Connections* promotes high quality research in child care and early education and the use of that research in policymaking.

Research Connections is operated by the National Center for Children in Poverty at the Mailman School of Public Health, Columbia University and the Inter-university Consortium for Political and Social Research at the Institute for Social Research, University of Michigan, through a cooperative agreement with the Office of Child Care, Office of Family Assistance and the Office of Planning, Research, and Evaluation, Administration for Children and Families in the U.S. Department of Health and Human Services.



Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31581/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 31581

Evaluation of Child Care Subsidy Strategies: Massachusetts Family Child Care Study, 2005-2007

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Evaluation of Child Care Subsidy Strategies: Massachusetts Family Child Care Study, 2005-2007

2006 One Year Observation Data

PROVID	CombinedID
Location:	1-7 (width: 7; decimal: 0)
Variable Type:	character
	Based upon 203 valid cases out of 203 total cases.

SNAP_N_SNAPS	Snapshot of Activities: average number of Snapshots per provider
Location:	8-11 (width: 4; decimal: 2)
Variable Type:	numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6.0	1	0.5 %
7.0	1	0.5 %
7.5	2	1.0 %
8.0	11	5.4 %
8.5	187	92.1 %
9.0	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 8.45
- Median: 8.50
- Mode: 8.50
- Minimum: 6.00
- Maximum: 9.00
- Standard Deviation: 0.25

SNAP_N_0_3YR	Snapshot of Activities: Average number of children 0 - 3 yrs present
Location:	12-15 (width: 4; decimal: 2)
Variable Type:	numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	5	2.5 %
0.63	1	0.5 %
0.75	1	0.5 %
0.88	1	0.5 %
0.94	2	1.0 %
1.00	22	10.8 %
1.13	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.19	2	1.0 %
1.31	2	1.0 %
1.38	3	1.5 %
1.53	1	0.5 %
1.56	1	0.5 %
1.69	3	1.5 %
1.75	2	1.0 %
1.81	1	0.5 %
1.87	1	0.5 %
1.88	2	1.0 %
1.94	4	2.0 %
2.00	31	15.3 %
2.13	4	2.0 %
2.19	1	0.5 %
2.25	1	0.5 %
2.38	1	0.5 %
2.44	2	1.0 %
2.63	1	0.5 %
2.69	1	0.5 %
2.75	3	1.5 %
2.88	2	1.0 %
2.94	3	1.5 %
3.00	41	20.2 %
3.25	1	0.5 %
3.44	1	0.5 %
3.50	2	1.0 %
3.56	1	0.5 %
3.63	1	0.5 %
3.69	1	0.5 %
3.75	3	1.5 %
3.88	2	1.0 %
3.94	2	1.0 %
4.00	22	10.8 %
4.19	1	0.5 %
4.25	1	0.5 %
4.31	1	0.5 %
4.38	1	0.5 %
4.44	1	0.5 %
4.63	1	0.5 %
4.88	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.94	2	1.0 %
5.00	4	2.0 %
6.00	4	2.0 %
6.13	1	0.5 %
6.69	1	0.5 %
7.14	1	0.5 %
7.60	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.70
- Median: 2.88
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.60
- Standard Deviation: 1.38

SNAP_N_3_5YR

Snapshot of Activities: Average number of children 3-5 yrs present

Location:

16-19 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	35	17.2 %
0.06	1	0.5 %
0.19	1	0.5 %
0.25	1	0.5 %
0.67	1	0.5 %
0.69	1	0.5 %
0.75	1	0.5 %
0.88	1	0.5 %
0.94	3	1.5 %
1.00	47	23.2 %
1.06	2	1.0 %
1.13	2	1.0 %
1.38	3	1.5 %
1.44	1	0.5 %
1.50	1	0.5 %
1.75	2	1.0 %
1.81	4	2.0 %
1.88	2	1.0 %
1.93	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.94	2	1.0 %
2.00	35	17.2 %
2.13	1	0.5 %
2.25	2	1.0 %
2.38	1	0.5 %
2.47	1	0.5 %
2.56	1	0.5 %
2.60	1	0.5 %
2.63	1	0.5 %
2.69	1	0.5 %
2.75	2	1.0 %
2.88	2	1.0 %
2.94	1	0.5 %
3.00	20	9.9 %
3.06	1	0.5 %
3.50	1	0.5 %
3.56	1	0.5 %
3.81	2	1.0 %
3.94	1	0.5 %
4.00	9	4.4 %
4.50	2	1.0 %
4.63	1	0.5 %
4.81	1	0.5 %
4.88	2	1.0 %
5.25	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.69
- Median: 1.75
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.25
- Standard Deviation: 1.27

SNAP_N_5P_YR

Snapshot of Activities: Average number of children 5+ yrs present

Location:

20-23 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	194	95.6 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.06	2	1.0 %
0.13	3	1.5 %
0.94	1	0.5 %
1.00	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

SNAP_N_CH

Snapshot of Activities: Average number of children present

Location:

24-27 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	6	3.0 %
1.06	1	0.5 %
1.38	1	0.5 %
1.75	2	1.0 %
2.00	13	6.4 %
2.13	1	0.5 %
2.19	1	0.5 %
2.69	1	0.5 %
2.75	2	1.0 %
2.88	1	0.5 %
2.94	3	1.5 %
3.00	17	8.4 %
3.06	1	0.5 %
3.13	1	0.5 %
3.19	1	0.5 %
3.25	1	0.5 %
3.31	2	1.0 %
3.44	1	0.5 %
3.50	1	0.5 %
3.56	1	0.5 %
3.63	1	0.5 %
3.69	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.75	2	1.0 %
3.81	4	2.0 %
3.88	5	2.5 %
3.94	1	0.5 %
4.00	26	12.8 %
4.13	1	0.5 %
4.19	1	0.5 %
4.25	3	1.5 %
4.38	4	2.0 %
4.44	1	0.5 %
4.53	1	0.5 %
4.56	1	0.5 %
4.60	1	0.5 %
4.67	1	0.5 %
4.75	3	1.5 %
4.81	3	1.5 %
4.88	1	0.5 %
4.94	3	1.5 %
5.00	27	13.3 %
5.06	2	1.0 %
5.13	1	0.5 %
5.25	2	1.0 %
5.31	1	0.5 %
5.38	2	1.0 %
5.44	3	1.5 %
5.69	1	0.5 %
5.75	2	1.0 %
5.81	1	0.5 %
5.87	1	0.5 %
5.93	1	0.5 %
5.94	2	1.0 %
6.00	11	5.4 %
6.13	1	0.5 %
6.50	2	1.0 %
6.88	1	0.5 %
7.00	2	1.0 %
7.06	1	0.5 %
7.13	1	0.5 %
7.47	1	0.5 %
7.56	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.81	1	0.5 %
7.88	2	1.0 %
8.14	1	0.5 %
8.25	1	0.5 %
8.69	1	0.5 %
8.75	1	0.5 %
8.88	1	0.5 %
8.94	1	0.5 %
9.00	2	1.0 %
9.60	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 4.41
- Median: 4.19
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.60
- Standard Deviation: 1.73

SNAP_N_P

Snapshot of Activities: Average number of providers present

Location:

28-31 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.63	1	0.5 %
0.69	1	0.5 %
0.81	1	0.5 %
1.00	200	98.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.63
- Maximum: 1.00
- Standard Deviation: 0.04

SNAP_N_ASST

Snapshot of Activities: Average number of assistants present

Location:

32-35 (width: 4; decimal: 2)

Variable Type:

numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	161	79.3 %
0.06	1	0.5 %
0.31	2	1.0 %
0.50	1	0.5 %
0.63	2	1.0 %
0.69	2	1.0 %
0.81	1	0.5 %
0.88	1	0.5 %
0.94	5	2.5 %
1.00	26	12.8 %
2.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

SNAP_N_PARENT

Snapshot of Activities: Average number of parents dropping off child

Location: 36-40 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	193	95.1 %
0.063	6	3.0 %
0.071	1	0.5 %
0.125	1	0.5 %
0.563	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.563
- Standard Deviation: 0.057

SNAP_N_VOL

Snapshot of Activities: Average number of volunteers present

- Study 31581 -

Location: 41-45 (width: 5; decimal: 3)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	176	86.7 %
0.063	11	5.4 %
0.067	2	1.0 %
0.125	7	3.4 %
0.188	3	1.5 %
0.294	1	0.5 %
0.375	2	1.0 %
0.688	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.688
- Standard Deviation: 0.071

SNAP_N_OTH_AD **Snapshot of Activities: Average number of other adults present**

Location: 46-49 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	158	77.8 %
0.06	10	4.9 %
0.07	1	0.5 %
0.13	6	3.0 %
0.19	2	1.0 %
0.25	3	1.5 %
0.31	3	1.5 %
0.38	2	1.0 %
0.56	2	1.0 %
0.63	3	1.5 %
0.69	2	1.0 %
0.75	2	1.0 %
0.81	3	1.5 %
0.94	3	1.5 %
1.00	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

SNAP_N_ALL_ADULTS

Snapshot of Activities: Average number of adults (all types) present

Location:

50-53 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	105	51.7 %
1.06	15	7.4 %
1.07	3	1.5 %
1.13	7	3.4 %
1.19	3	1.5 %
1.25	4	2.0 %
1.29	1	0.5 %
1.31	8	3.9 %
1.38	2	1.0 %
1.50	1	0.5 %
1.56	1	0.5 %
1.63	3	1.5 %
1.69	3	1.5 %
1.75	4	2.0 %
1.81	5	2.5 %
1.88	1	0.5 %
1.94	3	1.5 %
2.00	19	9.4 %
2.06	4	2.0 %
2.13	6	3.0 %
2.38	1	0.5 %
2.50	1	0.5 %
2.69	1	0.5 %
2.88	1	0.5 %
3.07	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.30
- Median: 1.00

- Study 31581 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.07
- Standard Deviation: 0.45

TREAT	Treatment
-------	-----------

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	105	51.7 %
1	98	48.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

SNAP_AV_NUM_ACTIV	Snapshot of Activities: Average number of activities observed including all activities
-------------------	--

Location: 55-58 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	6	3.0 %
1.06	3	1.5 %
1.13	4	2.0 %
1.19	4	2.0 %
1.25	2	1.0 %
1.31	5	2.5 %
1.38	6	3.0 %
1.40	1	0.5 %
1.44	4	2.0 %
1.45	1	0.5 %
1.47	1	0.5 %
1.50	3	1.5 %
1.56	10	4.9 %
1.63	5	2.5 %
1.69	7	3.4 %
1.75	9	4.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.79	1	0.5 %
1.80	1	0.5 %
1.81	6	3.0 %
1.88	5	2.5 %
1.94	5	2.5 %
2.00	10	4.9 %
2.06	10	4.9 %
2.07	1	0.5 %
2.08	1	0.5 %
2.13	4	2.0 %
2.19	10	4.9 %
2.25	6	3.0 %
2.31	5	2.5 %
2.38	3	1.5 %
2.44	4	2.0 %
2.50	6	3.0 %
2.56	8	3.9 %
2.63	4	2.0 %
2.69	3	1.5 %
2.75	2	1.0 %
2.80	2	1.0 %
2.81	4	2.0 %
2.93	1	0.5 %
2.94	2	1.0 %
3.00	4	2.0 %
3.06	3	1.5 %
3.13	3	1.5 %
3.18	1	0.5 %
3.19	2	1.0 %
3.20	1	0.5 %
3.25	3	1.5 %
3.50	3	1.5 %
3.64	1	0.5 %
3.88	1	0.5 %
3.94	2	1.0 %
4.19	1	0.5 %
4.56	1	0.5 %
6.33	1	0.5 %
8.38	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.17
- Median: 2.06
- Minimum: 1.00
- Maximum: 8.38
- Standard Deviation: 0.87

NUM_1_12_ACT

Snapshot of Activities: Average number of activities observed--non-caretaking activities

Location:

59-62 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.13	1	0.5 %
0.31	2	1.0 %
0.38	3	1.5 %
0.44	2	1.0 %
0.50	7	3.4 %
0.53	1	0.5 %
0.56	3	1.5 %
0.63	7	3.4 %
0.67	1	0.5 %
0.69	8	3.9 %
0.73	1	0.5 %
0.75	12	5.9 %
0.79	1	0.5 %
0.81	9	4.4 %
0.88	13	6.4 %
0.94	11	5.4 %
1.00	12	5.9 %
1.06	17	8.4 %
1.07	2	1.0 %
1.13	16	7.9 %
1.19	17	8.4 %
1.25	7	3.4 %
1.27	1	0.5 %
1.29	1	0.5 %
1.31	5	2.5 %
1.33	1	0.5 %
1.38	8	3.9 %
1.40	1	0.5 %
1.44	5	2.5 %
1.50	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.56	2	1.0 %
1.59	1	0.5 %
1.63	6	3.0 %
1.69	4	2.0 %
1.75	2	1.0 %
1.80	1	0.5 %
1.87	1	0.5 %
1.88	2	1.0 %
1.94	2	1.0 %
2.00	1	0.5 %
2.06	1	0.5 %
2.88	1	0.5 %
3.88	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.08
- Median: 1.06
- Minimum: 0.13
- Maximum: 3.88
- Standard Deviation: 0.43

SNAP_PCT_WHGROUP

Snapshot of Activities: % activities that are whole group

Location:

63-66 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	7	3.4 %
0.06	10	4.9 %
0.07	1	0.5 %
0.13	7	3.4 %
0.18	1	0.5 %
0.19	12	5.9 %
0.21	2	1.0 %
0.25	15	7.4 %
0.31	18	8.9 %
0.33	1	0.5 %
0.38	16	7.9 %
0.40	1	0.5 %
0.44	13	6.4 %
0.47	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.50	14	6.9 %
0.53	1	0.5 %
0.56	12	5.9 %
0.60	1	0.5 %
0.62	1	0.5 %
0.63	11	5.4 %
0.69	11	5.4 %
0.75	11	5.4 %
0.80	1	0.5 %
0.81	7	3.4 %
0.82	1	0.5 %
0.88	9	4.4 %
0.93	1	0.5 %
0.94	6	3.0 %
1.00	9	4.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.48
- Median: 0.44
- Mode: 0.31
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

SNAP_N_P_ASST

Snapshot of Activities: Average # providers or assistants present

Location:

67-70 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	161	79.3 %
1.06	1	0.5 %
1.31	3	1.5 %
1.50	1	0.5 %
1.63	2	1.0 %
1.69	2	1.0 %
1.81	2	1.0 %
1.88	1	0.5 %
1.94	5	2.5 %
2.00	24	11.8 %
3.00	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.38

SNAP_RATIO_CH_PR

Snapshot of Activities: Average child-provider ratio

Location:

71-74 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.88	1	0.5 %
1.00	6	3.0 %
1.06	1	0.5 %
1.38	1	0.5 %
1.66	1	0.5 %
1.75	1	0.5 %
1.91	1	0.5 %
1.97	1	0.5 %
2.00	14	6.9 %
2.13	2	1.0 %
2.19	1	0.5 %
2.31	1	0.5 %
2.38	2	1.0 %
2.41	1	0.5 %
2.50	2	1.0 %
2.63	1	0.5 %
2.66	1	0.5 %
2.69	2	1.0 %
2.71	1	0.5 %
2.72	1	0.5 %
2.75	2	1.0 %
2.84	1	0.5 %
2.88	2	1.0 %
2.93	1	0.5 %
2.94	3	1.5 %
3.00	16	7.9 %
3.06	2	1.0 %
3.09	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.13	1	0.5 %
3.16	1	0.5 %
3.19	1	0.5 %
3.25	2	1.0 %
3.31	1	0.5 %
3.44	2	1.0 %
3.50	2	1.0 %
3.53	1	0.5 %
3.56	3	1.5 %
3.63	1	0.5 %
3.69	2	1.0 %
3.72	1	0.5 %
3.73	1	0.5 %
3.75	2	1.0 %
3.81	3	1.5 %
3.84	1	0.5 %
3.88	4	2.0 %
3.94	2	1.0 %
4.00	23	11.3 %
4.13	2	1.0 %
4.19	1	0.5 %
4.25	3	1.5 %
4.34	1	0.5 %
4.38	4	2.0 %
4.44	1	0.5 %
4.50	1	0.5 %
4.53	1	0.5 %
4.56	1	0.5 %
4.59	1	0.5 %
4.60	1	0.5 %
4.67	1	0.5 %
4.75	2	1.0 %
4.80	1	0.5 %
4.81	2	1.0 %
4.94	3	1.5 %
5.00	23	11.3 %
5.06	3	1.5 %
5.13	1	0.5 %
5.25	1	0.5 %
5.31	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.38	2	1.0 %
5.44	2	1.0 %
5.59	1	0.5 %
5.75	1	0.5 %
5.93	1	0.5 %
5.94	1	0.5 %
6.00	10	4.9 %
6.50	1	0.5 %
7.00	1	0.5 %
7.56	1	0.5 %
7.81	1	0.5 %
8.88	1	0.5 %
9.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.86
- Median: 4.00
- Minimum: 0.88
- Maximum: 9.00
- Standard Deviation: 1.43

SNAP_RATIO_CH_AD	Snapshot of Activities: Average child-adult ratio
-------------------------	--

Location: 75-78 (width: 4; decimal: 2)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.60
- Median: 3.75
- Mode: 4.00
- Minimum: 0.88
- Maximum: 6.50
- Standard Deviation: 1.29

SNAP_PCT_TIME_CH_READ	Snapshot of Activities: % Time Children Reading
------------------------------	--

Location: 79-83 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	14	6.9 %
0.013	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.016	1	0.5 %
0.021	4	2.0 %
0.025	3	1.5 %
0.027	1	0.5 %
0.031	7	3.4 %
0.038	1	0.5 %
0.042	9	4.4 %
0.044	1	0.5 %
0.047	8	3.9 %
0.048	1	0.5 %
0.049	1	0.5 %
0.050	6	3.0 %
0.052	1	0.5 %
0.054	2	1.0 %
0.056	1	0.5 %
0.057	2	1.0 %
0.063	33	16.3 %
0.067	5	2.5 %
0.070	2	1.0 %
0.071	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.077	1	0.5 %
0.078	7	3.4 %
0.083	4	2.0 %
0.084	1	0.5 %
0.085	1	0.5 %
0.088	4	2.0 %
0.089	2	1.0 %
0.094	7	3.4 %
0.100	4	2.0 %
0.103	1	0.5 %
0.104	2	1.0 %
0.107	1	0.5 %
0.109	2	1.0 %
0.113	1	0.5 %
0.116	1	0.5 %
0.120	1	0.5 %
0.123	1	0.5 %
0.125	16	7.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.133	1	0.5 %
0.135	1	0.5 %
0.138	4	2.0 %
0.141	4	2.0 %
0.146	2	1.0 %
0.150	3	1.5 %
0.156	1	0.5 %
0.163	2	1.0 %
0.172	2	1.0 %
0.174	1	0.5 %
0.177	1	0.5 %
0.182	2	1.0 %
0.188	7	3.4 %
0.189	1	0.5 %
0.200	1	0.5 %
0.208	2	1.0 %
0.219	1	0.5 %
0.250	1	0.5 %
0.266	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.084
- Median: 0.067
- Mode: 0.063
- Minimum: 0.000
- Maximum: 0.266
- Standard Deviation: 0.054

SNAP_PCT_TIME_CH_ABC_NUMERALS Snapshot of Activities: % Time Children in ABC/Numerals

Location: 84-88 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	164	80.8 %
0.009	1	0.5 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	4	2.0 %
0.021	2	1.0 %
0.024	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.025	2	1.0 %
0.031	1	0.5 %
0.038	1	0.5 %
0.039	2	1.0 %
0.042	1	0.5 %
0.052	4	2.0 %
0.055	1	0.5 %
0.063	10	4.9 %
0.094	2	1.0 %
0.100	1	0.5 %
0.125	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.009
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.023

SNAP_PCT_TIME_CH_SOUNDS Snapshot of Activities: % Time Children in Sounds

Location: 89-93 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	152	74.9 %
0.009	2	1.0 %
0.010	2	1.0 %
0.013	1	0.5 %
0.016	3	1.5 %
0.021	3	1.5 %
0.022	1	0.5 %
0.031	3	1.5 %
0.040	1	0.5 %
0.042	1	0.5 %
0.047	1	0.5 %
0.049	1	0.5 %
0.050	3	1.5 %
0.052	1	0.5 %
0.055	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.063	13	6.4 %
0.073	1	0.5 %
0.075	1	0.5 %
0.077	1	0.5 %
0.078	2	1.0 %
0.094	1	0.5 %
0.100	2	1.0 %
0.114	1	0.5 %
0.118	1	0.5 %
0.125	2	1.0 %
0.126	1	0.5 %
0.131	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.015
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.131
- Standard Deviation: 0.030

SNAP_PCT_TIME_CH_ORAL_LGE_VOCAB Snapshot of Activities: % Time Children in Oral Ige-Vocab

Location: 94-98 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	174	85.7 %
0.013	1	0.5 %
0.021	5	2.5 %
0.025	1	0.5 %
0.031	4	2.0 %
0.038	1	0.5 %
0.042	2	1.0 %
0.045	1	0.5 %
0.050	1	0.5 %
0.058	1	0.5 %
0.059	1	0.5 %
0.063	9	4.4 %
0.100	1	0.5 %
0.172	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.007
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.172
- Standard Deviation: 0.021

SNAP_PCT_TIME_CH_LITERACY Snapshot of Activities: % Time Children in Reading-ABCs-Numerals

Location: 99-103 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	9	4.4 %
0.010	1	0.5 %
0.013	2	1.0 %
0.016	1	0.5 %
0.021	4	2.0 %
0.025	2	1.0 %
0.031	6	3.0 %
0.038	2	1.0 %
0.042	8	3.9 %
0.044	1	0.5 %
0.047	8	3.9 %
0.048	1	0.5 %
0.049	1	0.5 %
0.050	4	2.0 %
0.052	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.057	2	1.0 %
0.063	36	17.7 %
0.066	1	0.5 %
0.067	5	2.5 %
0.070	2	1.0 %
0.071	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.077	1	0.5 %
0.078	5	2.5 %
0.079	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.083	3	1.5 %
0.084	1	0.5 %
0.085	1	0.5 %
0.088	3	1.5 %
0.089	1	0.5 %
0.094	7	3.4 %
0.100	4	2.0 %
0.102	1	0.5 %
0.103	1	0.5 %
0.104	3	1.5 %
0.107	1	0.5 %
0.109	2	1.0 %
0.113	1	0.5 %
0.116	1	0.5 %
0.118	1	0.5 %
0.120	1	0.5 %
0.123	1	0.5 %
0.125	14	6.9 %
0.138	4	2.0 %
0.141	5	2.5 %
0.143	1	0.5 %
0.146	1	0.5 %
0.150	3	1.5 %
0.156	1	0.5 %
0.163	3	1.5 %
0.172	2	1.0 %
0.174	1	0.5 %
0.182	2	1.0 %
0.188	8	3.9 %
0.189	1	0.5 %
0.198	1	0.5 %
0.200	1	0.5 %
0.203	2	1.0 %
0.208	2	1.0 %
0.219	2	1.0 %
0.234	1	0.5 %
0.240	1	0.5 %
0.250	4	2.0 %
0.266	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.093
- Median: 0.075
- Mode: 0.063
- Minimum: 0.000
- Maximum: 0.266
- Standard Deviation: 0.060

SNAP_PCT_TME_CH_SOUND_ORAL_LGE Snapshot of Activities: % Time Children in Sounds-Oral language

Location: 104-108 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	133	65.5 %
0.009	1	0.5 %
0.010	1	0.5 %
0.013	2	1.0 %
0.016	3	1.5 %
0.021	4	2.0 %
0.022	1	0.5 %
0.025	1	0.5 %
0.030	1	0.5 %
0.031	6	3.0 %
0.038	1	0.5 %
0.040	1	0.5 %
0.042	3	1.5 %
0.045	1	0.5 %
0.047	1	0.5 %
0.049	1	0.5 %
0.050	3	1.5 %
0.052	2	1.0 %
0.055	1	0.5 %
0.063	15	7.4 %
0.073	1	0.5 %
0.075	1	0.5 %
0.077	1	0.5 %
0.078	2	1.0 %
0.083	1	0.5 %
0.094	2	1.0 %
0.100	1	0.5 %
0.109	1	0.5 %
0.114	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.118	1	0.5 %
0.121	1	0.5 %
0.125	3	1.5 %
0.126	1	0.5 %
0.131	1	0.5 %
0.163	2	1.0 %
0.172	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.022
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.172
- Standard Deviation: 0.038

SNAP_PCT_TIME_CH_WRITE Snapshot of Activities: % Time Children in Writing

Location: 109-113 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	172	84.7 %
0.009	1	0.5 %
0.010	2	1.0 %
0.013	1	0.5 %
0.016	5	2.5 %
0.021	1	0.5 %
0.025	1	0.5 %
0.027	1	0.5 %
0.031	4	2.0 %
0.039	1	0.5 %
0.042	2	1.0 %
0.047	1	0.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.056	1	0.5 %
0.059	1	0.5 %
0.063	5	2.5 %
0.073	1	0.5 %
0.104	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.006
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.104
- Standard Deviation: 0.017

SNAP_PCT_TIME_CH_SCI_MATH Snapshot of Activities: % Time Children in Science/Math

Location: 114-118 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.013	3	1.5 %
0.021	2	1.0 %
0.023	1	0.5 %
0.025	1	0.5 %
0.027	1	0.5 %
0.031	1	0.5 %
0.042	2	1.0 %
0.047	1	0.5 %
0.052	1	0.5 %
0.063	4	2.0 %
0.071	1	0.5 %
0.087	1	0.5 %
0.094	1	0.5 %
0.111	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.005
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.019

SNAP_PCT_TIME_CH_COLORS Snapshot of Activities: % Time Children in Learning colors

Location: 119-123 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	148	72.9 %
0.009	1	0.5 %
0.010	1	0.5 %
0.013	2	1.0 %
0.016	2	1.0 %
0.018	2	1.0 %
0.021	2	1.0 %
0.023	1	0.5 %
0.025	1	0.5 %
0.031	5	2.5 %
0.038	2	1.0 %
0.042	4	2.0 %
0.047	3	1.5 %
0.050	2	1.0 %
0.063	11	5.4 %
0.067	1	0.5 %
0.071	1	0.5 %
0.073	2	1.0 %
0.075	1	0.5 %
0.088	1	0.5 %
0.094	1	0.5 %
0.125	3	1.5 %
0.156	1	0.5 %
0.188	2	1.0 %
0.208	1	0.5 %
0.238	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.018
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.042

SNAP_PCT_CH_DRAM_PLAY	Snapshot of Activities:% Children in Dramatic Play
------------------------------	---

Location: 124-128 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	39	19.2 %
0.012	1	0.5 %
0.013	2	1.0 %
0.016	8	3.9 %
0.021	6	3.0 %
0.023	1	0.5 %
0.025	3	1.5 %
0.031	10	4.9 %
0.033	1	0.5 %
0.036	3	1.5 %
0.038	2	1.0 %
0.039	1	0.5 %
0.042	5	2.5 %
0.047	4	2.0 %
0.049	1	0.5 %
0.050	1	0.5 %
0.056	1	0.5 %
0.063	17	8.4 %
0.065	1	0.5 %
0.067	1	0.5 %
0.068	1	0.5 %
0.069	2	1.0 %
0.073	2	1.0 %
0.075	6	3.0 %
0.076	1	0.5 %
0.078	2	1.0 %
0.083	2	1.0 %
0.088	1	0.5 %
0.089	1	0.5 %
0.091	1	0.5 %
0.094	5	2.5 %
0.100	1	0.5 %
0.101	1	0.5 %
0.102	1	0.5 %
0.104	4	2.0 %
0.107	1	0.5 %
0.109	6	3.0 %
0.113	1	0.5 %
0.116	1	0.5 %
0.122	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.125	3	1.5 %
0.135	2	1.0 %
0.138	1	0.5 %
0.143	2	1.0 %
0.146	2	1.0 %
0.150	1	0.5 %
0.154	1	0.5 %
0.156	3	1.5 %
0.161	1	0.5 %
0.163	2	1.0 %
0.172	1	0.5 %
0.177	2	1.0 %
0.188	4	2.0 %
0.198	1	0.5 %
0.200	1	0.5 %
0.208	1	0.5 %
0.219	1	0.5 %
0.225	1	0.5 %
0.229	2	1.0 %
0.231	1	0.5 %
0.234	1	0.5 %
0.238	2	1.0 %
0.249	1	0.5 %
0.255	1	0.5 %
0.257	1	0.5 %
0.271	1	0.5 %
0.278	1	0.5 %
0.281	1	0.5 %
0.282	1	0.5 %
0.292	1	0.5 %
0.296	1	0.5 %
0.316	1	0.5 %
0.328	2	1.0 %
0.338	1	0.5 %
0.354	1	0.5 %
0.367	1	0.5 %
0.369	1	0.5 %
0.453	1	0.5 %
0.544	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.092
- Median: 0.063
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.544
- Standard Deviation: 0.098

SNAP_PCT_CH_CREATV_PLAY Snapshot of Activities:% Children in Creative Art Play

Location: 129-133 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	23	11.3 %
0.010	1	0.5 %
0.013	1	0.5 %
0.016	1	0.5 %
0.021	1	0.5 %
0.022	1	0.5 %
0.025	1	0.5 %
0.031	4	2.0 %
0.036	1	0.5 %
0.038	6	3.0 %
0.042	2	1.0 %
0.044	1	0.5 %
0.045	1	0.5 %
0.046	1	0.5 %
0.047	3	1.5 %
0.050	2	1.0 %
0.052	2	1.0 %
0.063	16	7.9 %
0.066	1	0.5 %
0.068	1	0.5 %
0.071	2	1.0 %
0.073	3	1.5 %
0.075	2	1.0 %
0.078	1	0.5 %
0.080	1	0.5 %
0.083	2	1.0 %
0.088	2	1.0 %
0.094	15	7.4 %
0.096	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.100	3	1.5 %
0.104	4	2.0 %
0.109	3	1.5 %
0.111	1	0.5 %
0.113	1	0.5 %
0.114	1	0.5 %
0.115	1	0.5 %
0.116	1	0.5 %
0.117	1	0.5 %
0.125	7	3.4 %
0.133	1	0.5 %
0.138	2	1.0 %
0.141	5	2.5 %
0.150	1	0.5 %
0.156	2	1.0 %
0.161	1	0.5 %
0.163	2	1.0 %
0.165	1	0.5 %
0.172	5	2.5 %
0.175	2	1.0 %
0.188	12	5.9 %
0.196	1	0.5 %
0.198	1	0.5 %
0.200	3	1.5 %
0.203	2	1.0 %
0.208	4	2.0 %
0.215	1	0.5 %
0.219	4	2.0 %
0.222	1	0.5 %
0.224	2	1.0 %
0.225	1	0.5 %
0.229	1	0.5 %
0.234	1	0.5 %
0.250	4	2.0 %
0.269	2	1.0 %
0.271	1	0.5 %
0.273	1	0.5 %
0.275	2	1.0 %
0.277	1	0.5 %
0.281	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.291	1	0.5 %
0.292	1	0.5 %
0.293	1	0.5 %
0.297	1	0.5 %
0.313	2	1.0 %
0.342	1	0.5 %
0.344	1	0.5 %
0.370	1	0.5 %
0.375	3	1.5 %
0.503	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.125
- Median: 0.100
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.503
- Standard Deviation: 0.096

SNAP_PCT_CH_BLOCKS

Snapshot of Activities:% Children in Blocks

Location: 134-138 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	111	54.7 %
0.010	2	1.0 %
0.011	2	1.0 %
0.013	5	2.5 %
0.014	1	0.5 %
0.016	10	4.9 %
0.019	1	0.5 %
0.021	2	1.0 %
0.025	1	0.5 %
0.027	1	0.5 %
0.031	5	2.5 %
0.035	1	0.5 %
0.036	2	1.0 %
0.038	4	2.0 %
0.040	1	0.5 %
0.042	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.047	4	2.0 %
0.048	1	0.5 %
0.052	1	0.5 %
0.055	1	0.5 %
0.063	11	5.4 %
0.067	1	0.5 %
0.073	2	1.0 %
0.078	3	1.5 %
0.083	2	1.0 %
0.088	1	0.5 %
0.089	2	1.0 %
0.094	3	1.5 %
0.100	2	1.0 %
0.104	2	1.0 %
0.113	3	1.5 %
0.125	3	1.5 %
0.138	1	0.5 %
0.141	2	1.0 %
0.150	1	0.5 %
0.156	1	0.5 %
0.177	1	0.5 %
0.187	1	0.5 %
0.196	1	0.5 %
0.219	1	0.5 %
0.281	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.031
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.052

SNAP_PCT_CH_FINE_MOT

Snapshot of Activities:% Children in Fine Motor Play

Location: 139-143 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	63	31.0 %
0.009	2	1.0 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	5	2.5 %
0.018	1	0.5 %
0.020	1	0.5 %
0.021	10	4.9 %
0.023	1	0.5 %
0.024	1	0.5 %
0.025	2	1.0 %
0.027	1	0.5 %
0.030	1	0.5 %
0.031	9	4.4 %
0.036	1	0.5 %
0.038	2	1.0 %
0.039	1	0.5 %
0.042	2	1.0 %
0.046	1	0.5 %
0.047	5	2.5 %
0.050	2	1.0 %
0.056	1	0.5 %
0.057	1	0.5 %
0.063	10	4.9 %
0.067	4	2.0 %
0.069	1	0.5 %
0.071	1	0.5 %
0.073	3	1.5 %
0.075	3	1.5 %
0.076	1	0.5 %
0.078	2	1.0 %
0.083	4	2.0 %
0.085	1	0.5 %
0.088	1	0.5 %
0.094	4	2.0 %
0.096	1	0.5 %
0.099	1	0.5 %
0.100	2	1.0 %
0.104	6	3.0 %
0.115	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.116	1	0.5 %
0.122	1	0.5 %
0.124	1	0.5 %
0.125	6	3.0 %
0.138	3	1.5 %
0.141	1	0.5 %
0.142	1	0.5 %
0.150	3	1.5 %
0.156	1	0.5 %
0.167	1	0.5 %
0.172	2	1.0 %
0.182	1	0.5 %
0.188	4	2.0 %
0.203	2	1.0 %
0.218	1	0.5 %
0.219	1	0.5 %
0.234	1	0.5 %
0.238	2	1.0 %
0.250	4	2.0 %
0.275	1	0.5 %
0.313	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.062
- Median: 0.036
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.072

SNAP_PCT_CH_SENSORY

Snapshot of Activities:% Children in Sensory Play

Location: 144-148 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	74	36.5 %
0.007	1	0.5 %
0.010	1	0.5 %
0.013	4	2.0 %
0.016	8	3.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.018	1	0.5 %
0.021	3	1.5 %
0.025	2	1.0 %
0.027	2	1.0 %
0.029	1	0.5 %
0.031	11	5.4 %
0.033	2	1.0 %
0.038	3	1.5 %
0.039	1	0.5 %
0.041	2	1.0 %
0.042	2	1.0 %
0.044	2	1.0 %
0.046	1	0.5 %
0.047	5	2.5 %
0.049	2	1.0 %
0.050	5	2.5 %
0.052	1	0.5 %
0.054	3	1.5 %
0.056	1	0.5 %
0.059	1	0.5 %
0.063	16	7.9 %
0.069	1	0.5 %
0.070	1	0.5 %
0.075	1	0.5 %
0.078	2	1.0 %
0.080	2	1.0 %
0.083	2	1.0 %
0.088	1	0.5 %
0.092	1	0.5 %
0.094	4	2.0 %
0.100	1	0.5 %
0.104	2	1.0 %
0.106	1	0.5 %
0.111	1	0.5 %
0.113	1	0.5 %
0.115	1	0.5 %
0.121	1	0.5 %
0.125	6	3.0 %
0.128	1	0.5 %
0.129	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.132	1	0.5 %
0.146	2	1.0 %
0.150	1	0.5 %
0.156	2	1.0 %
0.160	1	0.5 %
0.175	2	1.0 %
0.181	1	0.5 %
0.188	1	0.5 %
0.203	1	0.5 %
0.214	1	0.5 %
0.266	1	0.5 %
0.292	1	0.5 %
0.359	1	0.5 %
0.396	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.048
- Median: 0.031
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.396
- Standard Deviation: 0.064

SNAP_PCT_CH_CIRCLE_TIME **Snapshot of Activities:% Children in Circle Time**

Location: 149-153 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	177	87.2 %
0.031	2	1.0 %
0.042	1	0.5 %
0.047	1	0.5 %
0.052	2	1.0 %
0.055	1	0.5 %
0.063	9	4.4 %
0.067	1	0.5 %
0.078	1	0.5 %
0.083	1	0.5 %
0.113	1	0.5 %
0.125	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.133	2	1.0 %
0.200	1	0.5 %
0.207	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.011
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.207
- Standard Deviation: 0.032

SNAP_PCT_CH_RULE_GAMES Snapshot of Activities:% Children in Games involving Rules

Location: 154-158 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	190	93.6 %
0.016	1	0.5 %
0.031	4	2.0 %
0.042	1	0.5 %
0.047	2	1.0 %
0.115	1	0.5 %
0.122	1	0.5 %
0.125	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.020

SNAP_PCT_CH_TV_VIDEO_COMP Snapshot of Activities:% Children in TV-Video-Computer

Location: 159-163 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	150	73.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.011	1	0.5 %
0.013	2	1.0 %
0.016	1	0.5 %
0.021	1	0.5 %
0.022	1	0.5 %
0.031	4	2.0 %
0.038	2	1.0 %
0.042	2	1.0 %
0.047	3	1.5 %
0.049	1	0.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	5	2.5 %
0.075	1	0.5 %
0.078	2	1.0 %
0.083	2	1.0 %
0.091	1	0.5 %
0.094	3	1.5 %
0.100	1	0.5 %
0.113	1	0.5 %
0.125	4	2.0 %
0.135	1	0.5 %
0.138	1	0.5 %
0.141	1	0.5 %
0.143	1	0.5 %
0.156	1	0.5 %
0.188	1	0.5 %
0.200	2	1.0 %
0.219	1	0.5 %
0.238	1	0.5 %
0.250	1	0.5 %
0.263	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.025
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375

- Study 31581 -

- Standard Deviation: 0.057

SNAP_PCT_CH_TV **Snapshot of Activities:% Children in TV**

Location: 164-168 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	168	82.8 %
0.011	1	0.5 %
0.013	1	0.5 %
0.016	1	0.5 %
0.021	1	0.5 %
0.022	1	0.5 %
0.031	2	1.0 %
0.038	1	0.5 %
0.042	1	0.5 %
0.047	2	1.0 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	5	2.5 %
0.078	2	1.0 %
0.083	2	1.0 %
0.091	1	0.5 %
0.094	2	1.0 %
0.100	1	0.5 %
0.113	1	0.5 %
0.125	1	0.5 %
0.135	1	0.5 %
0.141	1	0.5 %
0.143	1	0.5 %
0.156	1	0.5 %
0.200	1	0.5 %
0.238	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.015
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.045

- Study 31581 -

SNAP_PCT_CH_VIDEO Snapshot of Activities:% Children in Video

Location: 169-173 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	192	94.6 %
0.042	2	1.0 %
0.049	1	0.5 %
0.063	1	0.5 %
0.094	1	0.5 %
0.125	3	1.5 %
0.188	1	0.5 %
0.200	1	0.5 %
0.263	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.006
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.263
- Standard Deviation: 0.032

SNAP_PCT_CH_COMPUTER Snapshot of Activities:% Children in Computer

Location: 174-178 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	194	95.6 %
0.013	3	1.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.047	1	0.5 %
0.083	1	0.5 %
0.219	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000

- Study 31581 -

- Maximum: 0.250
- Standard Deviation: 0.024

SNAP_PCT_CH_GROSS_MOT **Snapshot of Activities:% Children in Gross Motor**

Location: 179-183 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	75	36.9 %
0.009	1	0.5 %
0.013	2	1.0 %
0.016	2	1.0 %
0.018	1	0.5 %
0.022	1	0.5 %
0.023	1	0.5 %
0.025	1	0.5 %
0.031	5	2.5 %
0.035	1	0.5 %
0.038	1	0.5 %
0.042	4	2.0 %
0.044	1	0.5 %
0.047	3	1.5 %
0.050	4	2.0 %
0.052	1	0.5 %
0.056	1	0.5 %
0.063	12	5.9 %
0.070	1	0.5 %
0.071	1	0.5 %
0.073	1	0.5 %
0.075	3	1.5 %
0.078	1	0.5 %
0.083	3	1.5 %
0.094	5	2.5 %
0.100	1	0.5 %
0.104	3	1.5 %
0.108	1	0.5 %
0.109	6	3.0 %
0.113	1	0.5 %
0.115	3	1.5 %
0.116	1	0.5 %
0.125	12	5.9 %
0.134	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.135	1	0.5 %
0.138	1	0.5 %
0.141	1	0.5 %
0.146	3	1.5 %
0.150	1	0.5 %
0.156	4	2.0 %
0.167	2	1.0 %
0.188	4	2.0 %
0.208	1	0.5 %
0.213	4	2.0 %
0.219	3	1.5 %
0.222	1	0.5 %
0.238	1	0.5 %
0.243	1	0.5 %
0.250	3	1.5 %
0.267	1	0.5 %
0.272	1	0.5 %
0.297	2	1.0 %
0.313	3	1.5 %
0.330	1	0.5 %
0.344	1	0.5 %
0.545	1	0.5 %
0.563	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.080
- Median: 0.050
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.563
- Standard Deviation: 0.097

SNAP_PCT_CH_OTHER

Snapshot of Activities:% Children in Other Activity

Location: 184-188 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	198	97.5 %
0.010	1	0.5 %
0.016	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.018	1	0.5 %
0.021	1	0.5 %
0.031	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.031
- Standard Deviation: 0.003

SNAP_PCT_CH_ROUTINES

Snapshot of Activities:% Children in Routines-Transitions-Physical Care

Location: 189-193 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	2	1.0 %
0.016	1	0.5 %
0.021	1	0.5 %
0.027	1	0.5 %
0.028	1	0.5 %
0.031	1	0.5 %
0.037	1	0.5 %
0.038	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.063	9	4.4 %
0.067	1	0.5 %
0.070	1	0.5 %
0.075	4	2.0 %
0.078	5	2.5 %
0.080	1	0.5 %
0.082	1	0.5 %
0.091	2	1.0 %
0.094	6	3.0 %
0.098	1	0.5 %
0.099	1	0.5 %
0.104	4	2.0 %
0.107	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.109	5	2.5 %
0.113	3	1.5 %
0.115	1	0.5 %
0.117	1	0.5 %
0.118	1	0.5 %
0.119	1	0.5 %
0.120	1	0.5 %
0.124	1	0.5 %
0.125	18	8.9 %
0.133	2	1.0 %
0.138	2	1.0 %
0.141	2	1.0 %
0.143	2	1.0 %
0.146	3	1.5 %
0.150	1	0.5 %
0.156	6	3.0 %
0.161	1	0.5 %
0.163	4	2.0 %
0.164	1	0.5 %
0.167	2	1.0 %
0.171	1	0.5 %
0.172	3	1.5 %
0.174	1	0.5 %
0.175	2	1.0 %
0.177	1	0.5 %
0.178	1	0.5 %
0.179	1	0.5 %
0.184	1	0.5 %
0.186	1	0.5 %
0.187	1	0.5 %
0.188	15	7.4 %
0.189	1	0.5 %
0.190	1	0.5 %
0.192	1	0.5 %
0.193	1	0.5 %
0.196	1	0.5 %
0.200	1	0.5 %
0.203	2	1.0 %
0.208	3	1.5 %
0.211	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.217	1	0.5 %
0.219	6	3.0 %
0.220	1	0.5 %
0.222	1	0.5 %
0.224	1	0.5 %
0.225	3	1.5 %
0.229	4	2.0 %
0.234	3	1.5 %
0.240	1	0.5 %
0.245	1	0.5 %
0.250	4	2.0 %
0.252	1	0.5 %
0.263	1	0.5 %
0.266	2	1.0 %
0.275	2	1.0 %
0.276	2	1.0 %
0.281	3	1.5 %
0.288	1	0.5 %
0.292	1	0.5 %
0.294	1	0.5 %
0.301	1	0.5 %
0.302	2	1.0 %
0.309	1	0.5 %
0.313	1	0.5 %
0.317	1	0.5 %
0.331	1	0.5 %
0.344	2	1.0 %
0.375	1	0.5 %
0.385	1	0.5 %
0.406	2	1.0 %
0.523	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.166
- Median: 0.163
- Mode: 0.125
- Minimum: 0.000
- Maximum: 0.523
- Standard Deviation: 0.085

- Study 31581 -

SNAP_PCT_CH_MEALS

Snapshot of Activities:% Children in Meals

Location: 194-198 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	22	10.8 %
0.010	1	0.5 %
0.013	2	1.0 %
0.016	1	0.5 %
0.021	4	2.0 %
0.025	1	0.5 %
0.038	1	0.5 %
0.042	2	1.0 %
0.044	1	0.5 %
0.045	2	1.0 %
0.047	4	2.0 %
0.050	1	0.5 %
0.051	1	0.5 %
0.063	21	10.3 %
0.066	1	0.5 %
0.067	2	1.0 %
0.070	1	0.5 %
0.071	2	1.0 %
0.073	2	1.0 %
0.075	3	1.5 %
0.078	4	2.0 %
0.080	1	0.5 %
0.083	1	0.5 %
0.085	2	1.0 %
0.088	1	0.5 %
0.094	4	2.0 %
0.098	1	0.5 %
0.099	1	0.5 %
0.100	2	1.0 %
0.104	6	3.0 %
0.108	1	0.5 %
0.109	7	3.4 %
0.113	1	0.5 %
0.115	2	1.0 %
0.125	29	14.3 %
0.126	1	0.5 %
0.129	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.138	4	2.0 %
0.141	5	2.5 %
0.143	1	0.5 %
0.144	1	0.5 %
0.146	3	1.5 %
0.148	2	1.0 %
0.150	1	0.5 %
0.156	5	2.5 %
0.164	1	0.5 %
0.169	1	0.5 %
0.172	1	0.5 %
0.175	1	0.5 %
0.177	2	1.0 %
0.185	1	0.5 %
0.188	5	2.5 %
0.193	1	0.5 %
0.198	1	0.5 %
0.200	3	1.5 %
0.201	1	0.5 %
0.203	1	0.5 %
0.204	1	0.5 %
0.205	1	0.5 %
0.208	2	1.0 %
0.216	1	0.5 %
0.228	1	0.5 %
0.229	1	0.5 %
0.234	1	0.5 %
0.238	1	0.5 %
0.250	5	2.5 %
0.266	2	1.0 %
0.279	1	0.5 %
0.281	1	0.5 %
0.286	1	0.5 %
0.292	1	0.5 %
0.302	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.109
- Median: 0.109
- Mode: 0.125

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.302
- Standard Deviation: 0.071

SNAP_PCT_CH_NAP **Snapshot of Activities:% Children in Nap**

Location: 199-203 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	113	55.7 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	2	1.0 %
0.018	1	0.5 %
0.019	1	0.5 %
0.021	2	1.0 %
0.025	5	2.5 %
0.031	5	2.5 %
0.036	1	0.5 %
0.038	2	1.0 %
0.042	2	1.0 %
0.043	1	0.5 %
0.044	1	0.5 %
0.047	4	2.0 %
0.051	1	0.5 %
0.052	2	1.0 %
0.055	1	0.5 %
0.056	1	0.5 %
0.057	1	0.5 %
0.063	7	3.4 %
0.064	1	0.5 %
0.067	1	0.5 %
0.078	2	1.0 %
0.083	3	1.5 %
0.094	3	1.5 %
0.097	1	0.5 %
0.100	1	0.5 %
0.101	1	0.5 %
0.106	1	0.5 %
0.109	1	0.5 %
0.112	1	0.5 %
0.116	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.122	1	0.5 %
0.125	3	1.5 %
0.133	2	1.0 %
0.140	1	0.5 %
0.143	1	0.5 %
0.145	1	0.5 %
0.156	2	1.0 %
0.167	3	1.5 %
0.175	1	0.5 %
0.184	1	0.5 %
0.188	4	2.0 %
0.238	1	0.5 %
0.240	1	0.5 %
0.250	2	1.0 %
0.281	1	0.5 %
0.284	1	0.5 %
0.288	1	0.5 %
0.422	1	0.5 %
0.438	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.045
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.438
- Standard Deviation: 0.076

SNAP_PCT_CH_UNINVOLVED **Snapshot of Activities:% Children Uninvolved in Activity**

Location: 204-208 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	43	21.2 %
0.007	1	0.5 %
0.010	3	1.5 %
0.011	1	0.5 %
0.013	9	4.4 %
0.016	10	4.9 %
0.021	8	3.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.022	2	1.0 %
0.029	1	0.5 %
0.031	14	6.9 %
0.033	1	0.5 %
0.034	1	0.5 %
0.035	2	1.0 %
0.036	2	1.0 %
0.038	5	2.5 %
0.039	1	0.5 %
0.041	1	0.5 %
0.042	3	1.5 %
0.046	2	1.0 %
0.047	2	1.0 %
0.050	2	1.0 %
0.052	1	0.5 %
0.054	1	0.5 %
0.055	2	1.0 %
0.056	2	1.0 %
0.059	1	0.5 %
0.060	1	0.5 %
0.063	12	5.9 %
0.066	1	0.5 %
0.067	1	0.5 %
0.068	1	0.5 %
0.071	1	0.5 %
0.073	3	1.5 %
0.075	3	1.5 %
0.078	4	2.0 %
0.083	7	3.4 %
0.084	2	1.0 %
0.091	1	0.5 %
0.094	3	1.5 %
0.100	2	1.0 %
0.104	1	0.5 %
0.106	1	0.5 %
0.109	1	0.5 %
0.113	4	2.0 %
0.120	1	0.5 %
0.125	6	3.0 %
0.129	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.135	2	1.0 %
0.138	2	1.0 %
0.146	1	0.5 %
0.150	1	0.5 %
0.156	2	1.0 %
0.167	2	1.0 %
0.168	1	0.5 %
0.172	2	1.0 %
0.178	1	0.5 %
0.188	4	2.0 %
0.200	1	0.5 %
0.213	2	1.0 %
0.214	1	0.5 %
0.244	1	0.5 %
0.288	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.058
- Median: 0.038
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.061

SNAP_PCT_1_CH

Snapshot of Activities: % with 1 Child

Location:

209-212 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.01	1	0.5 %
0.03	3	1.5 %
0.04	4	2.0 %
0.05	4	2.0 %
0.06	4	2.0 %
0.07	5	2.5 %
0.08	5	2.5 %
0.09	7	3.4 %
0.10	2	1.0 %
0.11	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.12	2	1.0 %
0.13	4	2.0 %
0.14	6	3.0 %
0.15	7	3.4 %
0.16	3	1.5 %
0.17	3	1.5 %
0.18	4	2.0 %
0.19	11	5.4 %
0.20	4	2.0 %
0.21	7	3.4 %
0.22	3	1.5 %
0.23	7	3.4 %
0.24	2	1.0 %
0.25	4	2.0 %
0.26	2	1.0 %
0.27	4	2.0 %
0.28	8	3.9 %
0.29	4	2.0 %
0.30	1	0.5 %
0.31	4	2.0 %
0.32	2	1.0 %
0.33	10	4.9 %
0.34	3	1.5 %
0.35	4	2.0 %
0.36	4	2.0 %
0.39	1	0.5 %
0.40	1	0.5 %
0.41	1	0.5 %
0.42	5	2.5 %
0.43	1	0.5 %
0.44	4	2.0 %
0.45	2	1.0 %
0.46	2	1.0 %
0.48	4	2.0 %
0.49	1	0.5 %
0.50	2	1.0 %
0.51	1	0.5 %
0.52	2	1.0 %
0.55	2	1.0 %
0.59	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.63	1	0.5 %
0.65	1	0.5 %
0.69	2	1.0 %
0.71	1	0.5 %
0.75	2	1.0 %
0.79	1	0.5 %
0.80	1	0.5 %
0.81	2	1.0 %
0.86	1	0.5 %
0.90	1	0.5 %
0.94	1	0.5 %
1.00	8	3.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.31
- Median: 0.25
- Mode: 0.19
- Minimum: 0.01
- Maximum: 1.00
- Standard Deviation: 0.23

SNAP_PCT_2_CH

Snapshot of Activities: % with 2 Children

Location:

213-217 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	15	7.4 %
0.017	1	0.5 %
0.021	2	1.0 %
0.022	1	0.5 %
0.025	1	0.5 %
0.027	1	0.5 %
0.028	1	0.5 %
0.031	3	1.5 %
0.042	2	1.0 %
0.043	1	0.5 %
0.047	1	0.5 %
0.050	3	1.5 %
0.051	1	0.5 %
0.052	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.053	1	0.5 %
0.057	1	0.5 %
0.063	2	1.0 %
0.069	1	0.5 %
0.073	2	1.0 %
0.075	3	1.5 %
0.083	3	1.5 %
0.088	3	1.5 %
0.091	1	0.5 %
0.092	1	0.5 %
0.094	4	2.0 %
0.096	1	0.5 %
0.098	1	0.5 %
0.100	4	2.0 %
0.107	2	1.0 %
0.108	3	1.5 %
0.109	2	1.0 %
0.111	1	0.5 %
0.115	1	0.5 %
0.125	12	5.9 %
0.134	1	0.5 %
0.138	2	1.0 %
0.141	1	0.5 %
0.146	1	0.5 %
0.150	4	2.0 %
0.156	3	1.5 %
0.163	1	0.5 %
0.167	4	2.0 %
0.175	4	2.0 %
0.177	1	0.5 %
0.178	2	1.0 %
0.181	1	0.5 %
0.182	1	0.5 %
0.183	1	0.5 %
0.185	1	0.5 %
0.188	8	3.9 %
0.194	1	0.5 %
0.196	1	0.5 %
0.200	1	0.5 %
0.208	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.210	1	0.5 %
0.212	1	0.5 %
0.214	1	0.5 %
0.219	4	2.0 %
0.225	3	1.5 %
0.229	1	0.5 %
0.231	1	0.5 %
0.234	1	0.5 %
0.250	12	5.9 %
0.258	1	0.5 %
0.266	1	0.5 %
0.271	2	1.0 %
0.276	1	0.5 %
0.288	1	0.5 %
0.292	4	2.0 %
0.296	1	0.5 %
0.297	1	0.5 %
0.300	1	0.5 %
0.306	1	0.5 %
0.313	6	3.0 %
0.323	2	1.0 %
0.329	1	0.5 %
0.333	2	1.0 %
0.344	3	1.5 %
0.354	2	1.0 %
0.365	2	1.0 %
0.367	1	0.5 %
0.369	1	0.5 %
0.375	4	2.0 %
0.396	1	0.5 %
0.406	1	0.5 %
0.411	1	0.5 %
0.417	1	0.5 %
0.500	2	1.0 %
0.542	3	1.5 %
0.563	1	0.5 %
0.750	2	1.0 %
0.813	1	0.5 %
0.938	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.197
- Median: 0.175
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.938
- Standard Deviation: 0.161

SNAP_PCT_3_5_CH

Snapshot of Activities: % with 3-5 Children

Location: 218-222 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.437
- Median: 0.453
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.975
- Standard Deviation: 0.264

SNAP_PCT_6P_CH

Snapshot of Activities: % with 6+ Children

Location: 223-227 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	155	76.4 %
0.047	1	0.5 %
0.049	1	0.5 %
0.050	1	0.5 %
0.054	1	0.5 %
0.063	5	2.5 %
0.067	1	0.5 %
0.102	1	0.5 %
0.116	1	0.5 %
0.124	1	0.5 %
0.125	7	3.4 %
0.133	1	0.5 %
0.170	1	0.5 %
0.188	2	1.0 %
0.195	1	0.5 %
0.219	1	0.5 %
0.250	1	0.5 %
0.289	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.308	1	0.5 %
0.313	2	1.0 %
0.326	1	0.5 %
0.364	1	0.5 %
0.375	3	1.5 %
0.404	1	0.5 %
0.416	1	0.5 %
0.422	1	0.5 %
0.438	1	0.5 %
0.459	1	0.5 %
0.461	1	0.5 %
0.500	1	0.5 %
0.597	1	0.5 %
0.600	1	0.5 %
0.625	1	0.5 %
0.664	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.061
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.142

SNAP_PCT_1_2_CH

Snapshot of Activities: % with 1 or 2 Children

Location:

228-231 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.03	2	1.0 %
0.04	1	0.5 %
0.05	1	0.5 %
0.07	1	0.5 %
0.08	1	0.5 %
0.09	3	1.5 %
0.11	1	0.5 %
0.13	4	2.0 %
0.14	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.15	2	1.0 %
0.16	2	1.0 %
0.17	1	0.5 %
0.19	6	3.0 %
0.20	2	1.0 %
0.21	5	2.5 %
0.22	1	0.5 %
0.23	4	2.0 %
0.24	2	1.0 %
0.25	2	1.0 %
0.26	1	0.5 %
0.27	3	1.5 %
0.28	1	0.5 %
0.29	5	2.5 %
0.30	3	1.5 %
0.31	5	2.5 %
0.32	1	0.5 %
0.33	3	1.5 %
0.34	5	2.5 %
0.35	3	1.5 %
0.36	3	1.5 %
0.37	2	1.0 %
0.38	3	1.5 %
0.39	4	2.0 %
0.40	5	2.5 %
0.41	7	3.4 %
0.42	2	1.0 %
0.43	3	1.5 %
0.44	3	1.5 %
0.46	1	0.5 %
0.48	1	0.5 %
0.49	1	0.5 %
0.50	4	2.0 %
0.51	1	0.5 %
0.52	3	1.5 %
0.53	2	1.0 %
0.55	5	2.5 %
0.56	8	3.9 %
0.58	4	2.0 %
0.59	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.60	1	0.5 %
0.61	1	0.5 %
0.62	1	0.5 %
0.63	2	1.0 %
0.64	6	3.0 %
0.65	2	1.0 %
0.67	3	1.5 %
0.68	2	1.0 %
0.69	2	1.0 %
0.72	1	0.5 %
0.73	1	0.5 %
0.75	3	1.5 %
0.78	2	1.0 %
0.80	3	1.5 %
0.81	2	1.0 %
0.88	3	1.5 %
0.89	1	0.5 %
0.93	1	0.5 %
0.94	2	1.0 %
0.96	1	0.5 %
1.00	26	12.8 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.50
- Median: 0.43
- Mode: 1.00
- Minimum: 0.03
- Maximum: 1.00
- Standard Deviation: 0.28

SNAP_PCT_1_5_CH

Snapshot of Activities: % with 1-5 Children

Location: 232-235 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.33	1	0.5 %
0.34	1	0.5 %
0.38	1	0.5 %
0.40	2	1.0 %
0.50	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.54	2	1.0 %
0.56	1	0.5 %
0.58	2	1.0 %
0.60	1	0.5 %
0.63	3	1.5 %
0.64	1	0.5 %
0.67	1	0.5 %
0.69	3	1.5 %
0.71	1	0.5 %
0.75	1	0.5 %
0.78	1	0.5 %
0.80	1	0.5 %
0.81	2	1.0 %
0.83	1	0.5 %
0.87	1	0.5 %
0.88	9	4.4 %
0.90	1	0.5 %
0.93	1	0.5 %
0.94	5	2.5 %
0.95	4	2.0 %
1.00	155	76.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.33
- Maximum: 1.00
- Standard Deviation: 0.14

SNAP_PCT_HI_LEVEL_ACT **Snapshot of Activities: % High-level Activities (activity 1-9,11)**

Location: 236-240 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.507
- Median: 0.500
- Mode: 0.521
- Minimum: 0.094
- Maximum: 0.896
- Standard Deviation: 0.151

- Study 31581 -

SNAP_PCT_HI_LEVEL_ACT_W_P Snapshot of Activities: % High-level Activities (activity 1-9,11) with Provider Involved

Location: 241-245 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.310
- Median: 0.269
- Mode: 0.250
- Minimum: 0.000
- Maximum: 0.896
- Standard Deviation: 0.165

SNAP_PCT_HI_LEVEL_ACT_W_P_ASST Snapshot of Activities: % High-level Activities (activity 1-9,11) with Provider or Assistant Involved

Location: 246-250 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.337
- Median: 0.313
- Mode: 0.250
- Minimum: 0.042
- Maximum: 0.896
- Standard Deviation: 0.160

SNAP_PCT_INTEG_LIT Snapshot of Activities: % Activities (activity 3-18) with Literacy Integrated in Activity

Location: 251-255 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	153	75.4 %
0.006	1	0.5 %
0.008	1	0.5 %
0.010	2	1.0 %
0.013	5	2.5 %
0.016	4	2.0 %
0.021	1	0.5 %
0.023	2	1.0 %
0.025	1	0.5 %
0.026	1	0.5 %
0.031	6	3.0 %
0.038	3	1.5 %
0.042	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.047	1	0.5 %
0.063	11	5.4 %
0.073	1	0.5 %
0.083	1	0.5 %
0.099	1	0.5 %
0.109	1	0.5 %
0.113	1	0.5 %
0.125	4	2.0 %
0.156	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.156
- Standard Deviation: 0.029

SNAP_PCT_LIT_INST

Snapshot of Activities: % Literacy Instructional Activities (activity 1-2)

Location: 256-260 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	9	4.4 %
0.013	1	0.5 %
0.016	1	0.5 %
0.021	2	1.0 %
0.025	2	1.0 %
0.031	5	2.5 %
0.038	1	0.5 %
0.042	6	3.0 %
0.044	1	0.5 %
0.047	4	2.0 %
0.050	1	0.5 %
0.052	1	0.5 %
0.054	1	0.5 %
0.057	1	0.5 %
0.063	20	9.9 %
0.066	1	0.5 %
0.067	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.069	1	0.5 %
0.071	1	0.5 %
0.073	2	1.0 %
0.075	3	1.5 %
0.077	1	0.5 %
0.078	3	1.5 %
0.083	4	2.0 %
0.085	1	0.5 %
0.088	1	0.5 %
0.089	1	0.5 %
0.092	1	0.5 %
0.094	10	4.9 %
0.096	1	0.5 %
0.097	1	0.5 %
0.100	4	2.0 %
0.102	2	1.0 %
0.104	3	1.5 %
0.107	1	0.5 %
0.109	3	1.5 %
0.113	3	1.5 %
0.116	1	0.5 %
0.118	1	0.5 %
0.120	1	0.5 %
0.123	1	0.5 %
0.125	11	5.4 %
0.138	3	1.5 %
0.141	5	2.5 %
0.147	1	0.5 %
0.150	5	2.5 %
0.156	2	1.0 %
0.163	3	1.5 %
0.167	2	1.0 %
0.172	2	1.0 %
0.174	3	1.5 %
0.175	1	0.5 %
0.178	1	0.5 %
0.179	1	0.5 %
0.182	3	1.5 %
0.188	10	4.9 %
0.189	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.194	1	0.5 %
0.198	1	0.5 %
0.200	2	1.0 %
0.203	3	1.5 %
0.207	1	0.5 %
0.208	5	2.5 %
0.211	1	0.5 %
0.213	1	0.5 %
0.219	1	0.5 %
0.225	2	1.0 %
0.229	2	1.0 %
0.234	3	1.5 %
0.240	1	0.5 %
0.250	5	2.5 %
0.266	1	0.5 %
0.276	1	0.5 %
0.281	1	0.5 %
0.292	2	1.0 %
0.350	1	0.5 %
0.363	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.121
- Median: 0.104
- Mode: 0.063
- Minimum: 0.000
- Maximum: 0.363
- Standard Deviation: 0.074

SNAP_PCT_SINGING

Snapshot of Activities: % Activities with Singing

Location: 261-265 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	131	64.5 %
0.009	1	0.5 %
0.010	2	1.0 %
0.013	2	1.0 %
0.016	5	2.5 %
0.021	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.022	1	0.5 %
0.025	2	1.0 %
0.031	4	2.0 %
0.033	1	0.5 %
0.035	1	0.5 %
0.038	1	0.5 %
0.040	1	0.5 %
0.042	1	0.5 %
0.047	2	1.0 %
0.049	1	0.5 %
0.050	4	2.0 %
0.052	1	0.5 %
0.055	1	0.5 %
0.063	25	12.3 %
0.067	1	0.5 %
0.073	1	0.5 %
0.074	1	0.5 %
0.077	1	0.5 %
0.078	2	1.0 %
0.088	1	0.5 %
0.094	2	1.0 %
0.104	1	0.5 %
0.125	2	1.0 %
0.151	1	0.5 %
0.172	1	0.5 %
0.181	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.181
- Standard Deviation: 0.034

SNAP_PCT_P_TALKS_ENG

Snapshot of Activities: % Snapshots Provider Talks to Child(ren) in English

Location: 266-270 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.369
- Median: 0.381
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.907
- Standard Deviation: 0.251

SNAP_PCT_P_TALKS_SP

Snapshot of Activities: % Snapshots Provider Talks to Child(ren) in Spanish

Location:

271-275 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	119	58.6 %
0.007	1	0.5 %
0.008	1	0.5 %
0.021	3	1.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.042	2	1.0 %
0.047	1	0.5 %
0.050	2	1.0 %
0.055	1	0.5 %
0.063	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.077	1	0.5 %
0.094	1	0.5 %
0.100	1	0.5 %
0.109	1	0.5 %
0.125	1	0.5 %
0.146	1	0.5 %
0.172	1	0.5 %
0.175	1	0.5 %
0.177	1	0.5 %
0.188	1	0.5 %
0.196	1	0.5 %
0.198	1	0.5 %
0.200	2	1.0 %
0.208	1	0.5 %
0.219	2	1.0 %
0.238	2	1.0 %
0.250	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.272	1	0.5 %
0.275	2	1.0 %
0.281	1	0.5 %
0.282	1	0.5 %
0.283	1	0.5 %
0.292	1	0.5 %
0.338	1	0.5 %
0.342	1	0.5 %
0.354	1	0.5 %
0.375	1	0.5 %
0.388	1	0.5 %
0.391	3	1.5 %
0.406	2	1.0 %
0.422	1	0.5 %
0.425	1	0.5 %
0.438	2	1.0 %
0.448	1	0.5 %
0.453	1	0.5 %
0.482	1	0.5 %
0.500	1	0.5 %
0.510	1	0.5 %
0.515	1	0.5 %
0.550	1	0.5 %
0.563	1	0.5 %
0.568	1	0.5 %
0.594	2	1.0 %
0.604	1	0.5 %
0.607	1	0.5 %
0.609	1	0.5 %
0.615	1	0.5 %
0.625	1	0.5 %
0.656	1	0.5 %
0.688	1	0.5 %
0.719	2	1.0 %
0.732	1	0.5 %
0.800	1	0.5 %
0.938	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.135

- Study 31581 -

- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.938
- Standard Deviation: 0.219

SNAP_PCT_P_TALKS_OTH **Snapshot of Activities: % Snapshots Provider Talks to Child(ren) in Other Lge**

Location: 276-280 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	198	97.5 %
0.016	1	0.5 %
0.063	2	1.0 %
0.083	1	0.5 %
0.263	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.263
- Standard Deviation: 0.020

SNAP_PCT_P_NO_TALK **Snapshot of Activities: % Snapshots Provider Does Not Talk to Child(ren)**

Location: 281-285 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	18	8.9 %
0.010	3	1.5 %
0.013	4	2.0 %
0.016	2	1.0 %
0.022	1	0.5 %
0.027	1	0.5 %
0.031	3	1.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.040	1	0.5 %
0.042	1	0.5 %
0.047	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.048	1	0.5 %
0.050	2	1.0 %
0.054	1	0.5 %
0.063	20	9.9 %
0.066	1	0.5 %
0.067	1	0.5 %
0.069	1	0.5 %
0.073	2	1.0 %
0.077	2	1.0 %
0.078	2	1.0 %
0.083	5	2.5 %
0.088	2	1.0 %
0.094	1	0.5 %
0.100	2	1.0 %
0.104	3	1.5 %
0.109	3	1.5 %
0.113	2	1.0 %
0.118	1	0.5 %
0.125	8	3.9 %
0.136	1	0.5 %
0.141	4	2.0 %
0.142	1	0.5 %
0.146	1	0.5 %
0.150	1	0.5 %
0.151	1	0.5 %
0.154	1	0.5 %
0.156	4	2.0 %
0.167	1	0.5 %
0.171	1	0.5 %
0.172	1	0.5 %
0.175	2	1.0 %
0.177	2	1.0 %
0.178	2	1.0 %
0.179	1	0.5 %
0.181	2	1.0 %
0.183	1	0.5 %
0.188	5	2.5 %
0.196	1	0.5 %
0.197	1	0.5 %
0.198	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.200	5	2.5 %
0.203	2	1.0 %
0.208	3	1.5 %
0.213	1	0.5 %
0.219	3	1.5 %
0.224	1	0.5 %
0.225	2	1.0 %
0.229	3	1.5 %
0.230	1	0.5 %
0.250	1	0.5 %
0.271	2	1.0 %
0.281	3	1.5 %
0.292	3	1.5 %
0.294	1	0.5 %
0.297	1	0.5 %
0.301	1	0.5 %
0.306	1	0.5 %
0.313	3	1.5 %
0.317	1	0.5 %
0.327	1	0.5 %
0.344	2	1.0 %
0.360	1	0.5 %
0.373	1	0.5 %
0.375	1	0.5 %
0.385	1	0.5 %
0.386	1	0.5 %
0.388	1	0.5 %
0.391	1	0.5 %
0.402	2	1.0 %
0.406	3	1.5 %
0.413	1	0.5 %
0.417	1	0.5 %
0.424	1	0.5 %
0.427	1	0.5 %
0.433	1	0.5 %
0.438	2	1.0 %
0.453	1	0.5 %
0.500	1	0.5 %
0.579	1	0.5 %
0.594	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.613	1	0.5 %
0.615	1	0.5 %
0.727	1	0.5 %
0.750	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.170
- Median: 0.141
- Mode: 0.063
- Minimum: 0.000
- Maximum: 0.750
- Standard Deviation: 0.149

SNAP_PCT_SNAPS_CH_ENG Snapshot of Activities: % Snapshots Child(ren) Talks in English

Location: 286-290 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	53	26.1 %
0.013	2	1.0 %
0.016	3	1.5 %
0.021	2	1.0 %
0.025	5	2.5 %
0.031	4	2.0 %
0.038	1	0.5 %
0.042	1	0.5 %
0.045	1	0.5 %
0.047	4	2.0 %
0.050	1	0.5 %
0.051	2	1.0 %
0.055	1	0.5 %
0.056	1	0.5 %
0.063	9	4.4 %
0.071	1	0.5 %
0.075	1	0.5 %
0.078	5	2.5 %
0.083	2	1.0 %
0.088	1	0.5 %
0.089	1	0.5 %
0.094	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.103	2	1.0 %
0.104	2	1.0 %
0.105	1	0.5 %
0.109	1	0.5 %
0.111	3	1.5 %
0.113	1	0.5 %
0.118	1	0.5 %
0.125	4	2.0 %
0.131	1	0.5 %
0.143	2	1.0 %
0.146	1	0.5 %
0.150	1	0.5 %
0.153	3	1.5 %
0.156	7	3.4 %
0.160	1	0.5 %
0.167	2	1.0 %
0.172	1	0.5 %
0.175	1	0.5 %
0.182	1	0.5 %
0.183	1	0.5 %
0.184	1	0.5 %
0.188	1	0.5 %
0.198	1	0.5 %
0.200	1	0.5 %
0.208	4	2.0 %
0.213	1	0.5 %
0.215	1	0.5 %
0.225	2	1.0 %
0.227	1	0.5 %
0.234	1	0.5 %
0.240	1	0.5 %
0.247	1	0.5 %
0.248	1	0.5 %
0.250	2	1.0 %
0.253	1	0.5 %
0.260	1	0.5 %
0.263	1	0.5 %
0.266	1	0.5 %
0.269	1	0.5 %
0.271	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.275	1	0.5 %
0.281	3	1.5 %
0.297	1	0.5 %
0.302	1	0.5 %
0.303	1	0.5 %
0.313	1	0.5 %
0.320	1	0.5 %
0.333	1	0.5 %
0.339	1	0.5 %
0.350	1	0.5 %
0.359	1	0.5 %
0.375	4	2.0 %
0.391	1	0.5 %
0.396	1	0.5 %
0.425	1	0.5 %
0.429	2	1.0 %
0.433	1	0.5 %
0.438	1	0.5 %
0.448	1	0.5 %
0.469	1	0.5 %
0.487	1	0.5 %
0.521	1	0.5 %
0.563	1	0.5 %
0.573	1	0.5 %
0.607	1	0.5 %
0.625	1	0.5 %
0.733	1	0.5 %
0.750	1	0.5 %
0.813	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.142
- Median: 0.094
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.813
- Standard Deviation: 0.162

SNAP_PCT_SNAPS_CH_SP

Snapshot of Activities: % Snapshots Child(ren) Talks in Spanish

Location:

291-295 (width: 5; decimal: 3)

- Study 31581 -

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	151	74.4 %
0.007	1	0.5 %
0.009	1	0.5 %
0.016	4	2.0 %
0.021	6	3.0 %
0.023	1	0.5 %
0.025	4	2.0 %
0.031	2	1.0 %
0.038	1	0.5 %
0.042	1	0.5 %
0.047	2	1.0 %
0.050	1	0.5 %
0.052	2	1.0 %
0.063	3	1.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.094	1	0.5 %
0.109	1	0.5 %
0.121	1	0.5 %
0.125	3	1.5 %
0.141	1	0.5 %
0.146	1	0.5 %
0.151	1	0.5 %
0.156	2	1.0 %
0.203	1	0.5 %
0.219	1	0.5 %
0.232	1	0.5 %
0.238	1	0.5 %
0.240	1	0.5 %
0.250	1	0.5 %
0.417	1	0.5 %
0.438	1	0.5 %
0.475	1	0.5 %
0.563	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.028
- Median: 0.000
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.563
- Standard Deviation: 0.080

SNAP_PCT_SNAPS_CH_OTH Snapshot of Activities: % Snapshots Child(ren) Talks in Other Lge

Location: 296-300 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.013	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.013
- Standard Deviation: 0.000

SNAP_PCT_SNAPS_CH_NO_TALK Snapshot of Activities: % Snapshots Child(ren) Does Not Talk

Location: 301-304 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.13	1	0.5 %
0.19	1	0.5 %
0.25	1	0.5 %
0.27	1	0.5 %
0.31	1	0.5 %
0.39	1	0.5 %
0.42	1	0.5 %
0.43	1	0.5 %
0.44	1	0.5 %
0.51	1	0.5 %
0.53	3	1.5 %
0.55	1	0.5 %
0.56	1	0.5 %
0.57	3	1.5 %
0.58	2	1.0 %
0.60	1	0.5 %
0.61	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.63	4	2.0 %
0.64	1	0.5 %
0.65	3	1.5 %
0.67	1	0.5 %
0.68	1	0.5 %
0.69	1	0.5 %
0.70	2	1.0 %
0.71	1	0.5 %
0.72	3	1.5 %
0.73	3	1.5 %
0.74	2	1.0 %
0.75	5	2.5 %
0.76	4	2.0 %
0.77	3	1.5 %
0.78	5	2.5 %
0.79	4	2.0 %
0.80	3	1.5 %
0.81	2	1.0 %
0.82	4	2.0 %
0.83	4	2.0 %
0.84	9	4.4 %
0.85	6	3.0 %
0.86	5	2.5 %
0.87	1	0.5 %
0.88	6	3.0 %
0.89	7	3.4 %
0.90	5	2.5 %
0.91	6	3.0 %
0.92	10	4.9 %
0.93	3	1.5 %
0.94	9	4.4 %
0.95	8	3.9 %
0.96	6	3.0 %
0.97	2	1.0 %
0.98	13	6.4 %
0.99	2	1.0 %
1.00	27	13.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.83

- Study 31581 -

- Median: 0.88
- Mode: 1.00
- Minimum: 0.13
- Maximum: 1.00
- Standard Deviation: 0.17

SNAP_PCT_ACT_CH_P_HI_INV_TALK Snapshot of Activities: % Activities Child & Provider Highly Involved with Talking

Location: 305-309 (width: 5; decimal: 3)
 Variable Type: numeric
 Based upon 203 valid cases out of 203 total cases.

- Mean: 0.317
- Median: 0.300
- Mode: 0.438
- Minimum: 0.000
- Maximum: 0.938
- Standard Deviation: 0.198

SNAP_PCT_ACT_CH_P_HI_INV_NO_TLK Snapshot of Activities: % Activities Child & Provider Highly Involved No Talk

Location: 310-314 (width: 5; decimal: 3)
 Variable Type: numeric
 Based upon 203 valid cases out of 203 total cases.

- Mean: 0.196
- Median: 0.170
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.708
- Standard Deviation: 0.144

SNAP_PCT_1_CH_READ Snapshot of Activities: % Time 1 Child Reading

Location: 315-319 (width: 5; decimal: 3)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	125	61.6 %
0.006	1	0.5 %
0.008	2	1.0 %
0.009	2	1.0 %
0.010	3	1.5 %
0.013	15	7.4 %
0.016	13	6.4 %
0.018	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.021	6	3.0 %
0.023	1	0.5 %
0.025	1	0.5 %
0.028	1	0.5 %
0.031	8	3.9 %
0.035	1	0.5 %
0.038	1	0.5 %
0.042	3	1.5 %
0.047	4	2.0 %
0.063	8	3.9 %
0.088	1	0.5 %
0.094	1	0.5 %
0.107	1	0.5 %
0.125	2	1.0 %
0.188	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.014
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.028

SNAP_PCT_1_CH_ABC_NUMERALS Snapshot of Activities: % Time 1 Child in ABC/Numerals

Location: 320-324 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	182	89.7 %
0.009	1	0.5 %
0.010	2	1.0 %
0.013	5	2.5 %
0.016	5	2.5 %
0.021	3	1.5 %
0.031	3	1.5 %
0.063	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.011

SNAP_PCT_1_CH_SOUNDS **Snapshot of Activities: % Time 1 Child in Sounds**

Location: 325-329 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	179	88.2 %
0.006	1	0.5 %
0.009	2	1.0 %
0.010	3	1.5 %
0.013	5	2.5 %
0.016	4	2.0 %
0.021	2	1.0 %
0.031	3	1.5 %
0.050	1	0.5 %
0.063	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.010

SNAP_PCT_1_CH_ORAL_LGE_VOCAB **Snapshot of Activities: % Time 1 Child in Oral lge-Vocab**

Location: 330-334 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	193	95.1 %
0.013	3	1.5 %
0.021	4	2.0 %
0.063	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.008

SNAP_PCT_1_CH_LITERACY **Snapshot of Activities: % Time 1 Child in Reading-ABCs-Numerals**

Location: 335-339 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	113	55.7 %
0.006	1	0.5 %
0.008	2	1.0 %
0.009	3	1.5 %
0.010	4	2.0 %
0.013	16	7.9 %
0.016	12	5.9 %
0.018	1	0.5 %
0.021	7	3.4 %
0.023	1	0.5 %
0.025	2	1.0 %
0.028	2	1.0 %
0.031	13	6.4 %
0.035	1	0.5 %
0.042	3	1.5 %
0.047	4	2.0 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	7	3.4 %
0.078	1	0.5 %
0.088	1	0.5 %
0.094	1	0.5 %
0.107	1	0.5 %
0.125	2	1.0 %
0.188	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.031

SNAP_PCT_1_CH_SOUND_ORAL_LGE Snapshot of Activities: % Time 1 Child in Sounds-Oral language

Location: 340-344 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	172	84.7 %
0.006	1	0.5 %
0.009	1	0.5 %
0.010	3	1.5 %
0.013	8	3.9 %
0.016	4	2.0 %
0.021	4	2.0 %
0.030	1	0.5 %
0.031	3	1.5 %
0.050	1	0.5 %
0.063	3	1.5 %
0.083	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.014

SNAP_PCT_1_CH_WRITE Snapshot of Activities: % Time 1 Child in Writing

Location: 345-349 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	182	89.7 %
0.009	1	0.5 %
0.010	3	1.5 %
0.013	1	0.5 %
0.016	5	2.5 %
0.021	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.025	1	0.5 %
0.031	3	1.5 %
0.042	1	0.5 %
0.047	1	0.5 %
0.063	3	1.5 %
0.104	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.104
- Standard Deviation: 0.012

SNAP_PCT_1_CH_SCI_MATH Snapshot of Activities: % Time 1 Child in Science/Math

Location: 350-354 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	192	94.6 %
0.008	1	0.5 %
0.009	1	0.5 %
0.013	3	1.5 %
0.021	2	1.0 %
0.023	2	1.0 %
0.063	1	0.5 %
0.071	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.071
- Standard Deviation: 0.007

SNAP_PCT_1_CH_COLORS Snapshot of Activities: % Time 1 Child in Learning colors

Location: 355-359 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	180	88.7 %
0.008	1	0.5 %
0.009	1	0.5 %
0.010	1	0.5 %
0.012	1	0.5 %
0.013	3	1.5 %
0.016	3	1.5 %
0.021	2	1.0 %
0.023	1	0.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.047	1	0.5 %
0.050	1	0.5 %
0.063	5	2.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.015

SNAP_PCT_1_CH_DRAM_PLAY Snapshot of Activities:% Time 1 Child in Dramatic Play

Location: 360-364 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	76	37.4 %
0.006	1	0.5 %
0.007	1	0.5 %
0.008	2	1.0 %
0.009	1	0.5 %
0.010	2	1.0 %
0.011	2	1.0 %
0.012	1	0.5 %
0.013	12	5.9 %
0.016	12	5.9 %
0.019	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.021	8	3.9 %
0.025	6	3.0 %
0.027	1	0.5 %
0.028	1	0.5 %
0.031	14	6.9 %
0.033	1	0.5 %
0.035	1	0.5 %
0.036	6	3.0 %
0.038	3	1.5 %
0.041	2	1.0 %
0.042	4	2.0 %
0.045	1	0.5 %
0.047	6	3.0 %
0.048	1	0.5 %
0.050	3	1.5 %
0.052	1	0.5 %
0.056	1	0.5 %
0.063	9	4.4 %
0.071	1	0.5 %
0.073	1	0.5 %
0.076	1	0.5 %
0.078	2	1.0 %
0.083	1	0.5 %
0.088	1	0.5 %
0.094	5	2.5 %
0.104	1	0.5 %
0.109	1	0.5 %
0.115	1	0.5 %
0.119	1	0.5 %
0.120	1	0.5 %
0.141	1	0.5 %
0.148	1	0.5 %
0.156	1	0.5 %
0.188	1	0.5 %
0.219	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.028
- Median: 0.016
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.219
- Standard Deviation: 0.039

SNAP_PCT_1_CH_CREAETV_PLAY Snapshot of Activities:% Time 1 Child in Creative Art Play

Location: 365-369 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	101	49.8 %
0.008	1	0.5 %
0.009	2	1.0 %
0.010	7	3.4 %
0.011	2	1.0 %
0.013	9	4.4 %
0.014	1	0.5 %
0.016	12	5.9 %
0.021	7	3.4 %
0.025	3	1.5 %
0.027	1	0.5 %
0.028	1	0.5 %
0.031	12	5.9 %
0.033	2	1.0 %
0.036	1	0.5 %
0.038	2	1.0 %
0.042	4	2.0 %
0.045	2	1.0 %
0.047	2	1.0 %
0.050	1	0.5 %
0.059	1	0.5 %
0.063	11	5.4 %
0.067	1	0.5 %
0.075	1	0.5 %
0.078	1	0.5 %
0.090	1	0.5 %
0.094	3	1.5 %
0.104	1	0.5 %
0.125	1	0.5 %
0.132	1	0.5 %
0.188	2	1.0 %
0.250	2	1.0 %
0.281	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.313	1	0.5 %
0.344	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.027
- Median: 0.008
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.058

SNAP_PCT_1_CH_BLOCK	Snapshot of Activities:% Time 1 Child in Blocks
----------------------------	--

Location: 370-374 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	143	70.4 %
0.007	1	0.5 %
0.010	4	2.0 %
0.011	2	1.0 %
0.013	9	4.4 %
0.016	14	6.9 %
0.021	6	3.0 %
0.023	1	0.5 %
0.025	1	0.5 %
0.031	6	3.0 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.042	2	1.0 %
0.047	2	1.0 %
0.063	4	2.0 %
0.078	1	0.5 %
0.089	1	0.5 %
0.125	1	0.5 %
0.156	1	0.5 %
0.219	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.010
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.219
- Standard Deviation: 0.025

SNAP_PCT_1_CH_FINE_MOT **Snapshot of Activities:% Time 1 Child in Fine Motor Play**

Location: 375-379 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	109	53.7 %
0.009	3	1.5 %
0.010	6	3.0 %
0.011	1	0.5 %
0.013	11	5.4 %
0.014	1	0.5 %
0.015	1	0.5 %
0.016	10	4.9 %
0.018	1	0.5 %
0.021	14	6.9 %
0.022	1	0.5 %
0.025	2	1.0 %
0.027	1	0.5 %
0.030	1	0.5 %
0.031	8	3.9 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.042	1	0.5 %
0.044	1	0.5 %
0.046	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.063	6	3.0 %
0.071	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.078	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.083	1	0.5 %
0.094	1	0.5 %
0.125	1	0.5 %
0.188	2	1.0 %
0.219	1	0.5 %
0.250	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.042

SNAP_PCT_1_CH_SENSORY Snapshot of Activities:% Time 1 Child in Sensory Play

Location: 380-384 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	97	47.8 %
0.006	1	0.5 %
0.007	2	1.0 %
0.009	1	0.5 %
0.010	3	1.5 %
0.011	1	0.5 %
0.013	7	3.4 %
0.016	12	5.9 %
0.017	1	0.5 %
0.018	2	1.0 %
0.021	4	2.0 %
0.022	1	0.5 %
0.023	1	0.5 %
0.025	4	2.0 %
0.027	1	0.5 %
0.028	1	0.5 %
0.029	1	0.5 %
0.030	2	1.0 %
0.031	13	6.4 %
0.035	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.038	2	1.0 %
0.039	1	0.5 %
0.041	1	0.5 %
0.042	2	1.0 %
0.044	1	0.5 %
0.047	2	1.0 %
0.049	2	1.0 %
0.050	3	1.5 %
0.063	10	4.9 %
0.068	1	0.5 %
0.070	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.078	1	0.5 %
0.082	1	0.5 %
0.083	3	1.5 %
0.088	1	0.5 %
0.091	1	0.5 %
0.094	1	0.5 %
0.100	1	0.5 %
0.104	2	1.0 %
0.115	1	0.5 %
0.125	2	1.0 %
0.146	1	0.5 %
0.150	1	0.5 %
0.156	1	0.5 %
0.188	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.024
- Median: 0.010
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.037

SNAP_PCT_1_CH_CIRCLE_TIME Snapshot of Activities:% Time 1 Child in Circle Time

Location: 385-389 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.031	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.031
- Standard Deviation: 0.002

SNAP_PCT_1_CH_RULE_GAMES Snapshot of Activities:% Time 1 Child in Games involving Rules

Location: 390-394 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.013	1	0.5 %
0.016	1	0.5 %
0.031	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.009

SNAP_PCT_1_CH_TV_VIDEO_COMP Snapshot of Activities:% Time 1 Child in TV-Video-Computer

Location: 395-399 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	178	87.7 %
0.008	1	0.5 %
0.010	1	0.5 %
0.011	1	0.5 %
0.013	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.016	4	2.0 %
0.021	1	0.5 %
0.022	1	0.5 %
0.031	1	0.5 %
0.042	1	0.5 %
0.049	1	0.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	2	1.0 %
0.083	1	0.5 %
0.094	1	0.5 %
0.125	1	0.5 %
0.156	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.005
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.156
- Standard Deviation: 0.019

SNAP_PCT_1_CH_TV

Snapshot of Activities:% Time 1 Child in TV

Location:

400-404 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	188	92.6 %
0.010	1	0.5 %
0.011	1	0.5 %
0.013	1	0.5 %
0.016	3	1.5 %
0.021	1	0.5 %
0.022	1	0.5 %
0.031	1	0.5 %
0.042	1	0.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	1	0.5 %
0.094	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.156	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.156
- Standard Deviation: 0.015

SNAP_PCT_1_CH_VIDEO **Snapshot of Activities:% Time 1 Child in Video**

Location: 405-409 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	201	99.0 %
0.049	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.009

SNAP_PCT_1_CH_COMPUTER **Snapshot of Activities:% Time 1 Child in Computer**

Location: 410-414 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.008	1	0.5 %
0.013	4	2.0 %
0.016	1	0.5 %
0.063	1	0.5 %
0.083	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.083
- Standard Deviation: 0.008

SNAP_PCT_1_CH_GROSS_MOT Snapshot of Activities:% Time 1 Child in Gross Motor

Location: 415-419 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	130	64.0 %
0.009	2	1.0 %
0.010	1	0.5 %
0.012	1	0.5 %
0.013	9	4.4 %
0.016	5	2.5 %
0.018	3	1.5 %
0.021	5	2.5 %
0.023	1	0.5 %
0.025	2	1.0 %
0.029	1	0.5 %
0.031	10	4.9 %
0.036	1	0.5 %
0.038	2	1.0 %
0.042	7	3.4 %
0.047	1	0.5 %
0.058	1	0.5 %
0.063	8	3.9 %
0.066	1	0.5 %
0.075	1	0.5 %
0.078	2	1.0 %
0.094	1	0.5 %
0.100	1	0.5 %
0.104	2	1.0 %
0.125	2	1.0 %
0.132	1	0.5 %
0.141	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.017
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.035

SNAP_PCT_1_CH_OTHER Snapshot of Activities:% Time 1 Child in Other Activity

Location: 420-424 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.010	1	0.5 %
0.016	1	0.5 %
0.021	1	0.5 %
0.031	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.031
- Standard Deviation: 0.003

SNAP_PCT_1_CH_ROUTINES Snapshot of Activities:% Time 1 Child in Routines-Transitions-Physical Care

Location: 425-429 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	22	10.8 %
0.007	1	0.5 %
0.008	1	0.5 %
0.009	3	1.5 %
0.010	3	1.5 %
0.011	3	1.5 %
0.013	15	7.4 %
0.014	1	0.5 %
0.016	12	5.9 %
0.018	4	2.0 %
0.021	12	5.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.022	2	1.0 %
0.023	1	0.5 %
0.025	8	3.9 %
0.026	1	0.5 %
0.027	1	0.5 %
0.028	2	1.0 %
0.029	1	0.5 %
0.031	13	6.4 %
0.033	1	0.5 %
0.035	1	0.5 %
0.036	3	1.5 %
0.037	1	0.5 %
0.038	7	3.4 %
0.039	1	0.5 %
0.042	7	3.4 %
0.046	1	0.5 %
0.047	6	3.0 %
0.048	1	0.5 %
0.049	1	0.5 %
0.050	2	1.0 %
0.052	1	0.5 %
0.058	2	1.0 %
0.059	1	0.5 %
0.060	1	0.5 %
0.063	16	7.9 %
0.068	1	0.5 %
0.070	1	0.5 %
0.071	1	0.5 %
0.072	1	0.5 %
0.073	3	1.5 %
0.075	3	1.5 %
0.078	3	1.5 %
0.079	1	0.5 %
0.083	3	1.5 %
0.094	6	3.0 %
0.096	1	0.5 %
0.104	1	0.5 %
0.115	1	0.5 %
0.117	1	0.5 %
0.125	7	3.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.128	1	0.5 %
0.141	1	0.5 %
0.156	2	1.0 %
0.174	1	0.5 %
0.188	2	1.0 %
0.219	2	1.0 %
0.245	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.046
- Median: 0.031
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.245
- Standard Deviation: 0.045

SNAP_PCT_1_CH_MEAL	Snapshot of Activities:% Time 1 Child in Meals
---------------------------	---

Location: 430-434 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	93	45.8 %
0.007	1	0.5 %
0.009	3	1.5 %
0.010	6	3.0 %
0.013	9	4.4 %
0.015	1	0.5 %
0.016	18	8.9 %
0.017	2	1.0 %
0.018	2	1.0 %
0.021	11	5.4 %
0.025	6	3.0 %
0.026	1	0.5 %
0.031	4	2.0 %
0.033	2	1.0 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	4	2.0 %
0.042	4	2.0 %
0.044	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.045	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.054	1	0.5 %
0.063	11	5.4 %
0.073	1	0.5 %
0.083	1	0.5 %
0.091	1	0.5 %
0.094	3	1.5 %
0.110	1	0.5 %
0.125	3	1.5 %
0.146	1	0.5 %
0.156	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.010
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.156
- Standard Deviation: 0.029

SNAP_PCT_1_CH_NAP

Snapshot of Activities:% Time 1 Child in Nap

Location:

435-439 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	117	57.6 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	2	1.0 %
0.018	1	0.5 %
0.021	3	1.5 %
0.025	5	2.5 %
0.031	6	3.0 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	2	1.0 %
0.040	1	0.5 %
0.042	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.044	2	1.0 %
0.047	4	2.0 %
0.051	1	0.5 %
0.052	2	1.0 %
0.056	2	1.0 %
0.057	1	0.5 %
0.063	7	3.4 %
0.064	1	0.5 %
0.065	1	0.5 %
0.067	1	0.5 %
0.078	2	1.0 %
0.083	2	1.0 %
0.094	4	2.0 %
0.100	2	1.0 %
0.104	1	0.5 %
0.106	1	0.5 %
0.109	2	1.0 %
0.113	1	0.5 %
0.114	1	0.5 %
0.115	1	0.5 %
0.116	1	0.5 %
0.125	4	2.0 %
0.140	1	0.5 %
0.143	1	0.5 %
0.167	3	1.5 %
0.184	1	0.5 %
0.188	4	2.0 %
0.229	1	0.5 %
0.238	1	0.5 %
0.281	1	0.5 %
0.284	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.035
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.284
- Standard Deviation: 0.057

- Study 31581 -

SNAP_PCT_1_CH_UNINVOLVED Snapshot of Activities:% Time 1 Child Uninvolved in Activity

Location: 440-444 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	48	23.6 %
0.007	1	0.5 %
0.010	4	2.0 %
0.011	2	1.0 %
0.013	9	4.4 %
0.014	1	0.5 %
0.016	12	5.9 %
0.021	11	5.4 %
0.022	1	0.5 %
0.023	1	0.5 %
0.025	3	1.5 %
0.029	1	0.5 %
0.031	15	7.4 %
0.033	1	0.5 %
0.034	1	0.5 %
0.035	3	1.5 %
0.036	3	1.5 %
0.038	5	2.5 %
0.041	2	1.0 %
0.042	5	2.5 %
0.045	1	0.5 %
0.047	2	1.0 %
0.050	4	2.0 %
0.051	1	0.5 %
0.052	1	0.5 %
0.054	1	0.5 %
0.055	1	0.5 %
0.056	1	0.5 %
0.059	2	1.0 %
0.061	1	0.5 %
0.063	11	5.4 %
0.066	1	0.5 %
0.067	1	0.5 %
0.068	1	0.5 %
0.073	3	1.5 %
0.075	4	2.0 %
0.078	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.083	5	2.5 %
0.084	1	0.5 %
0.088	1	0.5 %
0.091	1	0.5 %
0.092	1	0.5 %
0.094	3	1.5 %
0.100	1	0.5 %
0.104	1	0.5 %
0.109	1	0.5 %
0.120	1	0.5 %
0.125	4	2.0 %
0.135	1	0.5 %
0.138	1	0.5 %
0.146	1	0.5 %
0.156	2	1.0 %
0.168	1	0.5 %
0.172	2	1.0 %
0.188	3	1.5 %
0.213	2	1.0 %
0.214	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.044
- Median: 0.031
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.214
- Standard Deviation: 0.048

SNAP_PCT_2_CH_READ

Snapshot of Activities: % Time 2 Children Reading

Location: 445-449 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	134	66.0 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	2	1.0 %
0.021	1	0.5 %
0.022	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.024	1	0.5 %
0.025	11	5.4 %
0.031	15	7.4 %
0.036	1	0.5 %
0.042	11	5.4 %
0.044	1	0.5 %
0.050	4	2.0 %
0.063	8	3.9 %
0.073	1	0.5 %
0.075	1	0.5 %
0.083	4	2.0 %
0.094	1	0.5 %
0.125	2	1.0 %
0.188	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.028

SNAP_PCT_2_CH_ABC_NUMERALS Snapshot of Activities: % Time 2 Children in ABC/Numerals

Location: 450-454 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	193	95.1 %
0.016	1	0.5 %
0.024	1	0.5 %
0.025	2	1.0 %
0.031	2	1.0 %
0.042	2	1.0 %
0.063	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.009

SNAP_PCT_2_CH_SOUNDS **Snapshot of Activities: % Time 2 Children in Sounds**

Location: 455-459 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.021	1	0.5 %
0.022	1	0.5 %
0.025	1	0.5 %
0.031	3	1.5 %
0.042	1	0.5 %
0.063	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.007

SNAP_PCT_2_CH_ORAL_LGE_VOCAB **Snapshot of Activities: % Time 2 Children in Oral lge-Vocab**

Location: 460-464 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	196	96.6 %
0.021	1	0.5 %
0.025	2	1.0 %
0.031	1	0.5 %
0.042	1	0.5 %
0.063	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000

- Study 31581 -

- Maximum: 0.063
- Standard Deviation: 0.008

SNAP_PCT_2_CH_LITERACY **Snapshot of Activities: % Time 2 Children in Reading-ABCs-Numerals**

Location: 465-469 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	128	63.1 %
0.014	1	0.5 %
0.016	1	0.5 %
0.018	2	1.0 %
0.021	1	0.5 %
0.022	1	0.5 %
0.025	13	6.4 %
0.031	18	8.9 %
0.036	1	0.5 %
0.042	11	5.4 %
0.044	1	0.5 %
0.047	1	0.5 %
0.050	4	2.0 %
0.063	9	4.4 %
0.073	1	0.5 %
0.075	1	0.5 %
0.083	5	2.5 %
0.094	1	0.5 %
0.125	1	0.5 %
0.188	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.017
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.030

SNAP_PCT_2_CH_SOUND_ORAL_LGE **Snapshot of Activities: % Time 2 Children in Sounds-Oral language**

Location: 470-474 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	188	92.6 %
0.021	2	1.0 %
0.022	1	0.5 %
0.025	3	1.5 %
0.031	4	2.0 %
0.042	2	1.0 %
0.063	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.010

SNAP_PCT_2_CH_WRITE	Snapshot of Activities: % Time 2 Children in Writing
----------------------------	---

Location: 475-479 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	198	97.5 %
0.021	2	1.0 %
0.025	1	0.5 %
0.042	1	0.5 %
0.050	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.050
- Standard Deviation: 0.005

SNAP_PCT_2_CH_SCI_MATH	Snapshot of Activities: % Time 2 Children in Science/Math
-------------------------------	--

Location: 480-484 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	198	97.5 %
0.018	1	0.5 %
0.025	1	0.5 %
0.042	2	1.0 %
0.063	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.006

SNAP_PCT_2_CH_COLORS **Snapshot of Activities: % Time 2 Children in Learning colors**

Location: 485-489 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	184	90.6 %
0.018	2	1.0 %
0.021	2	1.0 %
0.024	1	0.5 %
0.025	1	0.5 %
0.031	4	2.0 %
0.042	4	2.0 %
0.063	3	1.5 %
0.083	1	0.5 %
0.188	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.018

SNAP_PCT_2_CH_DRAM_PLAY **Snapshot of Activities:% Time 2 Children in Dramatic Play**

Location: 490-494 (width: 5; decimal: 3)

- Study 31581 -

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	104	51.2 %
0.013	1	0.5 %
0.014	1	0.5 %
0.016	3	1.5 %
0.018	4	2.0 %
0.021	9	4.4 %
0.022	1	0.5 %
0.025	12	5.9 %
0.028	1	0.5 %
0.031	8	3.9 %
0.036	2	1.0 %
0.039	1	0.5 %
0.040	1	0.5 %
0.042	11	5.4 %
0.044	1	0.5 %
0.046	1	0.5 %
0.047	2	1.0 %
0.050	4	2.0 %
0.057	1	0.5 %
0.059	1	0.5 %
0.063	10	4.9 %
0.071	1	0.5 %
0.075	1	0.5 %
0.083	3	1.5 %
0.092	1	0.5 %
0.094	4	2.0 %
0.100	1	0.5 %
0.104	1	0.5 %
0.107	2	1.0 %
0.115	1	0.5 %
0.125	4	2.0 %
0.138	1	0.5 %
0.167	1	0.5 %
0.188	1	0.5 %
0.208	1	0.5 %
0.219	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.027

- Study 31581 -

- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.219
- Standard Deviation: 0.041

SNAP_PCT_2_CH_CREATV_PLAY Snapshot of Activities:% Time 2 Children in Creative Art Play

Location: 495-499 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	118	58.1 %
0.010	1	0.5 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	3	1.5 %
0.021	7	3.4 %
0.022	2	1.0 %
0.025	10	4.9 %
0.031	15	7.4 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.042	6	3.0 %
0.046	1	0.5 %
0.047	1	0.5 %
0.050	1	0.5 %
0.054	1	0.5 %
0.063	13	6.4 %
0.071	1	0.5 %
0.081	1	0.5 %
0.083	4	2.0 %
0.089	1	0.5 %
0.094	7	3.4 %
0.125	1	0.5 %
0.167	1	0.5 %
0.188	1	0.5 %
0.208	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.021
- Median: 0.000

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.208
- Standard Deviation: 0.035

SNAP_PCT_2_CH_BLOCK **Snapshot of Activities:% Time 2 Children in Blocks**

Location: 500-504 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	160	78.8 %
0.014	1	0.5 %
0.016	2	1.0 %
0.019	1	0.5 %
0.021	1	0.5 %
0.025	6	3.0 %
0.028	1	0.5 %
0.031	6	3.0 %
0.036	2	1.0 %
0.038	1	0.5 %
0.042	6	3.0 %
0.050	2	1.0 %
0.053	1	0.5 %
0.063	6	3.0 %
0.075	2	1.0 %
0.083	3	1.5 %
0.125	1	0.5 %
0.292	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.011
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.292
- Standard Deviation: 0.029

SNAP_PCT_2_CH_FINE_MOT **Snapshot of Activities:% Time 2 Children in Fine Motor Play**

Location: 505-509 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	137	67.5 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	2	1.0 %
0.019	1	0.5 %
0.021	5	2.5 %
0.022	1	0.5 %
0.024	1	0.5 %
0.025	7	3.4 %
0.031	9	4.4 %
0.042	7	3.4 %
0.044	2	1.0 %
0.046	1	0.5 %
0.050	5	2.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.063	7	3.4 %
0.075	2	1.0 %
0.083	3	1.5 %
0.094	2	1.0 %
0.109	1	0.5 %
0.115	1	0.5 %
0.125	3	1.5 %
0.188	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.030

SNAP_PCT_2_CH_SENSORY Snapshot of Activities:% Time 2 Children in Sensory Play

Location: 510-514 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	162	79.8 %
0.006	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.013	2	1.0 %
0.016	1	0.5 %
0.018	2	1.0 %
0.021	1	0.5 %
0.024	1	0.5 %
0.025	4	2.0 %
0.027	1	0.5 %
0.031	11	5.4 %
0.036	1	0.5 %
0.042	3	1.5 %
0.052	1	0.5 %
0.056	2	1.0 %
0.063	4	2.0 %
0.075	1	0.5 %
0.083	3	1.5 %
0.094	1	0.5 %
0.111	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.111
- Standard Deviation: 0.020

SNAP_PCT_2_CH_CIRCLE_TIME Snapshot of Activities:% Time 2 Children in Circle Time

Location: 515-519 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	200	98.5 %
0.031	2	1.0 %
0.083	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000

- Study 31581 -

- Maximum: 0.083
- Standard Deviation: 0.007

SNAP_PCT_2_CH_RULE_GAMES Snapshot of Activities:% Time 2 Children in Games involving Rules

Location: 520-524 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.013	1	0.5 %
0.031	1	0.5 %
0.063	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.010

SNAP_PCT_2_CH_TV_VIDEO_COMP Snapshot of Activities:% Time 2 Children in TV-Video-Computer

Location: 525-529 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	184	90.6 %
0.021	1	0.5 %
0.025	4	2.0 %
0.031	4	2.0 %
0.042	3	1.5 %
0.063	4	2.0 %
0.075	1	0.5 %
0.250	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.007
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000

- Study 31581 -

- Maximum: 0.375
- Standard Deviation: 0.034

SNAP_PCT_2_CH_TV **Snapshot of Activities:% Time 2 Children in TV**

Location: 530-534 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	191	94.1 %
0.021	1	0.5 %
0.025	2	1.0 %
0.031	2	1.0 %
0.042	2	1.0 %
0.063	3	1.5 %
0.075	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.028

SNAP_PCT_2_CH_VIDEO **Snapshot of Activities:% Time 2 Children in Video**

Location: 535-539 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	201	99.0 %
0.025	1	0.5 %
0.042	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.042
- Standard Deviation: 0.003

- Study 31581 -

SNAP_PCT_2_CH_COMPUTER Snapshot of Activities:% Time 2 Children in Computer

Location: 540-544 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.025	1	0.5 %
0.031	1	0.5 %
0.063	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.018

SNAP_PCT_2_CH_GROSS_MOT Snapshot of Activities:% Time 2 Children in Gross Motor

Location: 545-549 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	145	71.4 %
0.006	1	0.5 %
0.013	1	0.5 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	1	0.5 %
0.022	2	1.0 %
0.024	1	0.5 %
0.025	7	3.4 %
0.027	1	0.5 %
0.031	8	3.9 %
0.042	10	4.9 %
0.050	4	2.0 %
0.054	2	1.0 %
0.063	6	3.0 %
0.075	1	0.5 %
0.083	4	2.0 %
0.088	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.094	2	1.0 %
0.125	2	1.0 %
0.563	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.563
- Standard Deviation: 0.046

SNAP_PCT_2_CH_OTHER

Snapshot of Activities:% Time 2 Children in Other Activity

Location: 550-554 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.018	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.018
- Standard Deviation: 0.001

SNAP_PCT_2_CH_ROUTINES

Snapshot of Activities:% Time 2 Children in Routines-Transitions-Physical Care

Location: 555-559 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	83	40.9 %
0.007	1	0.5 %
0.011	1	0.5 %
0.013	1	0.5 %
0.014	1	0.5 %
0.018	4	2.0 %
0.019	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.021	8	3.9 %
0.022	1	0.5 %
0.025	16	7.9 %
0.027	2	1.0 %
0.031	20	9.9 %
0.033	1	0.5 %
0.036	2	1.0 %
0.042	11	5.4 %
0.044	1	0.5 %
0.047	1	0.5 %
0.050	5	2.5 %
0.051	1	0.5 %
0.052	2	1.0 %
0.056	1	0.5 %
0.057	1	0.5 %
0.058	1	0.5 %
0.063	15	7.4 %
0.071	1	0.5 %
0.073	2	1.0 %
0.078	1	0.5 %
0.083	7	3.4 %
0.094	1	0.5 %
0.104	1	0.5 %
0.125	3	1.5 %
0.146	1	0.5 %
0.188	3	1.5 %
0.250	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.031
- Median: 0.025
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.044

SNAP_PCT_2_CH_MEAL

Snapshot of Activities:% Time 2 Children in Meals

Location: 560-564 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	140	69.0 %
0.013	1	0.5 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	2	1.0 %
0.021	1	0.5 %
0.022	2	1.0 %
0.024	1	0.5 %
0.025	7	3.4 %
0.028	1	0.5 %
0.031	9	4.4 %
0.042	7	3.4 %
0.046	2	1.0 %
0.050	2	1.0 %
0.056	1	0.5 %
0.063	8	3.9 %
0.067	1	0.5 %
0.071	1	0.5 %
0.073	2	1.0 %
0.076	1	0.5 %
0.083	3	1.5 %
0.094	2	1.0 %
0.100	1	0.5 %
0.104	1	0.5 %
0.125	3	1.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.033

SNAP_PCT_2_CH_NAP

Snapshot of Activities:% Time 2 Children in Nap

Location: 565-569 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	186	91.6 %
0.016	1	0.5 %
0.019	1	0.5 %
0.031	2	1.0 %
0.036	1	0.5 %
0.044	1	0.5 %
0.050	1	0.5 %
0.057	1	0.5 %
0.063	3	1.5 %
0.067	1	0.5 %
0.075	1	0.5 %
0.125	1	0.5 %
0.146	1	0.5 %
0.175	1	0.5 %
0.208	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.006
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.208
- Standard Deviation: 0.026

SNAP_PCT_2_CH_UNINVOLVED Snapshot of Activities:% Time 2 Children Uninvolved in Activity

Location: 570-574 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	161	79.3 %
0.013	1	0.5 %
0.017	1	0.5 %
0.018	1	0.5 %
0.021	6	3.0 %
0.025	9	4.4 %
0.031	5	2.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.042	4	2.0 %
0.044	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.050	2	1.0 %
0.051	1	0.5 %
0.063	3	1.5 %
0.094	1	0.5 %
0.100	1	0.5 %
0.104	1	0.5 %
0.125	2	1.0 %
0.141	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.009
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.141
- Standard Deviation: 0.023

SNAP_PCT_3_5_CH_READ

Snapshot of Activities: % Time 3-5 Children Reading

Location:

575-579 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	88	43.3 %
0.008	1	0.5 %
0.027	2	1.0 %
0.031	4	2.0 %
0.033	1	0.5 %
0.036	1	0.5 %
0.038	2	1.0 %
0.039	1	0.5 %
0.042	4	2.0 %
0.045	1	0.5 %
0.047	9	4.4 %
0.050	8	3.9 %
0.052	1	0.5 %
0.063	28	13.8 %
0.067	2	1.0 %
0.070	1	0.5 %
0.071	1	0.5 %
0.075	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.078	1	0.5 %
0.083	2	1.0 %
0.084	2	1.0 %
0.088	1	0.5 %
0.089	1	0.5 %
0.100	4	2.0 %
0.103	1	0.5 %
0.109	5	2.5 %
0.113	2	1.0 %
0.125	16	7.9 %
0.138	2	1.0 %
0.150	2	1.0 %
0.163	1	0.5 %
0.172	1	0.5 %
0.182	1	0.5 %
0.188	2	1.0 %
0.234	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.047
- Median: 0.042
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.053

SNAP_PCT_3_5_CH_ABC_NUMERALS Snapshot of Activities: % Time 3-5 Children in ABC/Numerals

Location: 580-584 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	187	92.1 %
0.013	1	0.5 %
0.039	2	1.0 %
0.042	1	0.5 %
0.047	2	1.0 %
0.052	2	1.0 %
0.055	1	0.5 %
0.063	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.100	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.005
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.017

SNAP_PCT_3_5_CH_SOUNDS **Snapshot of Activities: % Time 3-5 Children in Sounds**

Location: 585-589 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.038	1	0.5 %
0.040	1	0.5 %
0.047	1	0.5 %
0.050	4	2.0 %
0.052	1	0.5 %
0.063	8	3.9 %
0.088	1	0.5 %
0.100	2	1.0 %
0.120	1	0.5 %
0.125	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.023

SNAP_PCT_3_5_CH_ORAL_LGE_VOCAB **Snapshot of Activities: % Time 3-5 Children in Oral lge-Vocab**

Location: 590-594 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	188	92.6 %
0.025	1	0.5 %
0.031	3	1.5 %
0.038	1	0.5 %
0.042	1	0.5 %
0.045	1	0.5 %
0.047	1	0.5 %
0.050	1	0.5 %
0.058	1	0.5 %
0.063	3	1.5 %
0.100	1	0.5 %
0.172	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.172
- Standard Deviation: 0.018

SNAP_PCT_3_5_CH_LITERACY Snapshot of Activities: % Time 3-5 Children in Reading-ABCs-Numerals

Location: 595-599 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	87	42.9 %
0.027	1	0.5 %
0.031	4	2.0 %
0.033	1	0.5 %
0.036	1	0.5 %
0.038	2	1.0 %
0.042	4	2.0 %
0.045	1	0.5 %
0.047	10	4.9 %
0.050	6	3.0 %
0.052	2	1.0 %
0.063	27	13.3 %
0.067	2	1.0 %
0.070	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.071	1	0.5 %
0.075	2	1.0 %
0.078	1	0.5 %
0.079	1	0.5 %
0.083	1	0.5 %
0.084	2	1.0 %
0.088	1	0.5 %
0.089	1	0.5 %
0.100	4	2.0 %
0.103	1	0.5 %
0.109	4	2.0 %
0.113	3	1.5 %
0.125	15	7.4 %
0.133	1	0.5 %
0.138	1	0.5 %
0.150	2	1.0 %
0.156	1	0.5 %
0.163	1	0.5 %
0.172	2	1.0 %
0.182	1	0.5 %
0.188	4	2.0 %
0.234	1	0.5 %
0.238	1	0.5 %
0.250	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.051
- Median: 0.047
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.058

SNAP_PCT_3_5_CH_SOUND_ORAL_LGE Snapshot of Activities: % Time 3-5 Children in Sounds-Oral language

Location: 600-604 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	169	83.3 %
0.025	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.031	3	1.5 %
0.038	1	0.5 %
0.040	1	0.5 %
0.042	1	0.5 %
0.045	1	0.5 %
0.047	1	0.5 %
0.050	3	1.5 %
0.052	1	0.5 %
0.058	1	0.5 %
0.063	11	5.4 %
0.097	1	0.5 %
0.100	2	1.0 %
0.120	1	0.5 %
0.125	3	1.5 %
0.150	1	0.5 %
0.172	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.172
- Standard Deviation: 0.030

SNAP_PCT_3_5_CH_WRITE

Snapshot of Activities: % Time 3-5 Children in Writing

Location:

605-609 (width: 5; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	193	95.1 %
0.010	1	0.5 %
0.025	1	0.5 %
0.027	1	0.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.039	1	0.5 %
0.042	1	0.5 %
0.052	1	0.5 %
0.059	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.063	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.009

SNAP_PCT_3_5_CH_SCI_MATH Snapshot of Activities: % Time 3-5 Children in Science/Math

Location: 610-614 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.031	1	0.5 %
0.047	1	0.5 %
0.052	1	0.5 %
0.063	2	1.0 %
0.079	1	0.5 %
0.094	1	0.5 %
0.102	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.102
- Standard Deviation: 0.014

SNAP_PCT_3_5_CH_COLORS Snapshot of Activities: % Time 3-5 Children in Learning colors

Location: 615-619 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	179	88.2 %
0.031	1	0.5 %
0.035	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.038	1	0.5 %
0.039	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.063	5	2.5 %
0.067	1	0.5 %
0.073	1	0.5 %
0.088	1	0.5 %
0.094	2	1.0 %
0.125	1	0.5 %
0.135	1	0.5 %
0.141	1	0.5 %
0.238	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.010
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.033

SNAP_PCT_3_5_CH_DRAM_PLAY Snapshot of Activities:% Time 3-5 Children in Dramatic Play

Location: 620-624 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	128	63.1 %
0.006	1	0.5 %
0.010	1	0.5 %
0.013	1	0.5 %
0.021	1	0.5 %
0.023	1	0.5 %
0.027	2	1.0 %
0.031	2	1.0 %
0.033	1	0.5 %
0.035	1	0.5 %
0.036	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.038	6	3.0 %
0.042	1	0.5 %
0.047	7	3.4 %
0.050	2	1.0 %
0.057	1	0.5 %
0.058	1	0.5 %
0.060	1	0.5 %
0.063	6	3.0 %
0.067	1	0.5 %
0.069	1	0.5 %
0.075	5	2.5 %
0.083	2	1.0 %
0.089	2	1.0 %
0.094	2	1.0 %
0.100	1	0.5 %
0.104	3	1.5 %
0.107	1	0.5 %
0.109	1	0.5 %
0.125	3	1.5 %
0.133	1	0.5 %
0.135	1	0.5 %
0.138	1	0.5 %
0.141	1	0.5 %
0.146	1	0.5 %
0.156	1	0.5 %
0.187	1	0.5 %
0.188	4	2.0 %
0.219	1	0.5 %
0.266	1	0.5 %
0.275	1	0.5 %
0.288	1	0.5 %
0.325	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.033
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.325
- Standard Deviation: 0.060

- Study 31581 -

SNAP_PCT_3_5_CH_CREATV_PLAY Snapshot of Activities:% Time 3-5 Children in Creative Art Play

Location: 625-629 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	81	39.9 %
0.021	1	0.5 %
0.025	1	0.5 %
0.031	2	1.0 %
0.038	11	5.4 %
0.042	1	0.5 %
0.044	1	0.5 %
0.045	1	0.5 %
0.047	9	4.4 %
0.053	1	0.5 %
0.056	1	0.5 %
0.063	16	7.9 %
0.067	3	1.5 %
0.071	2	1.0 %
0.073	1	0.5 %
0.083	1	0.5 %
0.088	1	0.5 %
0.094	8	3.9 %
0.100	1	0.5 %
0.102	1	0.5 %
0.104	1	0.5 %
0.109	2	1.0 %
0.113	2	1.0 %
0.118	1	0.5 %
0.121	1	0.5 %
0.125	7	3.4 %
0.137	1	0.5 %
0.141	5	2.5 %
0.146	1	0.5 %
0.150	1	0.5 %
0.151	1	0.5 %
0.156	1	0.5 %
0.161	1	0.5 %
0.163	4	2.0 %
0.164	1	0.5 %
0.165	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.172	6	3.0 %
0.175	1	0.5 %
0.177	1	0.5 %
0.188	6	3.0 %
0.203	2	1.0 %
0.209	1	0.5 %
0.219	1	0.5 %
0.225	1	0.5 %
0.234	1	0.5 %
0.238	2	1.0 %
0.263	1	0.5 %
0.292	1	0.5 %
0.293	1	0.5 %
0.375	1	0.5 %
0.488	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.070
- Median: 0.047
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.488
- Standard Deviation: 0.082

SNAP_PCT_3_5_CH_BLOCK Snapshot of Activities:% Time 3-5 Children in Blocks

Location: 630-634 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	173	85.2 %
0.016	1	0.5 %
0.027	1	0.5 %
0.031	1	0.5 %
0.038	4	2.0 %
0.040	1	0.5 %
0.047	3	1.5 %
0.048	1	0.5 %
0.052	2	1.0 %
0.063	6	3.0 %
0.073	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.094	2	1.0 %
0.097	1	0.5 %
0.100	2	1.0 %
0.120	1	0.5 %
0.125	1	0.5 %
0.150	1	0.5 %
0.161	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.010
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.161
- Standard Deviation: 0.028

SNAP_PCT_3_5_CH_FINE_MOT Snapshot of Activities:% Time 3-5 Children in Fine Motor Play

Location: 635-639 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	143	70.4 %
0.013	1	0.5 %
0.020	1	0.5 %
0.023	2	1.0 %
0.027	1	0.5 %
0.031	4	2.0 %
0.038	2	1.0 %
0.042	2	1.0 %
0.047	5	2.5 %
0.050	4	2.0 %
0.056	1	0.5 %
0.063	12	5.9 %
0.067	1	0.5 %
0.069	1	0.5 %
0.073	1	0.5 %
0.075	4	2.0 %
0.088	2	1.0 %
0.094	1	0.5 %
0.095	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.109	1	0.5 %
0.125	4	2.0 %
0.138	1	0.5 %
0.173	1	0.5 %
0.175	1	0.5 %
0.182	1	0.5 %
0.188	1	0.5 %
0.203	1	0.5 %
0.238	2	1.0 %
0.275	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.024
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.275
- Standard Deviation: 0.049

SNAP_PCT_3_5_CH_SENSORY Snapshot of Activities:% Time 3-5 Children in Sensory Play

Location: 640-644 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	162	79.8 %
0.013	2	1.0 %
0.016	2	1.0 %
0.025	2	1.0 %
0.027	3	1.5 %
0.031	2	1.0 %
0.033	1	0.5 %
0.038	3	1.5 %
0.044	1	0.5 %
0.047	3	1.5 %
0.050	2	1.0 %
0.063	5	2.5 %
0.070	1	0.5 %
0.075	1	0.5 %
0.083	1	0.5 %
0.094	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.113	1	0.5 %
0.125	2	1.0 %
0.133	2	1.0 %
0.146	1	0.5 %
0.172	1	0.5 %
0.175	1	0.5 %
0.188	1	0.5 %
0.219	1	0.5 %
0.266	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.015
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.266
- Standard Deviation: 0.041

SNAP_PCT_3_5_CH_CIRCLE_TIME Snapshot of Activities:% Time 3-5 Children in Circle Time

Location: 645-649 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	187	92.1 %
0.042	1	0.5 %
0.047	2	1.0 %
0.052	2	1.0 %
0.063	6	3.0 %
0.067	1	0.5 %
0.113	1	0.5 %
0.125	2	1.0 %
0.133	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.006
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.133
- Standard Deviation: 0.022

SNAP_PCT_3_5_CH_RULE_GAMES Snapshot of Activities:% Time 3-5 Children in Games involving Rules

Location: 650-654 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.006	1	0.5 %
0.031	1	0.5 %
0.042	1	0.5 %
0.047	2	1.0 %
0.056	1	0.5 %
0.063	1	0.5 %
0.115	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.115
- Standard Deviation: 0.011

SNAP_PCT_3_5_CH_TV_VIDEO_COMP Snapshot of Activities:% Time 3-5 Children in TV-Video-Computer

Location: 655-659 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	173	85.2 %
0.023	1	0.5 %
0.029	1	0.5 %
0.031	1	0.5 %
0.038	2	1.0 %
0.042	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.063	5	2.5 %
0.073	1	0.5 %
0.091	1	0.5 %
0.094	2	1.0 %
0.100	2	1.0 %
0.113	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.125	3	1.5 %
0.143	1	0.5 %
0.188	1	0.5 %
0.200	1	0.5 %
0.213	1	0.5 %
0.263	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.014
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.263
- Standard Deviation: 0.040

SNAP_PCT_3_5_CH_TV

Snapshot of Activities:% Time 3-5 Children in TV

Location: 660-664 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	182	89.7 %
0.029	1	0.5 %
0.031	1	0.5 %
0.038	2	1.0 %
0.042	1	0.5 %
0.047	3	1.5 %
0.050	1	0.5 %
0.063	4	2.0 %
0.073	1	0.5 %
0.083	1	0.5 %
0.091	1	0.5 %
0.100	1	0.5 %
0.113	1	0.5 %
0.125	1	0.5 %
0.143	1	0.5 %
0.213	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.213
- Standard Deviation: 0.027

SNAP_PCT_3_5_CH_VIDEO **Snapshot of Activities:% Time 3-5 Children in Video**

Location: 665-669 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.042	1	0.5 %
0.063	1	0.5 %
0.094	1	0.5 %
0.100	1	0.5 %
0.125	1	0.5 %
0.188	1	0.5 %
0.200	1	0.5 %
0.263	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.005
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.263
- Standard Deviation: 0.030

SNAP_PCT_3_5_CH_COMPUTER **Snapshot of Activities:% Time 3-5 Children in Computer**

Location: 670-674 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	201	99.0 %
0.023	1	0.5 %
0.094	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.094

- Study 31581 -

- Standard Deviation: 0.007

SNAP_PCT_3_5_CH_GROSS_MOT Snapshot of Activities:% Time 3-5 Children in Gross Motor

Location: 675-679 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	125	61.6 %
0.016	1	0.5 %
0.031	3	1.5 %
0.035	1	0.5 %
0.038	5	2.5 %
0.039	1	0.5 %
0.042	1	0.5 %
0.044	1	0.5 %
0.047	7	3.4 %
0.050	2	1.0 %
0.052	3	1.5 %
0.063	13	6.4 %
0.070	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.076	1	0.5 %
0.083	1	0.5 %
0.087	1	0.5 %
0.094	1	0.5 %
0.100	1	0.5 %
0.109	2	1.0 %
0.113	1	0.5 %
0.115	1	0.5 %
0.125	8	3.9 %
0.133	1	0.5 %
0.135	1	0.5 %
0.138	1	0.5 %
0.150	1	0.5 %
0.156	1	0.5 %
0.161	1	0.5 %
0.173	1	0.5 %
0.188	3	1.5 %
0.206	1	0.5 %
0.219	3	1.5 %
0.225	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.250	2	1.0 %
0.267	1	0.5 %
0.297	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.040
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.066

SNAP_PCT_3_5_CH_OTHER Snapshot of Activities:% Time 3-5 Children in Other Activity

Location: 680-680 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_3_5_CH_ROUTINES Snapshot of Activities:% Time 3-5 Children in Routines-Transitions-Physical Care

Location: 681-685 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	65	32.0 %
0.010	1	0.5 %
0.016	1	0.5 %
0.021	1	0.5 %
0.023	1	0.5 %
0.027	2	1.0 %
0.028	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.035	1	0.5 %
0.038	5	2.5 %
0.042	2	1.0 %
0.045	1	0.5 %
0.047	4	2.0 %
0.050	1	0.5 %
0.052	2	1.0 %
0.054	1	0.5 %
0.056	2	1.0 %
0.063	21	10.3 %
0.067	2	1.0 %
0.069	1	0.5 %
0.075	1	0.5 %
0.082	1	0.5 %
0.083	3	1.5 %
0.086	2	1.0 %
0.088	3	1.5 %
0.091	1	0.5 %
0.094	4	2.0 %
0.100	2	1.0 %
0.103	2	1.0 %
0.104	1	0.5 %
0.106	1	0.5 %
0.107	1	0.5 %
0.109	5	2.5 %
0.113	1	0.5 %
0.125	18	8.9 %
0.133	1	0.5 %
0.138	1	0.5 %
0.140	1	0.5 %
0.141	2	1.0 %
0.142	1	0.5 %
0.147	1	0.5 %
0.156	3	1.5 %
0.163	1	0.5 %
0.172	1	0.5 %
0.188	13	6.4 %
0.193	1	0.5 %
0.200	2	1.0 %
0.206	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.238	2	1.0 %
0.243	1	0.5 %
0.250	6	3.0 %
0.297	2	1.0 %
0.365	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.077
- Median: 0.063
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.365
- Standard Deviation: 0.077

SNAP_PCT_3_5_CH_MEAL **Snapshot of Activities:% Time 3-5 Children in Meals**

Location: 686-690 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	77	37.9 %
0.013	1	0.5 %
0.022	1	0.5 %
0.023	1	0.5 %
0.027	1	0.5 %
0.038	2	1.0 %
0.042	3	1.5 %
0.044	2	1.0 %
0.045	1	0.5 %
0.047	8	3.9 %
0.050	3	1.5 %
0.052	3	1.5 %
0.059	1	0.5 %
0.063	29	14.3 %
0.071	1	0.5 %
0.081	1	0.5 %
0.083	1	0.5 %
0.088	1	0.5 %
0.089	1	0.5 %
0.092	1	0.5 %
0.094	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.100	3	1.5 %
0.104	1	0.5 %
0.109	5	2.5 %
0.113	2	1.0 %
0.116	1	0.5 %
0.123	1	0.5 %
0.125	25	12.3 %
0.130	1	0.5 %
0.133	1	0.5 %
0.135	1	0.5 %
0.138	1	0.5 %
0.141	2	1.0 %
0.147	1	0.5 %
0.157	1	0.5 %
0.163	1	0.5 %
0.175	2	1.0 %
0.182	1	0.5 %
0.188	3	1.5 %
0.203	1	0.5 %
0.225	1	0.5 %
0.250	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.061
- Median: 0.052
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.062

SNAP_PCT_3_5_CH_NAP

Snapshot of Activities:% Time 3-5 Children in Nap

Location: 691-695 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.011	1	0.5 %
0.031	1	0.5 %
0.033	1	0.5 %
0.055	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.063	2	1.0 %
0.133	1	0.5 %
0.359	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.359
- Standard Deviation: 0.028

SNAP_PCT_3_5_CH_UNINVOLVED Snapshot of Activities:% Time 3-5 Children Uninvolved in Activity

Location: 696-700 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	189	93.1 %
0.013	1	0.5 %
0.023	1	0.5 %
0.027	1	0.5 %
0.038	1	0.5 %
0.050	1	0.5 %
0.063	2	1.0 %
0.067	1	0.5 %
0.075	1	0.5 %
0.088	1	0.5 %
0.113	1	0.5 %
0.115	1	0.5 %
0.125	1	0.5 %
0.141	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.005
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.141
- Standard Deviation: 0.021

- Study 31581 -

SNAP_PCT_6P_CH_READ Snapshot of Activities: % Time 6+ Children Reading

Location: 701-705 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	182	89.7 %
0.047	1	0.5 %
0.049	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.057	1	0.5 %
0.063	5	2.5 %
0.067	3	1.5 %
0.094	1	0.5 %
0.102	1	0.5 %
0.125	4	2.0 %
0.133	1	0.5 %
0.174	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.009
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.174
- Standard Deviation: 0.028

SNAP_PCT_6P_CH_ABC_NUMERALS Snapshot of Activities: % Time 6+ Children in ABC/Numerals

Location: 706-710 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.052	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.052
- Standard Deviation: 0.004

- Study 31581 -

SNAP_PCT_6P_CH_SOUNDS **Snapshot of Activities: % Time 6+ Children in Sounds**

Location: 711-715 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.047	1	0.5 %
0.049	1	0.5 %
0.055	1	0.5 %
0.063	2	1.0 %
0.077	1	0.5 %
0.114	1	0.5 %
0.118	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.118
- Standard Deviation: 0.015

SNAP_PCT_6P_CH_ORAL_LGE_VOCAB **Snapshot of Activities: % Time 6+ Children in Oral lge-Vocab**

Location: 716-716 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_LITERACY **Snapshot of Activities: % Time 6+ Children in Reading-ABCs-Numerals**

Location: 717-721 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.047	1	0.5 %
0.049	1	0.5 %
0.052	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.057	1	0.5 %
0.063	5	2.5 %
0.067	3	1.5 %
0.094	1	0.5 %
0.102	1	0.5 %
0.125	4	2.0 %
0.133	1	0.5 %
0.174	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.009
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.174
- Standard Deviation: 0.028

SNAP_PCT_6P_CH_SOUND_ORAL_LGE Snapshot of Activities: % Time 6+ Children in Sounds-Oral language

Location: 722-726 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.047	1	0.5 %
0.049	1	0.5 %
0.055	1	0.5 %
0.063	2	1.0 %
0.077	1	0.5 %
0.114	1	0.5 %
0.118	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.118
- Standard Deviation: 0.015

SNAP_PCT_6P_CH_WRITE Snapshot of Activities: % Time 6+ Children in Writing

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_SCI_MATH Snapshot of Activities: % Time 6+ Children in Science/Math

Location: 728-732 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.111	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.111
- Standard Deviation: 0.008

SNAP_PCT_6P_CH_COLORS Snapshot of Activities: % Time 6+ Children in Learning colors

Location: 733-733 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_DRAM_PLAY Snapshot of Activities:% Time 6+ Children in Dramatic Play

Location: 734-738 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	197	97.0 %
0.044	1	0.5 %
0.063	2	1.0 %
0.125	1	0.5 %
0.137	1	0.5 %
0.267	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.267
- Standard Deviation: 0.024

SNAP_PCT_6P_CH_CREATV_PLAY Snapshot of Activities:% Time 6+ Children in Creative Art Play

Location: 739-743 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	190	93.6 %
0.047	2	1.0 %
0.049	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.063	1	0.5 %
0.091	1	0.5 %
0.107	1	0.5 %
0.117	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.133	1	0.5 %
0.188	1	0.5 %
0.200	1	0.5 %
0.224	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.007
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.224
- Standard Deviation: 0.030

SNAP_PCT_6P_CH_BLOCK Snapshot of Activities:% Time 6+ Children in Blocks

Location: 744-748 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.009

SNAP_PCT_6P_CH_FINE_MOT Snapshot of Activities:% Time 6+ Children in Fine Motor Play

Location: 749-753 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	200	98.5 %
0.049	1	0.5 %
0.063	1	0.5 %
0.122	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.122
- Standard Deviation: 0.010

SNAP_PCT_6P_CH_SENSORY Snapshot of Activities:% Time 6+ Children in Sensory Play

Location: 754-758 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	201	99.0 %
0.010	1	0.5 %
0.054	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.054
- Standard Deviation: 0.004

SNAP_PCT_6P_CH_CIRCLE_TIME Snapshot of Activities:% Time 6+ Children in Circle Time

Location: 759-763 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	195	96.1 %
0.055	1	0.5 %
0.063	3	1.5 %
0.067	1	0.5 %
0.133	2	1.0 %
0.207	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.207

- Study 31581 -

- Standard Deviation: 0.022

SNAP_PCT_6P_CH_RULE_GAMES Snapshot of Activities:% Time 6+ Children in Games involving Rules

Location: 764-768 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.067	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.067
- Standard Deviation: 0.005

SNAP_PCT_6P_CH_TV_VIDEO_COMP Snapshot of Activities:% Time 6+ Children in TV-Video-Computer

Location: 769-773 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.038	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.038
- Standard Deviation: 0.003

SNAP_PCT_6P_CH_TV Snapshot of Activities:% Time 6+ Children in TV

Location: 774-778 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.038	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.038
- Standard Deviation: 0.003

SNAP_PCT_6P_CH_VIDEO Snapshot of Activities:% Time 6+ Children in Video

Location: 779-779 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_COMPUTER Snapshot of Activities:% Time 6+ Children in Computer

Location: 780-780 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_GROSS_MOT Snapshot of Activities:% Time 6+ Children in Gross Motor

Location: 781-785 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	190	93.6 %
0.056	2	1.0 %
0.063	4	2.0 %
0.088	1	0.5 %
0.125	2	1.0 %
0.146	1	0.5 %
0.153	1	0.5 %
0.258	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.036

SNAP_PCT_6P_CH_OTHER Snapshot of Activities:% Time 6+ Children in Other Activity

Location: 786-786 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SNAP_PCT_6P_CH_ROUTINES Snapshot of Activities:% Time 6+ Children in Routines-Transitions-Physical Care

Location: 787-791 (width: 5; decimal: 3)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	179	88.2 %
0.047	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.063	8	3.9 %
0.067	1	0.5 %
0.077	1	0.5 %
0.103	1	0.5 %
0.107	1	0.5 %
0.116	1	0.5 %
0.117	1	0.5 %
0.125	4	2.0 %
0.133	1	0.5 %
0.159	1	0.5 %
0.167	1	0.5 %
0.174	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.038

SNAP_PCT_6P_CH_MEAL

Snapshot of Activities:% Time 6+ Children in Meals

Location: 792-796 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	176	86.7 %
0.047	1	0.5 %
0.052	1	0.5 %
0.055	2	1.0 %
0.063	10	4.9 %
0.064	1	0.5 %
0.067	1	0.5 %
0.070	1	0.5 %
0.117	1	0.5 %
0.125	4	2.0 %
0.129	1	0.5 %
0.133	1	0.5 %
0.154	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.167	1	0.5 %
0.172	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.172
- Standard Deviation: 0.034

SNAP_PCT_6P_CH_NAP **Snapshot of Activities:% Time 6+ Children in Nap**

Location: 797-801 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	202	99.5 %
0.008	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.008
- Standard Deviation: 0.000

SNAP_PCT_6P_CH_UNINVOLVED **Snapshot of Activities:% Time 6+ Children Uninvolved in Activity**

Location: 802-806 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	201	99.0 %
0.008	1	0.5 %
0.013	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.013
- Standard Deviation: 0.001

SNAP_PCT_1_2_CH_READ **Snapshot of Activities: % Time 1-2 Children Reading**

Location: 807-811 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	86	42.4 %
0.006	1	0.5 %
0.009	1	0.5 %
0.010	3	1.5 %
0.013	7	3.4 %
0.016	7	3.4 %
0.021	5	2.5 %
0.022	2	1.0 %
0.023	2	1.0 %
0.024	1	0.5 %
0.025	7	3.4 %
0.027	1	0.5 %
0.030	1	0.5 %
0.031	13	6.4 %
0.035	1	0.5 %
0.038	3	1.5 %
0.042	9	4.4 %
0.044	1	0.5 %
0.047	5	2.5 %
0.050	1	0.5 %
0.052	1	0.5 %
0.053	1	0.5 %
0.054	1	0.5 %
0.057	2	1.0 %
0.063	19	9.4 %
0.073	1	0.5 %
0.078	3	1.5 %
0.083	4	2.0 %
0.088	2	1.0 %
0.094	2	1.0 %
0.107	1	0.5 %
0.109	1	0.5 %
0.125	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.146	1	0.5 %
0.188	2	1.0 %
0.219	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.029
- Median: 0.016
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.219
- Standard Deviation: 0.038

SNAP_PCT_1_2_CH_ABC_NUMERALS Snapshot of Activities: % Time 1-2 Children in ABC/Numerals

Location: 812-816 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	178	87.7 %
0.009	1	0.5 %
0.010	1	0.5 %
0.013	4	2.0 %
0.016	6	3.0 %
0.021	2	1.0 %
0.024	1	0.5 %
0.025	1	0.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.052	1	0.5 %
0.063	3	1.5 %
0.094	2	1.0 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.016

- Study 31581 -

SNAP_PCT_1_2_CH_SOUNDS **Snapshot of Activities: % Time 1-2 Children in Sounds**

Location: 817-821 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	173	85.2 %
0.006	1	0.5 %
0.009	2	1.0 %
0.010	3	1.5 %
0.013	4	2.0 %
0.016	4	2.0 %
0.021	3	1.5 %
0.022	1	0.5 %
0.031	5	2.5 %
0.038	1	0.5 %
0.042	1	0.5 %
0.050	1	0.5 %
0.063	3	1.5 %
0.094	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.094
- Standard Deviation: 0.013

SNAP_PCT_1_2_CH_ORAL_LGE_VOCAB **Snapshot of Activities: % Time 1-2 Children in Oral lge-Vocab**

Location: 822-826 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	187	92.1 %
0.013	2	1.0 %
0.021	5	2.5 %
0.025	1	0.5 %
0.031	1	0.5 %
0.038	1	0.5 %
0.042	1	0.5 %
0.063	5	2.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.063
- Standard Deviation: 0.011

SNAP_PCT_1_2_CH_LITERACY Snapshot of Activities: % Time 1-2 Children in Reading-ABCs-Numerals

Location: 827-831 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	76	37.4 %
0.006	1	0.5 %
0.009	2	1.0 %
0.010	4	2.0 %
0.013	7	3.4 %
0.016	5	2.5 %
0.021	4	2.0 %
0.022	2	1.0 %
0.023	2	1.0 %
0.025	7	3.4 %
0.027	1	0.5 %
0.028	1	0.5 %
0.030	1	0.5 %
0.031	15	7.4 %
0.035	1	0.5 %
0.038	4	2.0 %
0.042	9	4.4 %
0.044	1	0.5 %
0.047	6	3.0 %
0.050	2	1.0 %
0.052	1	0.5 %
0.053	1	0.5 %
0.054	1	0.5 %
0.057	2	1.0 %
0.063	21	10.3 %
0.073	1	0.5 %
0.075	1	0.5 %
0.078	4	2.0 %
0.083	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.088	2	1.0 %
0.094	3	1.5 %
0.107	1	0.5 %
0.109	1	0.5 %
0.125	3	1.5 %
0.135	1	0.5 %
0.146	1	0.5 %
0.188	3	1.5 %
0.219	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.033
- Median: 0.023
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.219
- Standard Deviation: 0.042

SNAP_PCT_1_2_CH_SOUND_ORAL_LGE Snapshot of Activities: % Time 1-2 Children in Sounds-Oral language

Location: 832-836 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	162	79.8 %
0.006	1	0.5 %
0.009	1	0.5 %
0.010	2	1.0 %
0.013	5	2.5 %
0.016	4	2.0 %
0.021	5	2.5 %
0.022	1	0.5 %
0.030	1	0.5 %
0.031	7	3.4 %
0.038	3	1.5 %
0.042	2	1.0 %
0.050	1	0.5 %
0.063	5	2.5 %
0.083	1	0.5 %
0.094	1	0.5 %
0.125	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.007
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.018

SNAP_PCT_1_2_CH_WRITE Snapshot of Activities: % Time 1-2 Children in Writing

Location: 837-841 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	178	87.7 %
0.009	1	0.5 %
0.010	2	1.0 %
0.013	1	0.5 %
0.016	5	2.5 %
0.021	2	1.0 %
0.025	2	1.0 %
0.031	4	2.0 %
0.042	2	1.0 %
0.047	1	0.5 %
0.050	1	0.5 %
0.063	3	1.5 %
0.104	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.004
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.104
- Standard Deviation: 0.013

SNAP_PCT_1_2_CH_SCI_MATH Snapshot of Activities: % Time 1-2 Children in Science/Math

Location: 842-846 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	188	92.6 %
0.008	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.013	3	1.5 %
0.021	2	1.0 %
0.023	2	1.0 %
0.025	1	0.5 %
0.027	1	0.5 %
0.042	2	1.0 %
0.063	2	1.0 %
0.071	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.071
- Standard Deviation: 0.010

SNAP_PCT_1_2_CH_COLORS **Snapshot of Activities: % Time 1-2 Children in Learning colors**

Location: 847-851 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	163	80.3 %
0.008	1	0.5 %
0.009	1	0.5 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	2	1.0 %
0.018	2	1.0 %
0.021	4	2.0 %
0.023	1	0.5 %
0.025	1	0.5 %
0.031	5	2.5 %
0.035	1	0.5 %
0.038	1	0.5 %
0.042	4	2.0 %
0.047	1	0.5 %
0.050	1	0.5 %
0.063	7	3.4 %
0.078	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.083	1	0.5 %
0.125	1	0.5 %
0.188	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.188
- Standard Deviation: 0.022

SNAP_PCT_1_2_CH_DRAM_PLAY Snapshot of Activities:% Time 1-2 Children in Dramatic Play

Location: 852-856 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	52	25.6 %
0.009	1	0.5 %
0.012	1	0.5 %
0.013	4	2.0 %
0.016	11	5.4 %
0.018	1	0.5 %
0.019	2	1.0 %
0.021	7	3.4 %
0.025	6	3.0 %
0.031	13	6.4 %
0.033	3	1.5 %
0.035	1	0.5 %
0.036	3	1.5 %
0.038	5	2.5 %
0.041	1	0.5 %
0.042	7	3.4 %
0.045	1	0.5 %
0.046	1	0.5 %
0.047	3	1.5 %
0.050	4	2.0 %
0.053	1	0.5 %
0.054	1	0.5 %
0.055	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.056	1	0.5 %
0.060	1	0.5 %
0.063	17	8.4 %
0.067	1	0.5 %
0.068	1	0.5 %
0.069	1	0.5 %
0.073	3	1.5 %
0.074	1	0.5 %
0.075	1	0.5 %
0.078	1	0.5 %
0.083	2	1.0 %
0.088	1	0.5 %
0.091	1	0.5 %
0.094	5	2.5 %
0.104	2	1.0 %
0.105	1	0.5 %
0.109	3	1.5 %
0.122	1	0.5 %
0.125	3	1.5 %
0.129	1	0.5 %
0.141	1	0.5 %
0.143	1	0.5 %
0.146	2	1.0 %
0.150	1	0.5 %
0.156	1	0.5 %
0.161	1	0.5 %
0.163	1	0.5 %
0.177	1	0.5 %
0.182	1	0.5 %
0.184	1	0.5 %
0.188	5	2.5 %
0.202	1	0.5 %
0.219	2	1.0 %
0.229	1	0.5 %
0.255	1	0.5 %
0.256	1	0.5 %
0.281	1	0.5 %
0.292	1	0.5 %
0.328	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.055
- Median: 0.035
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.328
- Standard Deviation: 0.065

SNAP_PCT_1_2_CH_CREATV_PLAY Snapshot of Activities:% Time 1-2 Children in Creative Art Play

Location: 857-861 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	68	33.5 %
0.009	1	0.5 %
0.010	4	2.0 %
0.011	1	0.5 %
0.013	5	2.5 %
0.016	7	3.4 %
0.018	1	0.5 %
0.021	7	3.4 %
0.022	1	0.5 %
0.025	6	3.0 %
0.027	1	0.5 %
0.028	1	0.5 %
0.031	10	4.9 %
0.033	2	1.0 %
0.036	1	0.5 %
0.038	5	2.5 %
0.039	1	0.5 %
0.042	6	3.0 %
0.044	1	0.5 %
0.045	2	1.0 %
0.046	1	0.5 %
0.047	2	1.0 %
0.048	1	0.5 %
0.050	2	1.0 %
0.052	1	0.5 %
0.056	1	0.5 %
0.063	15	7.4 %
0.069	1	0.5 %
0.071	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.075	1	0.5 %
0.078	2	1.0 %
0.081	1	0.5 %
0.083	3	1.5 %
0.094	10	4.9 %
0.100	1	0.5 %
0.104	3	1.5 %
0.106	1	0.5 %
0.108	1	0.5 %
0.109	3	1.5 %
0.125	3	1.5 %
0.146	2	1.0 %
0.156	1	0.5 %
0.158	1	0.5 %
0.167	1	0.5 %
0.172	1	0.5 %
0.188	5	2.5 %
0.208	1	0.5 %
0.250	2	1.0 %
0.281	1	0.5 %
0.313	1	0.5 %
0.344	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.049
- Median: 0.027
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.066

SNAP_PCT_1_2_CH_BLOCK **Snapshot of Activities:% Time 1-2 Children in Blocks**

Location: 862-866 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	129	63.5 %
0.010	2	1.0 %
0.011	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.013	5	2.5 %
0.014	1	0.5 %
0.016	11	5.4 %
0.019	1	0.5 %
0.021	3	1.5 %
0.025	2	1.0 %
0.031	7	3.4 %
0.035	2	1.0 %
0.036	3	1.5 %
0.038	2	1.0 %
0.042	1	0.5 %
0.047	1	0.5 %
0.055	1	0.5 %
0.060	1	0.5 %
0.063	7	3.4 %
0.067	2	1.0 %
0.073	1	0.5 %
0.075	1	0.5 %
0.078	3	1.5 %
0.083	3	1.5 %
0.088	1	0.5 %
0.089	2	1.0 %
0.104	2	1.0 %
0.113	1	0.5 %
0.125	1	0.5 %
0.141	1	0.5 %
0.156	1	0.5 %
0.219	1	0.5 %
0.281	1	0.5 %
0.313	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.313
- Standard Deviation: 0.043

- Study 31581 -

Location: 867-871 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	81	39.9 %
0.009	2	1.0 %
0.010	3	1.5 %
0.011	1	0.5 %
0.013	6	3.0 %
0.015	1	0.5 %
0.016	7	3.4 %
0.018	1	0.5 %
0.021	12	5.9 %
0.024	1	0.5 %
0.025	4	2.0 %
0.027	1	0.5 %
0.028	1	0.5 %
0.029	1	0.5 %
0.030	1	0.5 %
0.031	12	5.9 %
0.035	1	0.5 %
0.036	2	1.0 %
0.038	4	2.0 %
0.042	5	2.5 %
0.044	1	0.5 %
0.046	1	0.5 %
0.047	4	2.0 %
0.050	1	0.5 %
0.054	1	0.5 %
0.056	1	0.5 %
0.063	8	3.9 %
0.067	2	1.0 %
0.069	1	0.5 %
0.071	1	0.5 %
0.075	3	1.5 %
0.078	2	1.0 %
0.083	1	0.5 %
0.088	1	0.5 %
0.094	4	2.0 %
0.099	1	0.5 %
0.100	1	0.5 %
0.104	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.115	1	0.5 %
0.125	5	2.5 %
0.141	1	0.5 %
0.150	1	0.5 %
0.156	1	0.5 %
0.188	3	1.5 %
0.219	1	0.5 %
0.250	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.037
- Median: 0.018
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.053

SNAP_PCT_1_2_CH_SENSORY Snapshot of Activities:% Time 1-2 Children in Sensory Play

Location: 872-876 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	90	44.3 %
0.007	2	1.0 %
0.010	2	1.0 %
0.011	1	0.5 %
0.013	5	2.5 %
0.016	9	4.4 %
0.017	1	0.5 %
0.018	1	0.5 %
0.021	3	1.5 %
0.022	1	0.5 %
0.025	3	1.5 %
0.027	3	1.5 %
0.028	1	0.5 %
0.029	1	0.5 %
0.030	1	0.5 %
0.031	12	5.9 %
0.033	2	1.0 %
0.038	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.039	1	0.5 %
0.041	1	0.5 %
0.042	1	0.5 %
0.044	2	1.0 %
0.046	1	0.5 %
0.047	2	1.0 %
0.049	2	1.0 %
0.050	4	2.0 %
0.052	1	0.5 %
0.054	2	1.0 %
0.063	10	4.9 %
0.068	1	0.5 %
0.069	1	0.5 %
0.070	1	0.5 %
0.073	1	0.5 %
0.075	1	0.5 %
0.078	3	1.5 %
0.083	2	1.0 %
0.088	1	0.5 %
0.091	1	0.5 %
0.094	4	2.0 %
0.104	2	1.0 %
0.106	1	0.5 %
0.111	1	0.5 %
0.113	1	0.5 %
0.115	1	0.5 %
0.121	1	0.5 %
0.125	3	1.5 %
0.129	1	0.5 %
0.146	2	1.0 %
0.156	1	0.5 %
0.175	1	0.5 %
0.181	1	0.5 %
0.188	2	1.0 %
0.271	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.033
- Median: 0.016
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.271
- Standard Deviation: 0.046

SNAP_PCT_1_2_CH_CIRCLE_TIME Snapshot of Activities:% Time 1-2 Children in Circle Time

Location: 877-881 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.031	3	1.5 %
0.083	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.083
- Standard Deviation: 0.007

SNAP_PCT_1_2_CH_RULE_GAMES Snapshot of Activities:% Time 1-2 Children in Games involving Rules

Location: 882-886 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	196	96.6 %
0.016	1	0.5 %
0.025	1	0.5 %
0.031	2	1.0 %
0.063	1	0.5 %
0.125	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.014

SNAP_PCT_1_2_CH_TV_VIDEO_COMP Snapshot of Activities:% Time 1-2 Children in TV-Video-Computer

- Study 31581 -

Location: 887-891 (width: 5; decimal: 3)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	168	82.8 %
0.008	1	0.5 %
0.010	1	0.5 %
0.011	1	0.5 %
0.013	2	1.0 %
0.016	2	1.0 %
0.021	2	1.0 %
0.022	1	0.5 %
0.025	1	0.5 %
0.031	3	1.5 %
0.038	3	1.5 %
0.042	1	0.5 %
0.047	1	0.5 %
0.049	1	0.5 %
0.052	1	0.5 %
0.063	3	1.5 %
0.073	1	0.5 %
0.078	1	0.5 %
0.083	2	1.0 %
0.094	1	0.5 %
0.125	3	1.5 %
0.156	1	0.5 %
0.250	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.011
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.039

SNAP_PCT_1_2_CH_TV	Snapshot of Activities:% Time 1-2 Children in TV
---------------------------	---

Location: 892-896 (width: 5; decimal: 3)
Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	180	88.7 %
0.010	1	0.5 %
0.011	1	0.5 %
0.013	1	0.5 %
0.016	2	1.0 %
0.021	2	1.0 %
0.022	1	0.5 %
0.025	2	1.0 %
0.031	2	1.0 %
0.052	1	0.5 %
0.063	3	1.5 %
0.073	1	0.5 %
0.078	1	0.5 %
0.083	1	0.5 %
0.094	1	0.5 %
0.125	1	0.5 %
0.156	1	0.5 %
0.375	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.007
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.375
- Standard Deviation: 0.033

SNAP_PCT_1_2_CH_VIDEO

Snapshot of Activities:% Time 1-2 Children in Video

Location: 897-901 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	199	98.0 %
0.025	1	0.5 %
0.042	1	0.5 %
0.049	1	0.5 %
0.125	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001

- Study 31581 -

- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.125
- Standard Deviation: 0.010

SNAP_PCT_1_2_CH_COMPUTER Snapshot of Activities:% Time 1-2 Children in Computer

Location: 902-906 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	194	95.6 %
0.008	1	0.5 %
0.013	3	1.5 %
0.038	1	0.5 %
0.047	1	0.5 %
0.083	1	0.5 %
0.125	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.003
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.021

SNAP_PCT_1_2_CH_GROSS_MOT Snapshot of Activities:% Time 1-2 Children in Gross Motor

Location: 907-911 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	106	52.2 %
0.006	1	0.5 %
0.009	2	1.0 %
0.010	1	0.5 %
0.013	6	3.0 %
0.014	1	0.5 %
0.016	2	1.0 %
0.018	1	0.5 %
0.021	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.022	2	1.0 %
0.023	1	0.5 %
0.025	5	2.5 %
0.029	1	0.5 %
0.031	6	3.0 %
0.033	1	0.5 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	1	0.5 %
0.040	1	0.5 %
0.042	9	4.4 %
0.044	1	0.5 %
0.047	4	2.0 %
0.050	2	1.0 %
0.063	16	7.9 %
0.066	1	0.5 %
0.071	2	1.0 %
0.075	1	0.5 %
0.083	1	0.5 %
0.094	2	1.0 %
0.100	2	1.0 %
0.108	1	0.5 %
0.109	2	1.0 %
0.125	8	3.9 %
0.132	1	0.5 %
0.141	1	0.5 %
0.146	2	1.0 %
0.150	1	0.5 %
0.172	1	0.5 %
0.188	1	0.5 %
0.313	1	0.5 %
0.563	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.032
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.563
- Standard Deviation: 0.059

- Study 31581 -

SNAP_PCT_1_2_CH_OTHER Snapshot of Activities:% Time 1-2 Children in Other Activity

Location: 912-916 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	198	97.5 %
0.010	1	0.5 %
0.016	1	0.5 %
0.018	1	0.5 %
0.021	1	0.5 %
0.031	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.000
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.031
- Standard Deviation: 0.003

SNAP_PCT_1_2_CH_ROUTINES Snapshot of Activities:% Time 1-2 Children in Routines-Transitions-Physical Care

Location: 917-921 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	12	5.9 %
0.008	1	0.5 %
0.009	1	0.5 %
0.010	3	1.5 %
0.011	1	0.5 %
0.013	6	3.0 %
0.014	1	0.5 %
0.016	6	3.0 %
0.018	1	0.5 %
0.021	6	3.0 %
0.022	2	1.0 %
0.025	4	2.0 %
0.027	4	2.0 %
0.028	1	0.5 %
0.031	7	3.4 %
0.033	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.037	1	0.5 %
0.038	9	4.4 %
0.040	2	1.0 %
0.042	4	2.0 %
0.044	1	0.5 %
0.047	5	2.5 %
0.050	3	1.5 %
0.052	3	1.5 %
0.054	4	2.0 %
0.056	1	0.5 %
0.057	2	1.0 %
0.058	1	0.5 %
0.059	1	0.5 %
0.063	16	7.9 %
0.065	1	0.5 %
0.067	2	1.0 %
0.071	1	0.5 %
0.072	1	0.5 %
0.073	2	1.0 %
0.075	5	2.5 %
0.077	1	0.5 %
0.078	4	2.0 %
0.081	1	0.5 %
0.083	4	2.0 %
0.086	1	0.5 %
0.088	1	0.5 %
0.089	1	0.5 %
0.090	1	0.5 %
0.091	2	1.0 %
0.094	6	3.0 %
0.096	1	0.5 %
0.099	1	0.5 %
0.100	3	1.5 %
0.101	1	0.5 %
0.104	3	1.5 %
0.109	3	1.5 %
0.115	1	0.5 %
0.117	2	1.0 %
0.120	1	0.5 %
0.125	17	8.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.128	1	0.5 %
0.141	2	1.0 %
0.143	1	0.5 %
0.146	1	0.5 %
0.156	5	2.5 %
0.167	2	1.0 %
0.174	1	0.5 %
0.177	1	0.5 %
0.188	4	2.0 %
0.198	1	0.5 %
0.219	1	0.5 %
0.250	1	0.5 %
0.276	1	0.5 %
0.281	1	0.5 %
0.344	1	0.5 %
0.406	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.077
- Median: 0.063
- Mode: 0.125
- Minimum: 0.000
- Maximum: 0.406
- Standard Deviation: 0.066

SNAP_PCT_1_2_CH_MEAL **Snapshot of Activities:% Time 1-2 Children in Meals**

Location: 922-926 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	71	35.0 %
0.010	3	1.5 %
0.013	8	3.9 %
0.015	1	0.5 %
0.016	13	6.4 %
0.017	2	1.0 %
0.018	2	1.0 %
0.019	1	0.5 %
0.021	8	3.9 %
0.022	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.025	6	3.0 %
0.026	1	0.5 %
0.027	1	0.5 %
0.028	1	0.5 %
0.030	1	0.5 %
0.031	4	2.0 %
0.033	1	0.5 %
0.035	2	1.0 %
0.038	2	1.0 %
0.042	5	2.5 %
0.044	3	1.5 %
0.045	1	0.5 %
0.046	1	0.5 %
0.047	6	3.0 %
0.050	3	1.5 %
0.051	1	0.5 %
0.052	1	0.5 %
0.056	1	0.5 %
0.057	1	0.5 %
0.062	1	0.5 %
0.063	13	6.4 %
0.071	2	1.0 %
0.075	2	1.0 %
0.077	1	0.5 %
0.078	1	0.5 %
0.081	1	0.5 %
0.083	1	0.5 %
0.085	1	0.5 %
0.086	1	0.5 %
0.094	6	3.0 %
0.104	1	0.5 %
0.107	1	0.5 %
0.109	1	0.5 %
0.115	2	1.0 %
0.125	8	3.9 %
0.138	1	0.5 %
0.146	1	0.5 %
0.156	3	1.5 %
0.177	1	0.5 %
0.188	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.037
- Median: 0.021
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.045

SNAP_PCT_1_2_CH_NAP **Snapshot of Activities:% Time 1-2 Children in Nap**

Location: 927-931 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	116	57.1 %
0.010	1	0.5 %
0.013	3	1.5 %
0.016	2	1.0 %
0.018	1	0.5 %
0.019	1	0.5 %
0.021	2	1.0 %
0.025	5	2.5 %
0.031	5	2.5 %
0.035	1	0.5 %
0.036	1	0.5 %
0.038	2	1.0 %
0.042	2	1.0 %
0.044	1	0.5 %
0.047	4	2.0 %
0.051	1	0.5 %
0.052	2	1.0 %
0.056	1	0.5 %
0.057	1	0.5 %
0.063	7	3.4 %
0.064	1	0.5 %
0.067	1	0.5 %
0.078	2	1.0 %
0.083	3	1.5 %
0.094	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.097	1	0.5 %
0.100	2	1.0 %
0.101	1	0.5 %
0.106	1	0.5 %
0.109	1	0.5 %
0.111	1	0.5 %
0.112	1	0.5 %
0.116	1	0.5 %
0.125	4	2.0 %
0.140	1	0.5 %
0.143	1	0.5 %
0.145	1	0.5 %
0.156	1	0.5 %
0.167	3	1.5 %
0.175	1	0.5 %
0.177	1	0.5 %
0.184	1	0.5 %
0.188	4	2.0 %
0.238	1	0.5 %
0.250	2	1.0 %
0.281	1	0.5 %
0.284	1	0.5 %
0.288	1	0.5 %
0.438	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.041
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.438
- Standard Deviation: 0.070

SNAP_PCT_1_2_CH_UNINVOLVED Snapshot of Activities:% Time 1-2 Children Uninvolved in Activity

Location: 932-936 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	43	21.2 %
0.007	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.010	3	1.5 %
0.011	1	0.5 %
0.013	10	4.9 %
0.014	1	0.5 %
0.016	11	5.4 %
0.021	8	3.9 %
0.022	1	0.5 %
0.025	1	0.5 %
0.029	1	0.5 %
0.031	14	6.9 %
0.033	1	0.5 %
0.034	1	0.5 %
0.035	2	1.0 %
0.036	2	1.0 %
0.038	4	2.0 %
0.041	1	0.5 %
0.042	3	1.5 %
0.046	2	1.0 %
0.047	2	1.0 %
0.050	2	1.0 %
0.052	2	1.0 %
0.054	1	0.5 %
0.055	2	1.0 %
0.056	2	1.0 %
0.059	1	0.5 %
0.060	1	0.5 %
0.062	1	0.5 %
0.063	13	6.4 %
0.066	2	1.0 %
0.067	1	0.5 %
0.068	1	0.5 %
0.071	1	0.5 %
0.073	4	2.0 %
0.075	4	2.0 %
0.078	4	2.0 %
0.079	1	0.5 %
0.083	7	3.4 %
0.084	2	1.0 %
0.091	1	0.5 %
0.094	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.100	1	0.5 %
0.103	1	0.5 %
0.104	1	0.5 %
0.109	1	0.5 %
0.113	2	1.0 %
0.120	1	0.5 %
0.125	8	3.9 %
0.135	1	0.5 %
0.138	1	0.5 %
0.146	1	0.5 %
0.150	1	0.5 %
0.156	2	1.0 %
0.163	1	0.5 %
0.167	1	0.5 %
0.168	1	0.5 %
0.172	2	1.0 %
0.188	4	2.0 %
0.213	2	1.0 %
0.214	1	0.5 %
0.250	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.053
- Median: 0.038
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.250
- Standard Deviation: 0.054

SNAP_PCT_DEVEL_ACT

Snapshot of Activities:% Time in Developmental Activities (activity 3-9, 11, 12)

Location: 937-941 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.411
- Median: 0.391
- Mode: 0.344
- Minimum: 0.054
- Maximum: 0.893
- Standard Deviation: 0.161

- Study 31581 -

SNAP_PCT_ROUTINE_ACT Snapshot of Activities:% Time in Routine Activities (activity 15)

Location: 942-946 (width: 5; decimal: 3)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.320
- Median: 0.324
- Minimum: 0.075
- Maximum: 0.688
- Standard Deviation: 0.122

PIC_N_RECORDS Provider Interactions with Children: Average # PIC records per provider

Location: 947-948 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	1	0.5 %
13	3	1.5 %
14	4	2.0 %
15	194	95.6 %
16	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 14.93
- Median: 15.00
- Mode: 15.00
- Minimum: 10.00
- Maximum: 16.00
- Standard Deviation: 0.45

PIC_PCT_WITH_ANY_A1A Provider Interactions with Children: Code A1a % records provider ever interacts with child(ren) in LG activity

Location: 949-953 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	172	84.7 %
0.067	18	8.9 %
0.133	8	3.9 %
0.200	1	0.5 %
0.267	2	1.0 %
0.467	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.064

PIC_PCT_WITH_ANY_A1B	Provider Interactions with Children: Code A1b % records provider ever interacts with child(ren) in non-LG activity
-----------------------------	---

Location: 954-958 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	85	41.9 %
0.067	36	17.7 %
0.071	2	1.0 %
0.133	26	12.8 %
0.143	1	0.5 %
0.200	19	9.4 %
0.267	12	5.9 %
0.333	9	4.4 %
0.357	1	0.5 %
0.400	4	2.0 %
0.467	3	1.5 %
0.533	2	1.0 %
0.600	1	0.5 %
0.733	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.112
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.733
- Standard Deviation: 0.144

PIC_PCT_WITH_ANY_A1C	Provider Interactions with Children: Code A1c % records provider ever interacts with child(ren) in free play
-----------------------------	---

- Study 31581 -

Location: 959-963 (width: 5; decimal: 3)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	70	34.5 %
0.067	43	21.2 %
0.133	23	11.3 %
0.200	21	10.3 %
0.267	11	5.4 %
0.333	10	4.9 %
0.400	8	3.9 %
0.467	8	3.9 %
0.533	6	3.0 %
0.600	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.140
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.600
- Standard Deviation: 0.160

PIC_PCT_WITH_ANY_A1D **Provider Interactions with Children: Code A1d % records provider ever interacts with child(ren) in interactive reading**

Location: 964-968 (width: 5; decimal: 3)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	151	74.4 %
0.067	38	18.7 %
0.071	1	0.5 %
0.133	7	3.4 %
0.200	4	2.0 %
0.267	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.024
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.267
- Standard Deviation: 0.049

- Study 31581 -

PIC_PCT_WITH_ANY_A1E	Provider Interactions with Children: Code A1d % records provider ever interacts with child(ren) in routine
----------------------	--

Location: 969-973 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	106	52.2 %
0.067	39	19.2 %
0.071	1	0.5 %
0.133	17	8.4 %
0.200	17	8.4 %
0.267	9	4.4 %
0.333	2	1.0 %
0.400	4	2.0 %
0.467	4	2.0 %
0.533	3	1.5 %
0.600	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.084
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.600
- Standard Deviation: 0.128

PIC_PCT_WITH_ANY_A1F	Provider Interactions with Children: Code A1f % records provider ever interacts with child(ren) in other
----------------------	--

Location: 974-978 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	157	77.3 %
0.067	16	7.9 %
0.133	11	5.4 %
0.200	5	2.5 %
0.231	1	0.5 %
0.267	6	3.0 %
0.333	2	1.0 %
0.400	2	1.0 %
0.467	1	0.5 %
0.600	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.042
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.103

PIC_AVG_A1A	Provider Interactions with Children: Code A1a avg times provider interacts with child(ren) in LG activity
--------------------	--

Location: 979-983 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	172	84.7 %
0.067	16	7.9 %
0.133	8	3.9 %
0.200	2	1.0 %
0.333	1	0.5 %
0.400	1	0.5 %
0.467	1	0.5 %
0.600	1	0.5 %
0.733	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.025
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.733
- Standard Deviation: 0.088

PIC_AVG_A1B	Provider Interactions with Children: Code A1b avg times provider interacts with child(ren) in non-LG activity
--------------------	--

Location: 984-987 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	85	41.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.07	33	16.3 %
0.13	15	7.4 %
0.20	17	8.4 %
0.21	1	0.5 %
0.27	12	5.9 %
0.33	10	4.9 %
0.40	11	5.4 %
0.43	1	0.5 %
0.47	3	1.5 %
0.53	2	1.0 %
0.60	3	1.5 %
0.67	3	1.5 %
0.80	4	2.0 %
0.87	1	0.5 %
1.00	1	0.5 %
1.40	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.16
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.40
- Standard Deviation: 0.22

PIC_AVG_A1C

Provider Interactions with Children: Code A1c avg times provider interacts with child(ren) in free play

Location:

988-991 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	70	34.5 %
0.07	37	18.2 %
0.13	20	9.9 %
0.20	16	7.9 %
0.27	11	5.4 %
0.33	13	6.4 %
0.40	7	3.4 %
0.47	6	3.0 %
0.53	6	3.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.60	2	1.0 %
0.67	3	1.5 %
0.73	2	1.0 %
0.80	1	0.5 %
0.87	2	1.0 %
0.93	2	1.0 %
1.00	2	1.0 %
1.60	1	0.5 %
1.67	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.20
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.67
- Standard Deviation: 0.29

PIC_AVG_A1D

Provider Interactions with Children: Code A1d avg times provider interacts with child(ren) in interactive reading

Location: 992-996 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	151	74.4 %
0.067	32	15.8 %
0.071	1	0.5 %
0.133	12	5.9 %
0.200	5	2.5 %
0.333	1	0.5 %
0.400	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.027
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.400
- Standard Deviation: 0.058

- Study 31581 -

PIC_AVG_A1E	Provider Interactions with Children: Code A1d avg times provider interacts with child(ren) in routine
--------------------	--

Location: 997-1000 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	106	52.2 %
0.07	38	18.7 %
0.13	16	7.9 %
0.20	10	4.9 %
0.27	13	6.4 %
0.33	3	1.5 %
0.40	7	3.4 %
0.47	2	1.0 %
0.53	2	1.0 %
0.60	2	1.0 %
0.67	1	0.5 %
0.80	2	1.0 %
1.13	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.13
- Standard Deviation: 0.17

PIC_AVG_A1F	Provider Interactions with Children: Code A1f % records provider interacts with child(ren) in other
--------------------	--

Location: 1001-1004 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	157	77.3 %
0.07	14	6.9 %
0.13	8	3.9 %
0.20	4	2.0 %
0.23	1	0.5 %
0.27	9	4.4 %
0.33	4	2.0 %
0.40	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.47	1	0.5 %
0.67	1	0.5 %
0.80	1	0.5 %
0.87	1	0.5 %
1.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

PIC_PCT_1_2_CH_WITH_ANY_A1A Provider Interactions with Children: Code A1a % records provider ever interacts with 1-2 child(ren) in LG activity

Location: 1005-1009 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	175	86.2 %
0.067	15	7.4 %
0.133	8	3.9 %
0.200	1	0.5 %
0.267	2	1.0 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.019
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.064

PIC_PCT_1_2_CH_WITH_ANY_A1B Provider Interactions with Children: Code A1b % records provider ever interacts with 1-2 child(ren) in non-LG activity

Location: 1010-1014 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	90	44.3 %
0.067	38	18.7 %
0.071	2	1.0 %
0.133	28	13.8 %
0.143	1	0.5 %
0.200	13	6.4 %
0.267	14	6.9 %
0.286	1	0.5 %
0.333	7	3.4 %
0.400	2	1.0 %
0.467	2	1.0 %
0.533	2	1.0 %
0.600	1	0.5 %
0.667	1	0.5 %
0.733	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.100
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.733
- Standard Deviation: 0.135

PIC_PCT_1_2_CH_WITH_ANY_A1C Provider Interactions with Children: Code A1c % records provider ever interacts with child(ren) in free play

Location: 1015-1019 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	79	38.9 %
0.067	47	23.2 %
0.133	19	9.4 %
0.200	21	10.3 %
0.267	8	3.9 %
0.333	13	6.4 %
0.400	5	2.5 %
0.467	4	2.0 %
0.533	4	2.0 %
0.600	3	1.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.119
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.600
- Standard Deviation: 0.148

PIC_PCT_1_2_CH_WITH_ANY_A1D Provider Interactions with Children: Code A1d % records provider ever interacts with 1-2 child(ren) in interactive reading

Location: 1020-1024 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	157	77.3 %
0.067	34	16.7 %
0.071	1	0.5 %
0.133	6	3.0 %
0.200	4	2.0 %
0.267	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.021
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.267
- Standard Deviation: 0.045

PIC_PCT_1_2_CH_WITH_ANY_A1E Provider Interactions with Children: Code A1e % records provider ever interacts with 1-2 child(ren) in routine

Location: 1025-1029 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	120	59.1 %
0.067	40	19.7 %
0.071	1	0.5 %
0.133	17	8.4 %
0.200	14	6.9 %
0.267	5	2.5 %
0.333	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.400	1	0.5 %
0.467	2	1.0 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.058
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.095

PIC_PCT_1_2_CH_WITH_ANY_A1F Provider Interactions with Children: Code A1f % records provider ever interacts with child(ren) in other

Location: 1030-1034 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	160	78.8 %
0.067	18	8.9 %
0.133	11	5.4 %
0.200	4	2.0 %
0.231	1	0.5 %
0.267	5	2.5 %
0.333	1	0.5 %
0.467	1	0.5 %
0.600	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.035
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.093

PIC_AVG_1_2_CH_A1A Provider Interactions with Children: Code A1a avg times provider interacts with 1-2 child(ren) in LG activity

Location: 1035-1039 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	175	86.2 %
0.067	14	6.9 %
0.133	7	3.4 %
0.200	2	1.0 %
0.333	1	0.5 %
0.400	1	0.5 %
0.467	1	0.5 %
0.600	1	0.5 %
0.733	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.024
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.733
- Standard Deviation: 0.087

PIC_AVG_1_2_CH_A1B

Provider Interactions with Children: Code A1b avg times provider interacts with 1-2 child(ren) in non-LG activity

Location: 1040-1043 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	90	44.3 %
0.07	31	15.3 %
0.13	20	9.9 %
0.14	1	0.5 %
0.20	16	7.9 %
0.27	10	4.9 %
0.33	9	4.4 %
0.36	1	0.5 %
0.40	9	4.4 %
0.47	3	1.5 %
0.53	3	1.5 %
0.60	2	1.0 %
0.67	3	1.5 %
0.80	3	1.5 %
1.00	1	0.5 %
1.40	1	0.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.14
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.40
- Standard Deviation: 0.21

PIC_AVG_1_2_CH_A1C

Provider Interactions with Children: Code A1c avg times provider interacts with child(ren) in free play

Location: 1044-1047 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	79	38.9 %
0.07	40	19.7 %
0.13	16	7.9 %
0.20	16	7.9 %
0.27	10	4.9 %
0.33	14	6.9 %
0.40	7	3.4 %
0.47	4	2.0 %
0.53	3	1.5 %
0.60	2	1.0 %
0.67	2	1.0 %
0.73	1	0.5 %
0.87	3	1.5 %
0.93	1	0.5 %
1.00	2	1.0 %
1.27	1	0.5 %
1.60	1	0.5 %
1.67	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.17
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.67
- Standard Deviation: 0.27

- Study 31581 -

PIC_AVG_1_2_CH_A1D	Provider Interactions with Children: Code A1d avg times provider interacts with 1-2 child(ren) in interactive reading
---------------------------	--

Location: 1048-1052 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	157	77.3 %
0.067	28	13.8 %
0.071	1	0.5 %
0.133	11	5.4 %
0.200	4	2.0 %
0.333	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.024
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.333
- Standard Deviation: 0.054

PIC_AVG_1_2_CH_A1E	Provider Interactions with Children: Code A1e avg times provider interacts with 1-2 child(ren) in routine
---------------------------	--

Location: 1053-1056 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	120	59.1 %
0.07	39	19.2 %
0.13	16	7.9 %
0.20	9	4.4 %
0.27	9	4.4 %
0.33	1	0.5 %
0.40	4	2.0 %
0.53	1	0.5 %
0.67	1	0.5 %
0.80	2	1.0 %
1.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.07
- Median: 0.00

- Study 31581 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

PIC_AVG_1_2_CH_A1F	Provider Interactions with Children: Code A1f avg times provider interacts with 1-2 child(ren) in other
--------------------	---

Location: 1057-1060 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	160	78.8 %
0.07	17	8.4 %
0.13	8	3.9 %
0.20	2	1.0 %
0.23	1	0.5 %
0.27	9	4.4 %
0.33	2	1.0 %
0.40	1	0.5 %
0.80	1	0.5 %
0.87	1	0.5 %
1.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

PIC_PCT_A4A	Provider Interactions with Children: Code sum A4a % children under 1
-------------	--

Location: 1061-1065 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	146	71.9 %
0.067	24	11.8 %
0.133	17	8.4 %
0.200	3	1.5 %
0.267	4	2.0 %
0.333	3	1.5 %
0.400	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.467	2	1.0 %
0.533	1	0.5 %
0.733	1	0.5 %
0.800	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.049
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.800
- Standard Deviation: 0.116

PIC_PCT_A4B

Provider Interactions with Children: Code sum A4b % children 1 to 2

Location: 1066-1070 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	45	22.2 %
0.067	34	16.7 %
0.071	1	0.5 %
0.133	24	11.8 %
0.143	1	0.5 %
0.200	17	8.4 %
0.267	20	9.9 %
0.333	16	7.9 %
0.400	12	5.9 %
0.429	1	0.5 %
0.467	6	3.0 %
0.533	9	4.4 %
0.600	3	1.5 %
0.667	6	3.0 %
0.733	3	1.5 %
0.800	2	1.0 %
0.867	1	0.5 %
0.933	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.221
- Median: 0.133

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.933
- Standard Deviation: 0.219

PIC_PCT_A4C

Provider Interactions with Children: Code sum A4c % children 3 to 5

Location: 1071-1075 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	74	36.5 %
0.067	16	7.9 %
0.071	2	1.0 %
0.133	18	8.9 %
0.143	1	0.5 %
0.200	19	9.4 %
0.231	1	0.5 %
0.267	21	10.3 %
0.333	12	5.9 %
0.400	10	4.9 %
0.467	7	3.4 %
0.533	6	3.0 %
0.600	7	3.4 %
0.667	3	1.5 %
0.733	2	1.0 %
0.800	3	1.5 %
0.867	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.191
- Median: 0.133
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.867
- Standard Deviation: 0.212

PIC_PCT_A4D

Provider Interactions with Children: Code sum A4d % children 6+

Location: 1076-1080 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	202	99.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.2	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.001
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.014

PIC_PCT_B1	Provider Interactions with Children: Code B1 % records provider nudges child to try something new (verbal)
-------------------	---

Location: 1081-1085 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	45	22.2 %
0.067	30	14.8 %
0.071	1	0.5 %
0.133	23	11.3 %
0.200	25	12.3 %
0.231	1	0.5 %
0.267	23	11.3 %
0.286	1	0.5 %
0.333	12	5.9 %
0.400	10	4.9 %
0.467	10	4.9 %
0.533	7	3.4 %
0.600	6	3.0 %
0.667	4	2.0 %
0.733	4	2.0 %
0.800	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.213
- Median: 0.200
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.800
- Standard Deviation: 0.198

- Study 31581 -

PIC_PCT_B2	Provider Interactions with Children: Code B2 % records provider narrates/talks about what child is doing
-------------------	---

Location: 1086-1090 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	45	22.2 %
0.067	42	20.7 %
0.071	1	0.5 %
0.133	23	11.3 %
0.200	21	10.3 %
0.231	1	0.5 %
0.267	17	8.4 %
0.333	11	5.4 %
0.400	17	8.4 %
0.467	5	2.5 %
0.533	6	3.0 %
0.600	8	3.9 %
0.667	5	2.5 %
0.867	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.197
- Median: 0.133
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.867
- Standard Deviation: 0.192

PIC_PCT_B3	Provider Interactions with Children: Code B3 % records provider introduces language or learning
-------------------	--

Location: 1091-1095 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	65	32.0 %
0.067	46	22.7 %
0.133	23	11.3 %
0.143	1	0.5 %
0.154	1	0.5 %
0.200	18	8.9 %
0.267	20	9.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.333	9	4.4 %
0.400	10	4.9 %
0.467	2	1.0 %
0.533	3	1.5 %
0.600	2	1.0 %
0.667	2	1.0 %
0.933	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.140
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.933
- Standard Deviation: 0.161

PIC_PCT_B4

Provider Interactions with Children: Code B4 % records provider encourages child to do activity on own

Location: 1096-1100 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	71	35.0 %
0.067	43	21.2 %
0.071	3	1.5 %
0.133	30	14.8 %
0.200	20	9.9 %
0.231	1	0.5 %
0.267	13	6.4 %
0.333	12	5.9 %
0.400	5	2.5 %
0.467	1	0.5 %
0.533	3	1.5 %
0.600	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.116
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.600

- Study 31581 -

- Standard Deviation: 0.129

PIC_PCT_C1

Provider Interactions with Children: Code C1 % records provider nudges child to try something new (nonverbal)

Location: 1101-1105 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	121	59.6 %
0.067	37	18.2 %
0.071	2	1.0 %
0.077	1	0.5 %
0.133	14	6.9 %
0.200	15	7.4 %
0.267	8	3.9 %
0.333	2	1.0 %
0.400	1	0.5 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.058
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.094

PIC_PCT_D1

Provider Interactions with Children: Code D1 % records provider points to picture while reading (See)

Location: 1106-1110 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	163	80.3 %
0.067	30	14.8 %
0.133	7	3.4 %
0.200	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.017
- Median: 0.000

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.040

PIC_PCT_D2

Provider Interactions with Children: Code D2 % records provider asks child for nonverbal response about book (Show)

Location: 1111-1115 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.067	18	8.9 %
0.071	1	0.5 %
0.133	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.133
- Standard Deviation: 0.025

PIC_PCT_D3

Provider Interactions with Children: Code D3 % records provider asks child for verbal response about book (Say)

Location: 1116-1120 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	168	82.8 %
0.067	26	12.8 %
0.133	8	3.9 %
0.200	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.015
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.035

- Study 31581 -

PIC_PCT_1_2_B1	Provider Interactions with Children: Code B1 % records provider nudges 1-2 child(ren) to try something new (verbal)
-----------------------	--

Location: 1121-1125 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	45	22.2 %
0.067	30	14.8 %
0.071	1	0.5 %
0.133	29	14.3 %
0.200	29	14.3 %
0.231	1	0.5 %
0.267	14	6.9 %
0.286	1	0.5 %
0.333	13	6.4 %
0.400	10	4.9 %
0.467	9	4.4 %
0.533	7	3.4 %
0.600	6	3.0 %
0.667	4	2.0 %
0.733	3	1.5 %
0.800	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.205
- Median: 0.133
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.800
- Standard Deviation: 0.194

PIC_PCT_1_2_B2	Provider Interactions with Children: Code B2 % records provider narrates/talks about what 1-2 child(ren) are doing
-----------------------	---

Location: 1126-1130 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	47	23.2 %
0.067	40	19.7 %
0.071	1	0.5 %
0.133	28	13.8 %
0.200	17	8.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.231	1	0.5 %
0.267	17	8.4 %
0.333	13	6.4 %
0.400	16	7.9 %
0.467	5	2.5 %
0.533	5	2.5 %
0.600	9	4.4 %
0.667	3	1.5 %
0.867	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.190
- Median: 0.133
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.867
- Standard Deviation: 0.188

PIC_PCT_1_2_B3

Provider Interactions with Children: Code B3 % records provider introduces language or learning to 1-2 child(ren)

Location: 1131-1135 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	66	32.5 %
0.067	45	22.2 %
0.133	23	11.3 %
0.143	1	0.5 %
0.154	1	0.5 %
0.200	20	9.9 %
0.267	21	10.3 %
0.333	9	4.4 %
0.400	7	3.4 %
0.467	2	1.0 %
0.533	3	1.5 %
0.600	2	1.0 %
0.667	2	1.0 %
0.933	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.137
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.933
- Standard Deviation: 0.158

PIC_PCT_1_2_B4

Provider Interactions with Children: Code B4 % records provider encourages 1-2 child(ren) to do activity on own

Location: 1136-1140 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	72	35.5 %
0.067	45	22.2 %
0.071	3	1.5 %
0.133	32	15.8 %
0.200	18	8.9 %
0.231	1	0.5 %
0.267	11	5.4 %
0.333	12	5.9 %
0.400	4	2.0 %
0.467	1	0.5 %
0.533	3	1.5 %
0.600	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.111
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.600
- Standard Deviation: 0.127

PIC_PCT_1_2_C1

Provider Interactions with Children: Code C1 % records provider nudges 1-2 child(ren) to try something new (nonverbal)

Location: 1141-1145 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	122	60.1 %
0.067	37	18.2 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.071	2	1.0 %
0.077	1	0.5 %
0.133	14	6.9 %
0.200	15	7.4 %
0.267	7	3.4 %
0.333	2	1.0 %
0.400	1	0.5 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.057
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.093

PIC_PCT_1_2_D1	Provider Interactions with Children: Code D1 % records provider points to picture while reading to 1-2 child(ren) (See)
-----------------------	--

Location: 1146-1150 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	163	80.3 %
0.067	31	15.3 %
0.133	6	3.0 %
0.200	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.017
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.039

PIC_PCT_1_2_D2	Provider Interactions with Children: Code D2 % records provider asks 1-2 child(ren) for nonverbal response about book (Show)
-----------------------	---

Location: 1151-1155 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.067	19	9.4 %
0.071	1	0.5 %
0.133	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.008
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.133
- Standard Deviation: 0.024

PIC_PCT_1_2_D3

Provider Interactions with Children: Code D3 % records provider asks 1-2 child(ren) for verbal response about book (Say)

Location: 1156-1160 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	168	82.8 %
0.067	27	13.3 %
0.133	7	3.4 %
0.200	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.014
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.035

PIC_AVG_1_2_B1

Provider Interactions with Children: Code B1 avg times provider nudges 1-2 child(ren) to try something new (verbal)

Location: 1161-1164 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	45	22.2 %
0.07	27	13.3 %
0.13	24	11.8 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.20	18	8.9 %
0.23	1	0.5 %
0.27	17	8.4 %
0.29	1	0.5 %
0.33	12	5.9 %
0.40	11	5.4 %
0.47	12	5.9 %
0.53	10	4.9 %
0.60	2	1.0 %
0.67	4	2.0 %
0.73	2	1.0 %
0.80	2	1.0 %
0.87	4	2.0 %
1.00	1	0.5 %
1.07	3	1.5 %
1.13	1	0.5 %
1.20	1	0.5 %
1.27	1	0.5 %
1.33	1	0.5 %
1.60	1	0.5 %
1.67	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.28
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.67
- Standard Deviation: 0.33

PIC_AVG_1_2_B2	Provider Interactions with Children: Code B2 avg times provider narrates/talks about what 1-2 child(ren) are doing
-----------------------	---

Location: 1165-1168 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	47	23.2 %
0.07	38	18.7 %
0.13	18	8.9 %
0.20	16	7.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.23	1	0.5 %
0.27	13	6.4 %
0.33	12	5.9 %
0.40	15	7.4 %
0.47	10	4.9 %
0.53	8	3.9 %
0.60	4	2.0 %
0.67	5	2.5 %
0.73	2	1.0 %
0.80	1	0.5 %
0.87	3	1.5 %
1.00	3	1.5 %
1.07	1	0.5 %
1.13	1	0.5 %
1.27	1	0.5 %
1.33	1	0.5 %
1.40	1	0.5 %
1.47	1	0.5 %
1.67	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.27
- Median: 0.13
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.67
- Standard Deviation: 0.31

PIC_AVG_1_2_B3

Provider Interactions with Children: Code B3 avg times provider introduces language or learning to 1-2 child(ren)

Location: 1169-1172 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	66	32.5 %
0.07	41	20.2 %
0.13	21	10.3 %
0.14	1	0.5 %
0.15	1	0.5 %
0.20	16	7.9 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.27	11	5.4 %
0.33	13	6.4 %
0.40	14	6.9 %
0.47	4	2.0 %
0.53	3	1.5 %
0.60	4	2.0 %
0.67	2	1.0 %
0.73	2	1.0 %
0.80	1	0.5 %
0.87	1	0.5 %
0.93	1	0.5 %
1.93	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.17
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.93
- Standard Deviation: 0.23

PIC_AVG_1_2_B4

Provider Interactions with Children: Code B4 avg times provider encourages 1-2 child(ren) to do activity on own

Location: 1173-1177 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	72	35.5 %
0.067	37	18.2 %
0.071	3	1.5 %
0.133	29	14.3 %
0.200	16	7.9 %
0.231	1	0.5 %
0.267	14	6.9 %
0.333	11	5.4 %
0.400	3	1.5 %
0.467	5	2.5 %
0.533	2	1.0 %
0.600	4	2.0 %
0.667	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.733	5	2.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.141
- Median: 0.067
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.733
- Standard Deviation: 0.176

PIC_AVG_1_2_C1	Provider Interactions with Children: Code C1 avg times provider nudges 1-2 child(ren) to try something new (nonverbal)
-----------------------	---

Location: 1178-1182 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	122	60.1 %
0.067	33	16.3 %
0.071	2	1.0 %
0.077	1	0.5 %
0.133	16	7.9 %
0.200	12	5.9 %
0.267	10	4.9 %
0.333	2	1.0 %
0.400	1	0.5 %
0.467	1	0.5 %
0.533	1	0.5 %
0.600	1	0.5 %
0.800	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.065
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.800
- Standard Deviation: 0.115

PIC_AVG_1_2_D1	Provider Interactions with Children: Code D1 avg times provider points to picture while reading to 1-2 child(ren) (See)
-----------------------	--

Location: 1183-1187 (width: 5; decimal: 3)

- Study 31581 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	163	80.3 %
0.067	25	12.3 %
0.133	10	4.9 %
0.200	4	2.0 %
0.267	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.020
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.267
- Standard Deviation: 0.047

PIC_AVG_1_2_D2	Provider Interactions with Children: Code D2 avg times provider asks 1-2 child(ren) for nonverbal response about book (Show)
-----------------------	---

Location: 1188-1192 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.067	18	8.9 %
0.071	1	0.5 %
0.133	2	1.0 %
0.200	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.009
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.027

PIC_AVG_1_2_D3	Provider Interactions with Children: Code D3 avg times provider asks 1-2 child(ren) for verbal response about book (Say)
-----------------------	---

Location: 1193-1197 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	168	82.8 %
0.067	25	12.3 %
0.133	6	3.0 %
0.200	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.200
- Standard Deviation: 0.040

PIC_PCT_1_2_B1_LG

Provider Interactions with Children: Code B1 % records provider nudges 1-2 child(ren) to try something new (verbal) during a Learninggames activity

Location: 1198-1202 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	180	88.7 %
0.067	13	6.4 %
0.133	6	3.0 %
0.267	2	1.0 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.016
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.061

PIC_PCT_1_2_B2_LG

Provider Interactions with Children: Code B2 % records provider narrates/talks about what 1-2 child(ren) are doing during a Learninggames activity

Location: 1203-1207 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.067	12	5.9 %
0.133	6	3.0 %
0.200	1	0.5 %
0.267	1	0.5 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.015
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.060

PIC_PCT_1_2_B3_LG

Provider Interactions with Children: Code B3 % records provider introduces language or learning to 1-2 child(ren) during a Learninggames activity

Location: 1208-1212 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	185	91.1 %
0.067	10	4.9 %
0.133	4	2.0 %
0.200	3	1.5 %
0.467	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.011
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.467
- Standard Deviation: 0.046

PIC_PCT_1_2_B4_LG

Provider Interactions with Children: Code B4 % records provider encourages 1-2 child(ren) to do activity on own during a Learninggames activity

Location: 1213-1217 (width: 5; decimal: 3)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	190	93.6 %
0.067	8	3.9 %
0.133	3	1.5 %
0.467	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.010
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.053

PIC_PCT_1_2_C1_LG	Provider Interactions with Children: Code C1 % records provider nudges 1-2 child(ren) to try something new (nonverbal) during a Learninggames activity
--------------------------	---

Location: 1218-1222 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	191	94.1 %
0.067	6	3.0 %
0.133	3	1.5 %
0.200	1	0.5 %
0.400	1	0.5 %
0.533	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.010
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.533
- Standard Deviation: 0.052

PIC_PCT_1_2_D1_LG	Provider Interactions with Children: Code D1 % records provider points to picture while reading to 1-2 child(ren) (See) during a Learninggames activity
--------------------------	--

Location: 1223-1223 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

PIC_PCT_1_2_D2_LG	Provider Interactions with Children: Code D2 % records provider asks 1-2 child(ren) for nonverbal response about book (Show) during a Learninggames activity
--------------------------	---

Location: 1224-1224 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

PIC_PCT_1_2_D3_LG	Provider Interactions with Children: Code D3 % records provider asks 1-2 child(ren) for verbal response about book (Say) during a Learninggames activity
--------------------------	---

Location: 1225-1225 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 31581 -

PIC_AVG_B1	Provider Interactions with Children: Code B1 avg times provider nudges child to try something new (verbal) during a Learninggames activity
-------------------	---

Location: 1226-1230 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	180	88.7 %
0.067	12	5.9 %
0.133	6	3.0 %
0.200	1	0.5 %
0.400	1	0.5 %
0.467	1	0.5 %
0.533	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.019
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.078

PIC_AVG_B2	Provider Interactions with Children: Code B2 avg times provider narrates/talks about what child is doing during a Learninggames activity
-------------------	---

Location: 1231-1235 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	181	89.2 %
0.067	12	5.9 %
0.133	4	2.0 %
0.200	2	1.0 %
0.333	2	1.0 %
0.467	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.017
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000

- Study 31581 -

- Maximum: 0.667
- Standard Deviation: 0.071

PIC_AVG_B3	Provider Interactions with Children: Code B3 avg times provider introduces language or learning during a Learninggames activity
-------------------	--

Location: 1236-1240 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	185	91.1 %
0.067	9	4.4 %
0.133	4	2.0 %
0.200	3	1.5 %
0.267	1	0.5 %
0.467	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.467
- Standard Deviation: 0.049

PIC_AVG_B4	Provider Interactions with Children: Code B4 avg times provider encourages child to do activity on own during a Learninggames activity
-------------------	---

Location: 1241-1245 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	190	93.6 %
0.067	7	3.4 %
0.133	2	1.0 %
0.200	1	0.5 %
0.267	1	0.5 %
0.467	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.012
- Median: 0.000
- Mode: 0.000

- Study 31581 -

- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.063

PIC_AVG_C1	Provider Interactions with Children: Code C1 avg times provider nudges child to try something new (nonverbal) during a Learninggames activity
-------------------	--

Location: 1246-1250 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	191	94.1 %
0.067	6	3.0 %
0.133	1	0.5 %
0.200	2	1.0 %
0.267	1	0.5 %
0.400	1	0.5 %
0.667	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.011
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.667
- Standard Deviation: 0.062

PIC_AVG_D1	Provider Interactions with Children: Code D1 avg times provider points to picture while reading (See) during a Learninggames activity
-------------------	--

Location: 1251-1251 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 31581 -

PIC_AVG_D2	Provider Interactions with Children: Code D2 avg times provider asks child for nonverbal response about book (Show) during a Learninggames activity
-------------------	--

Location: 1252-1252 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

PIC_AVG_D3	Provider Interactions with Children: Code D3 avg times provider asks child for verbal response about book (Say) during a Learninggames activity
-------------------	--

Location: 1253-1253 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

PIC_PCT_1_2_ACTIVITY	Provider Interactions with Children: % time provider involved in an activity with 1-2 children
-----------------------------	---

Location: 1254-1257 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	18	8.9 %
0.07	22	10.8 %
0.13	11	5.4 %
0.14	1	0.5 %
0.20	15	7.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.23	1	0.5 %
0.27	10	4.9 %
0.33	11	5.4 %
0.40	17	8.4 %
0.47	11	5.4 %
0.50	1	0.5 %
0.53	12	5.9 %
0.60	19	9.4 %
0.67	7	3.4 %
0.73	2	1.0 %
0.80	9	4.4 %
0.87	3	1.5 %
0.93	3	1.5 %
1.00	6	3.0 %
1.07	3	1.5 %
1.13	2	1.0 %
1.20	1	0.5 %
1.33	3	1.5 %
1.40	3	1.5 %
1.53	1	0.5 %
1.73	2	1.0 %
1.80	2	1.0 %
1.87	2	1.0 %
1.93	1	0.5 %
2.07	1	0.5 %
2.13	1	0.5 %
2.20	1	0.5 %
2.40	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.52
- Median: 0.40
- Mode: 0.07
- Minimum: 0.00
- Maximum: 2.40
- Standard Deviation: 0.49

RAP_N_READ_ALOUDS

Read Aloud Profile: Average # read alouds per provider

Location: 1258-1258 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3	1.5 %
1	140	69.0 %
2	55	27.1 %
3	5	2.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.54

RAP_A1_PCT_GUIDES_CHOICE Read Aloud Profile: Code A1 % read alouds where provider guides child(ren's) book choice prior to reading

Location: 1259-1262 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	178	87.7 %
0.33	1	0.5 %
0.50	11	5.4 %
1.00	13	6.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RAP_A2_PCT_FEATURES_OF_BOOK Read Aloud Profile: Code A2 % read alouds where provider points to features of book prior to reading book

Location: 1263-1266 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	97	47.8 %
0.33	2	1.0 %
0.50	15	7.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.67	1	0.5 %
1.00	88	43.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.48
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

RAP_A2A_PCT_CONCEPTS_OF_PRINT Read Aloud Profile: Code A2a % read alouds where provider discusses concepts of print prior to reading

Location: 1267-1270 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	187	92.1 %
0.5	6	3.0 %
1.0	10	4.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

RAP_A3_PCT_SIMILAR_BOOKS Read Aloud Profile: Code A3 % read alouds where provider reminds child(ren) of similar books prior to reading book

Location: 1271-1274 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	190	93.6 %
0.33	1	0.5 %
0.50	5	2.5 %
1.00	7	3.4 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

RAP_A4_PCT_SOUNDS_LETTERS Read Aloud Profile: Code A4 % read alouds where provider discusses sounds-letters prior to reading book

Location: 1275-1278 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	194	95.6 %
0.5	3	1.5 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_A5_PCT_VOCABULARY Read Aloud Profile: Code A5 % read alouds where provider introduces vocabulary prior to reading book

Location: 1279-1282 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	192	94.6 %
0.5	5	2.5 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

- Study 31581 -

RAP_A6_PCT_RELATES_TO_ACT Read Aloud Profile: Code A6 % read alouds where provider relates book to group activities prior to reading book

Location: 1283-1286 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	195	96.1 %
0.5	2	1.0 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_A7_PCT_EVENTS_TO_LISTEN_FOR Read Aloud Profile: Code A7 % read alouds where provider discusses events to listen for prior to reading book

Location: 1287-1290 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	193	95.1 %
0.5	4	2.0 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_A8_PCT_BACKGROUND_INFO Read Aloud Profile: Code A8 % read alouds where provider introduces background information prior to reading book

Location: 1291-1294 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	191	94.1 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.5	3	1.5 %
1.0	9	4.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RAP_A9_PCT_STORYLINE	Read Aloud Profile: Code A9 % read alouds where provider narrates story in advance of reading book
-----------------------------	---

Location: 1295-1298 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	200	98.5 %
0.5	2	1.0 %
1.0	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

RAP_A10_PCT_LINK_TO_EXPERIENCE	Read Aloud Profile: Code A10 % read alouds where provider relates book to child(ren)'s experience prior to reading book
---------------------------------------	--

Location: 1299-1302 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	193	95.1 %
0.5	3	1.5 %
1.0	7	3.4 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RAP_A11_PCT_NO_PREREADING Read Aloud Profile: Code A11 % read alouds with no provider activities prior to reading book

Location: 1303-1306 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	181	89.2 %
0.33	1	0.5 %
0.50	6	3.0 %
0.67	1	0.5 %
1.00	14	6.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

RAP_A12_PCT_CHILD_READS Read Aloud Profile: Code A12 % read alouds where provider invites child to read prior to reading book

Location: 1307-1310 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	74	36.5 %
0.33	2	1.0 %
0.50	17	8.4 %
0.67	1	0.5 %
1.00	109	53.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00

- Study 31581 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

RAP_A13_PCT_CHILD_CLOSE Read Aloud Profile: Code A13 % read alouds where provider positions child close by prior to reading book

Location: 1311-1314 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	95	46.8 %
0.33	1	0.5 %
0.50	20	9.9 %
1.00	87	42.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.48
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

RAP_A14_PCT_RHETORICAL_QUESTION Read Aloud Profile: Code A14 % read alouds where provider asks rhetorical QUESTION prior to reading book

Location: 1315-1318 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	195	96.1 %
0.5	2	1.0 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_B1_PCT_TRACK_PRINT Read Aloud Profile: Code B1 % read alouds where provider tracks print during book reading

Location: 1319-1322 (width: 4; decimal: 2)

- Study 31581 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	147	72.4 %
0.33	1	0.5 %
0.50	8	3.9 %
0.67	2	1.0 %
1.00	45	22.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RAP_B2_PCT_USE_PROPS Read Aloud Profile: Code B2 % read alouds where provider uses props during book reading

Location: 1323-1326 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	52	25.6 %
0.33	1	0.5 %
0.50	14	6.9 %
0.67	1	0.5 %
1.00	135	66.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_B3_PCT_POINTS_OUT_PICTURES Read Aloud Profile: Code B3 % read alouds where provider directs attention to illustrations during book reading

Location: 1327-1330 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	47	23.2 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.50	11	5.4 %
0.67	1	0.5 %
1.00	144	70.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RAP_B4_PCT_COMMENTS_ON_SOUNDS Read Aloud Profile: Code B4 % read alouds where provider comments on sounds during book reading

Location: 1331-1334 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	187	92.1 %
0.33	1	0.5 %
0.50	3	1.5 %
1.00	12	5.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

RAP_B5_PCT_VOCABULARY Read Aloud Profile: Code B5 % read alouds where provider highlights new vocabulary during book reading

Location: 1335-1338 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	134	66.0 %
0.33	1	0.5 %
0.50	19	9.4 %
0.67	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	47	23.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RAP_B6_PCT_RELATES_TO_ACTIVITIES Read Aloud Profile: Code B6 % read alouds where provider relates book to group activities during book reading

Location: 1339-1342 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	193	95.1 %
0.5	2	1.0 %
1.0	8	3.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

RAP_B7_PCT_EXPAND_CH_COMMENTS Read Aloud Profile: Code B7 % read alouds where provider expands on child comments during book reading

Location: 1343-1346 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	102	50.2 %
0.33	2	1.0 %
0.50	21	10.3 %
0.67	3	1.5 %
1.00	75	36.9 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

RAP_B8_PCT_ANSWER_CH_QUESTION Read Aloud Profile: Code B8 % read alouds where provider answers child(ren)'s QUESTions about book or related topic during book reading

Location: 1347-1350 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	154	75.9 %
0.33	2	1.0 %
0.50	8	3.9 %
0.67	1	0.5 %
1.00	38	18.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

RAP_B9_PCT_CHORALE_READING Read Aloud Profile: Code B9 % read alouds where provider has child(ren) join in reading during book reading

Location: 1351-1354 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	119	58.6 %
0.33	2	1.0 %
0.50	22	10.8 %
0.67	1	0.5 %
1.00	59	29.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.35
- Median: 0.00

- Study 31581 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

RAP_B10_PCT_RECALL_QUESTION Read Aloud Profile: Code B10 % read alouds where provider asks recall QUESTION during book reading

Location: 1355-1358 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	183	90.1 %
0.33	1	0.5 %
0.50	6	3.0 %
1.00	13	6.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RAP_B11_PCT_RELATE_TEXT Read Aloud Profile: Code B11 % read alouds where provider relates text to child(ren)'s experiences during book reading

Location: 1359-1362 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	143	70.4 %
0.33	2	1.0 %
0.50	13	6.4 %
0.67	2	1.0 %
1.00	43	21.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

- Study 31581 -

RAP_B12_PCT_OPEN_ENDED Read Aloud Profile: Code B12 % read alouds where provider asks open-ended QUESTION during book reading

Location: 1363-1366 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	177	87.2 %
0.33	1	0.5 %
0.50	5	2.5 %
1.00	20	9.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

RAP_B13_PCT_PICTURE_WALK Read Aloud Profile: Code B13 % read alouds where provider conducts Picture Walk for the book reading

Location: 1367-1370 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	188	92.6 %
0.33	1	0.5 %
0.50	8	3.9 %
0.67	1	0.5 %
1.00	5	2.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RAP_B14_PCT_READ_THROUGH Read Aloud Profile: Code B14 % read alouds where provider reads the book straight through

Location: 1371-1374 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	196	96.6 %
0.5	3	1.5 %
1.0	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

RAP_B15_PCT_LG_SEE	Read Aloud Profile: Code B15 % read alouds where provider points to illustrations to prompt child to SEE (LG) during book reading
---------------------------	--

Location: 1375-1378 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	42	20.7 %
0.5	17	8.4 %
1.0	144	70.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

RAP_B16_PCT_LG_SHOW	Read Aloud Profile: Code B16 % read alouds where provider asks child to point SHOW (LG) during book reading
----------------------------	--

Location: 1379-1382 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	121	59.6 %
0.33	2	1.0 %
0.50	14	6.9 %
0.67	1	0.5 %
1.00	65	32.0 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

RAP_B17_PCT_LG_SAY	Read Aloud Profile: Code B17 % read alouds where provider asks child to name SAY (LG) during book reading
---------------------------	--

Location: 1383-1386 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	99	48.8 %
0.50	17	8.4 %
0.67	2	1.0 %
1.00	85	41.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.47
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

RAP_B18_PCT_ACT_OUT_STORY	Read Aloud Profile: Code B18 % read alouds where provider asks child(ren) to act out story during book reading
----------------------------------	---

Location: 1387-1390 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	174	85.7 %
0.33	2	1.0 %
0.50	6	3.0 %
1.00	21	10.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00

- Study 31581 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

RAP_C1_PCT_ANSWER_QUESTION Read Aloud Profile: Code C1 % read alouds where provider answers questions about story after reading book

Location: 1391-1394 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	195	96.1 %
0.5	2	1.0 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_C2_PCT_EXPAND_ON_CH Read Aloud Profile: Code C2 % read alouds where provider expands on child comments after reading book

Location: 1395-1398 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	178	87.7 %
0.33	1	0.5 %
0.50	8	3.9 %
1.00	16	7.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

RAP_C3_PCT_SOUNDS_LETTERS Read Aloud Profile: Code C3 % read alouds where provider comments on sound-letter link after reading book

- Study 31581 -

Location: 1399-1402 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	196	96.6 %
0.5	4	2.0 %
1.0	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

RAP_C4_PCT_VOCAB	Read Aloud Profile: Code C4 % read alouds where provider reviews vocabulary after reading book
-------------------------	---

Location: 1403-1406 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	200	98.5 %
0.5	1	0.5 %
1.0	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RAP_C5_PCT_SUMMARIZE_STORY_W_CH	Read Aloud Profile: Code C5 % read alouds where provider summarizes story with child involvement after reading book
--	--

Location: 1407-1410 (width: 4; decimal: 2)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	194	95.6 %
0.5	2	1.0 %
1.0	7	3.4 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RAP_C6_PCT_SUMMARIZE_STORY_NO_CH Read Aloud Profile: Code C6 % read alouds where provider summarizes story without child involvement after reading book

Location: 1411-1414 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	183	90.1 %
0.5	4	2.0 %
1.0	16	7.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

RAP_C7_PCT_ASK_RECALL Read Aloud Profile: Code C7 % read alouds where provider asks for recall of information after reading book

Location: 1415-1418 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	174	85.7 %
0.5	8	3.9 %
1.0	21	10.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 31581 -

- Standard Deviation: 0.31

RAP_C8_PCT_CHILD_EXPERIENCE Read Aloud Profile: Code C8 % read alouds where provider asks questions about children's related experiences after reading book

Location: 1419-1422 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	197	97.0 %
0.5	2	1.0 %
1.0	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

RAP_C9_PCT_OPEN_ENDED Read Aloud Profile: Code C9 % read alouds where provider asks open-ended questions related to story after reading book

Location: 1423-1426 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	200	98.5 %
0.5	1	0.5 %
1.0	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RAP_C10_PCT_POSTREADING_ACTIV Read Aloud Profile: Code C10 % read alouds where provider organizes related activity after reading book

Location: 1427-1430 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	183	90.1 %
0.5	6	3.0 %
1.0	14	6.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RAP_C11_PCT_NO_POSTREADING Read Aloud Profile: Code C11 % read alouds where provider has no post-reading discussion or activity

Location: 1431-1434 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	61	30.0 %
0.50	14	6.9 %
0.67	1	0.5 %
1.00	127	62.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

RAP_PCT_READ_ALOUDS_P Read Aloud Profile: % read alouds conducted by provider

Location: 1435-1438 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	18	8.9 %
0.5	1	0.5 %
1.0	184	90.6 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

RAP_PCT_READ_ALOUDS_ASST Read Aloud Profile: % read alouds conducted by assistant

Location: 1439-1442 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	187	92.1 %
0.5	1	0.5 %
1.0	15	7.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RAP_PCT_READ_ALOUDS_OTHER Read Aloud Profile: % read alouds conducted by other adult

Location: 1443-1443 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_PCT_PICTURE_BOOK Read Aloud Profile: Code G1a Type of book-% picture book

Location: 1444-1447 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	7	3.4 %
0.5	4	2.0 %
1.0	192	94.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RAP_PCT_ALPHABET_BOOK Read Aloud Profile: Code G1b Type of book-% alphabet book

Location: 1448-1451 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	196	96.6 %
0.5	3	1.5 %
1.0	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

RAP_PCT_COUNTING_BOOK Read Aloud Profile: Code G1c Type of book-% counting book

Location: 1452-1456 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	202	99.5 %
0.5	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.002
- Median: 0.000

- Study 31581 -

- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.500
- Standard Deviation: 0.035

RAP_PCT_CHAPTER_BOOK Read Aloud Profile: Code G1d Type of book-% chapter book

Location: 1457-1457 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_PCT_REFERENCE_BOOK Read Aloud Profile: Code G1e Type of book-% reference book

Location: 1458-1458 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_PCT_BIG_BOOK Read Aloud Profile: Code G2 % Big Book

Location: 1459-1462 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	196	96.6 %
0.5	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

RAP_G3_PCT_BOOKS_ENGLISH_ONLY Read Aloud Profile: Code G3 % books English only

Location: 1463-1466 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	58	28.6 %
0.50	10	4.9 %
0.67	2	1.0 %
1.00	133	65.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

RAP_G3_PCT_BOOKS_SPANISH_ONLY Read Aloud Profile: Code G3 % books Spanish only

Location: 1467-1470 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	141	69.5 %
0.33	1	0.5 %
0.50	8	3.9 %
1.00	53	26.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.28

- Study 31581 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_G3_PCT_BOOKS_ENG_AND_SPANISH Read Aloud Profile: Code G3 % books English and Spanish

Location: 1471-1474 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	197	97.0 %
0.33	1	0.5 %
0.50	4	2.0 %
1.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RAP_G3_PCT_BOOKS_OTHER_LANGUAGE Read Aloud Profile: Code G3 % books Other language

Location: 1475-1475 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_G3_PCT_BOOKS_ENG_AND_OTHLANG Read Aloud Profile: Code G3 % books English and other language

Location: 1476-1476 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_G4_N_WORDS_PER_PAGE Read Aloud Profile: Code G4 Average # words per page

Location: 1477-1480 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	3	1.5 %
2.00	1	0.5 %
2.50	2	1.0 %
2.67	1	0.5 %
3.00	54	26.6 %
3.33	1	0.5 %
3.50	20	9.9 %
4.00	121	59.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.59
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.64

RAP_G4_PCT_BOOKS_0_WORDS Read Aloud Profile: Code G4 % books without words

Location: 1481-1481 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_G4_PCT_BOOKS_1_WORD Read Aloud Profile: Code G4 % books with 1 word per page

Location: 1482-1485 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	196	96.6 %
0.33	2	1.0 %
0.50	4	2.0 %
1.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RAP_G4_PCT_BOOKS_2_10_WORDS Read Aloud Profile: Code G4 % books with 2-10 words per page

Location: 1486-1489 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	127	62.6 %
0.33	1	0.5 %
0.50	22	10.8 %
0.67	2	1.0 %
1.00	51	25.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 31581 -

- Standard Deviation: 0.43

RAP_G4_PCT_BOOKS_10P_WORDS Read Aloud Profile: Code G4 % books with 10+ words per page

Location: 1490-1493 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	58	28.6 %
0.33	2	1.0 %
0.50	22	10.8 %
1.00	121	59.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

RAP_G5_PCT_BOOKS_ON_TAPE Read Aloud Profile: Code G4 % read alouds using books on tape

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_F_N_CH_READING Read Aloud Profile: Code F Average # children in read aloud

Location: 1495-1498 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	18	8.9 %
1.50	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.67	1	0.5 %
2.00	39	19.2 %
2.50	6	3.0 %
2.67	2	1.0 %
3.00	112	55.2 %
3.50	2	1.0 %
4.00	18	8.9 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 2.68
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.77

RAP_F_1_CH_READING	Read Aloud Profile: Code F % read aloud with 1 child
---------------------------	---

Location: 1499-1502 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	178	87.7 %
0.33	1	0.5 %
0.50	6	3.0 %
1.00	18	8.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

RAP_F_2_CH_READING	Read Aloud Profile: Code F % read aloud with 2 children
---------------------------	--

Location: 1503-1506 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	157	77.3 %
0.33	2	1.0 %
0.50	8	3.9 %
0.67	1	0.5 %
1.00	35	17.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

RAP_F_3_5_CH_READING **Read Aloud Profile: Code F % read aloud with 3-5 children**

Location: 1507-1510 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	79	38.9 %
0.50	10	4.9 %
0.67	2	1.0 %
1.00	112	55.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

RAP_F_6P_CH_READING **Read Aloud Profile: Code F % read aloud with 6+ children**

Location: 1511-1514 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	182	89.7 %
0.5	3	1.5 %
1.0	18	8.9 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

RAP_F_1_2_CH_READING

Read Aloud Profile: Code F % read aloud with 1-2 children

Location: 1515-1518 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	135	66.5 %
0.33	2	1.0 %
0.50	10	4.9 %
1.00	56	27.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_F_WHOLE_GROUP

Read Aloud Profile: Code F % read aloud with whole group

Location: 1519-1522 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	148	72.9 %
0.50	2	1.0 %
0.67	3	1.5 %
1.00	50	24.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 31581 -

- Standard Deviation: 0.43

RAP_G_PCT_ADULT_ENG Read Aloud Profile: Code G % books read in English

Location: 1523-1526 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	49	24.1 %
0.5	6	3.0 %
1.0	148	72.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

RAP_G_PCT_ADULT_SP Read Aloud Profile: Code G % books read in Spanish

Location: 1527-1527 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	203	100.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RAP_G_PCT_ADULT_OTHER Read Aloud Profile: Code G % books read in Other language

Location: 1528-1531 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	128	63.1 %
0.33	1	0.5 %
0.50	9	4.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	65	32.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

RAP_QUAL1 **Read Aloud Profile: Average score on quality rating1-Links to vocabulary (1-5)**

Location: 1532-1535 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	111	54.7 %
1.50	11	5.4 %
2.00	27	13.3 %
2.33	2	1.0 %
2.50	4	2.0 %
3.00	24	11.8 %
4.00	9	4.4 %
5.00	11	5.4 %
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

RAP_QUAL2 **Read Aloud Profile: Average score on quality rating2-Open-ended QUESTions (1-5)**

Location: 1536-1539 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	142	70.0 %
0.33	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.50	8	3.9 %
1.00	35	17.2 %
2.00	7	3.4 %
3.00	4	2.0 %
4.00	1	0.5 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.68

RAP_QUAL3	Read Aloud Profile: Average score on quality rating3-Post-reading theme activity (1-5)
------------------	---

Location: 1540-1543 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	126	62.1 %
1.33	1	0.5 %
1.50	5	2.5 %
2.00	34	16.7 %
2.50	3	1.5 %
3.00	22	10.8 %
3.50	1	0.5 %
4.00	2	1.0 %
. (M)	9	4.4 %

Based upon 194 valid cases out of 203 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.75

RAP_VOCAB_SUPPORTS_N	Read Aloud Profile: Average # times adult provides vocabulary supports during reading
-----------------------------	--

Location: 1544-1548 (width: 5; decimal: 2)

- Study 31581 -

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	123	60.6 %
0.50	14	6.9 %
0.67	1	0.5 %
1.00	25	12.3 %
1.33	2	1.0 %
1.50	2	1.0 %
2.00	16	7.9 %
3.00	6	3.0 %
3.50	1	0.5 %
4.00	4	2.0 %
5.00	1	0.5 %
6.00	2	1.0 %
7.00	1	0.5 %
8.00	1	0.5 %
17.00	1	0.5 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.75

RAP_OPEN_ENDED_N

Read Aloud Profile: Average # times adult uses open-ended QUESTION during reading

Location:

1549-1552 (width: 4; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	139	68.5 %
0.33	3	1.5 %
0.50	8	3.9 %
1.00	32	15.8 %
2.00	7	3.4 %
3.00	4	2.0 %
4.00	2	1.0 %
. (M)	8	3.9 %

Based upon 195 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.73

RAP_AV_MINUTES

Read Aloud Profile: Average # minutes spent in read aloud

Location: 1553-1557 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	4	2.0 %
2.00	2	1.0 %
3.00	8	3.9 %
3.50	1	0.5 %
3.67	1	0.5 %
4.00	11	5.4 %
4.50	6	3.0 %
5.00	15	7.4 %
5.33	1	0.5 %
5.50	4	2.0 %
6.00	13	6.4 %
6.50	5	2.5 %
6.67	1	0.5 %
7.00	19	9.4 %
7.50	6	3.0 %
8.00	14	6.9 %
8.50	2	1.0 %
9.00	14	6.9 %
9.50	1	0.5 %
10.00	15	7.4 %
11.00	8	3.9 %
11.50	1	0.5 %
12.00	10	4.9 %
12.33	1	0.5 %
12.50	2	1.0 %
13.00	9	4.4 %
13.50	1	0.5 %
14.00	5	2.5 %
15.00	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
16.00	3	1.5 %
18.00	2	1.0 %
19.00	2	1.0 %
20.00	5	2.5 %
22.00	1	0.5 %
23.00	1	0.5 %
24.00	2	1.0 %
28.00	2	1.0 %
29.00	1	0.5 %
72.00	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 9.34
- Median: 8.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 6.76

RAP_PRE_N_STRATEGIES

Read Aloud Profile: Average # strategies used by adult prior to reading book

Location: 1558-1561 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	17	8.4 %
0.50	2	1.0 %
1.00	53	26.1 %
1.33	1	0.5 %
1.50	11	5.4 %
1.67	1	0.5 %
2.00	49	24.1 %
2.50	8	3.9 %
2.67	1	0.5 %
3.00	31	15.3 %
3.50	2	1.0 %
4.00	18	8.9 %
4.50	1	0.5 %
5.00	5	2.5 %
6.00	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.04
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.29

RAP_PRE_ANYSTRATEGY	Read Aloud Profile: % read alouds with any strategies used by adult prior to reading book
----------------------------	--

Location: 1562-1565 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	17	8.4 %
0.33	1	0.5 %
0.50	6	3.0 %
0.67	1	0.5 %
1.00	178	87.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

RAP_PREPCTSTRATEGY1	Read Aloud Profile: % read alouds with strategy1 (conventions of print) used by adult prior to reading book
----------------------------	--

Location: 1566-1569 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	23	11.3 %
0.50	4	2.0 %
1.00	66	32.5 %
1.50	14	6.9 %
1.67	1	0.5 %
2.00	52	25.6 %
2.33	1	0.5 %
2.50	5	2.5 %
3.00	31	15.3 %
3.50	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.00	5	2.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.61
- Median: 1.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.98

RAP_PREPCTSTRATEGY2	Read Aloud Profile: % read alouds with strategy2 (print motivation) used by adult prior to reading book
----------------------------	--

Location: 1570-1573 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	178	87.7 %
0.33	1	0.5 %
0.50	11	5.4 %
1.00	13	6.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RAP_PREPCTSTRATEGY3	Read Aloud Profile: % read alouds with comprehension strategy3ABC used by adult prior to reading book
----------------------------	--

Location: 1574-1577 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	150	73.9 %
0.33	1	0.5 %
0.50	13	6.4 %
1.00	39	19.2 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

RAP_PREPCTSTRATEGY3A	Read Aloud Profile: % read alouds with comprehension strategy3A (new vocabulary) used by adult prior to reading book
-----------------------------	---

Location: 1578-1581 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	192	94.6 %
0.5	5	2.5 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_PREPCTSTRATEGY3B	Read Aloud Profile: % read alouds with comprehension strategy3B (background information) used by adult prior to reading book
-----------------------------	---

Location: 1582-1585 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	176	86.7 %
0.5	8	3.9 %
1.0	19	9.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

- Study 31581 -

RAP_PREPCTSTRATEGY3C **Read Aloud Profile: % read alouds with comprehension strategy3C (link to child experience) used by adult prior to reading book**

Location: 1586-1589 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	176	86.7 %
0.33	1	0.5 %
0.50	6	3.0 %
1.00	20	9.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

RAP_PREPCTSTRATEGY4 **Read Aloud Profile: % read alouds with strategy4 (sounds-letters) used by adult prior to reading book**

Location: 1590-1593 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	194	95.6 %
0.5	3	1.5 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_N_TYPE_PRESTRATEGIES **Read Aloud Profile: average number of strategies used pre-reading**

Location: 1594-1597 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	17	8.4 %
0.50	2	1.0 %
1.00	54	26.6 %
1.33	1	0.5 %
1.50	11	5.4 %
1.67	1	0.5 %
2.00	51	25.1 %
2.50	7	3.4 %
2.67	1	0.5 %
3.00	30	14.8 %
3.50	2	1.0 %
4.00	18	8.9 %
4.50	1	0.5 %
5.00	5	2.5 %
6.00	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.26

RAP_READ_N_STRATEGIES

Read Aloud Profile: average number of strategies used during reading

Location: 1598-1602 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	7	3.4 %
0.50	1	0.5 %
1.00	6	3.0 %
1.50	1	0.5 %
2.00	10	4.9 %
2.50	4	2.0 %
3.00	15	7.4 %
4.00	26	12.8 %
4.50	9	4.4 %
5.00	26	12.8 %
5.50	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.67	1	0.5 %
6.00	30	14.8 %
6.33	1	0.5 %
6.50	7	3.4 %
7.00	18	8.9 %
7.50	1	0.5 %
8.00	10	4.9 %
9.00	15	7.4 %
9.67	1	0.5 %
10.00	6	3.0 %
11.00	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 5.29
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.46

RAP_READ_ANYSTRATEGY Read Aloud Profile: % read alouds with any strategy used pre, during, or after reading

Location: 1603-1606 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	7	3.4 %
0.5	3	1.5 %
1.0	193	95.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RAP_READ_PCT_STRATEGY1 Read Aloud Profile: % read alouds with strategy1 (conventions of print) used by adult during book reading

Location: 1607-1610 (width: 4; decimal: 2)

- Study 31581 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	147	72.4 %
0.33	1	0.5 %
0.50	8	3.9 %
0.67	2	1.0 %
1.00	45	22.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RAP_READ_PCT_STRATEGY2 Read Aloud Profile: % read alouds with strategy2 (print motivation) used by adult during book reading

Location: 1611-1614 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	37	18.2 %
0.33	1	0.5 %
0.50	15	7.4 %
1.00	150	73.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

RAP_READ_PCT_STRATEGY3ABC Read Aloud Profile: % read alouds with comprehension strategy3ABC used by adult during book reading

Location: 1615-1618 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	22	10.8 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.5	9	4.4 %
1.0	172	84.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RAP_READ_PCT_STRATEGY3A Read Aloud Profile: % read alouds with comprehension strategy3A (new vocabulary) used by adult during book reading

Location: 1619-1622 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	134	66.0 %
0.33	1	0.5 %
0.50	19	9.4 %
0.67	2	1.0 %
1.00	47	23.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RAP_READ_PCT_STRATEGY3B Read Aloud Profile: % read alouds with comprehension strategy3B (background information) used by adult during book reading

Location: 1623-1626 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	16	7.9 %
0.5	9	4.4 %
1.0	178	87.7 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

RAP_READ_PCT_STRATEGY3C Read Aloud Profile: % read alouds with comprehension strategy3C (link to child experience) used by adult during book reading

Location: 1627-1630 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	136	67.0 %
0.33	2	1.0 %
0.50	14	6.9 %
0.67	2	1.0 %
1.00	49	24.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

RAP_READ_PCT_STRATEGY4 Read Aloud Profile: % read alouds with comprehension strategy4 (sounds-letters) used by adult during book reading

Location: 1631-1634 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	187	92.1 %
0.33	1	0.5 %
0.50	3	1.5 %
1.00	12	5.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.07
- Median: 0.00

- Study 31581 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

RAP_READ_PCT_STRATEGY5 Read Aloud Profile: % read alouds with comprehension strategy5 (higher order thinking) used by adult during book reading

Location: 1635-1638 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	177	87.2 %
0.33	1	0.5 %
0.50	5	2.5 %
1.00	20	9.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

RAP_N_TYPE_READ_STRATEGIES Read Aloud Profile: Average # strategies used by adult during book reading

Location: 1639-1642 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	7	3.4 %
0.50	1	0.5 %
1.00	17	8.4 %
1.50	6	3.0 %
2.00	56	27.6 %
2.50	12	5.9 %
2.67	3	1.5 %
3.00	50	24.6 %
3.50	8	3.9 %
4.00	25	12.3 %
4.33	1	0.5 %
5.00	17	8.4 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.68
- Median: 2.67
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.19

RAP_POST_N_STRATEGIES Read Aloud Profile: Average # strategies used by adult after book reading

Location: 1643-1646 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	130	64.0 %
0.33	1	0.5 %
0.50	9	4.4 %
1.00	30	14.8 %
1.50	3	1.5 %
2.00	20	9.9 %
2.50	2	1.0 %
3.00	6	3.0 %
4.00	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.88

RAP_POST_ANYSTRATEGY Read Aloud Profile: % read alouds with any strategies used by adult after reading book

Location: 1647-1650 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	130	64.0 %
0.33	1	0.5 %
0.50	14	6.9 %
1.00	58	28.6 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

RAP_POST_PCT_STRATEGY3 **Read Aloud Profile: % read alouds with comprehension strategy3AB used by adult after reading book**

Location: 1651-1654 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	136	67.0 %
0.33	1	0.5 %
0.50	13	6.4 %
1.00	53	26.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_POST_PCT_STRATEGY3A **Read Aloud Profile: % read alouds with comprehension strategy3A (new vocabulary) used by adult after reading book**

Location: 1655-1658 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	200	98.5 %
0.5	1	0.5 %
1.0	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RAP_POST_PCT_STRATEGY3B Read Aloud Profile: % read alouds with comprehension strategy3B (background information) used by adult after reading book

Location: 1659-1662 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	136	67.0 %
0.33	1	0.5 %
0.50	13	6.4 %
1.00	53	26.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_POST_PCT_STRATEGY4 Read Aloud Profile: % read alouds with comprehension strategy4 (sounds-letters) used by adult after reading book

Location: 1663-1666 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	196	96.6 %
0.5	4	2.0 %
1.0	3	1.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

RAP_POST_PCT_STRATEGY5 Read Aloud Profile: % read alouds with comprehension strategy5 (higher order thinking) used by adult after reading book

Location: 1667-1670 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	194	95.6 %
0.5	3	1.5 %
1.0	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RAP_N_TYPE_POST_STRATEGIES Read Aloud Profile: Average # strategies used by adult after reading book

Location: 1671-1674 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	130	64.0 %
0.33	1	0.5 %
0.50	11	5.4 %
1.00	52	25.6 %
1.50	2	1.0 %
2.00	7	3.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

RAP_TOT_MIN Read Aloud Profile: total minutes reading aloud across all read alouds

Location: 1675-1676 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	2	1.0 %
3	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	8	3.9 %
5	12	5.9 %
6	14	6.9 %
7	16	7.9 %
8	14	6.9 %
9	18	8.9 %
10	15	7.4 %
11	12	5.9 %
12	13	6.4 %
13	14	6.9 %
14	9	4.4 %
15	9	4.4 %
16	6	3.0 %
17	2	1.0 %
18	4	2.0 %
19	3	1.5 %
20	8	3.9 %
22	2	1.0 %
23	2	1.0 %
24	3	1.5 %
25	2	1.0 %
27	1	0.5 %
28	2	1.0 %
29	1	0.5 %
37	1	0.5 %
40	1	0.5 %
72	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 11.60
- Median: 10.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 7.63

RAP_PCTSTRATEGY1

Read Aloud Profile: proportion read alouds with strategy1 discussion of conventions of print pre, during, or post reading

Location: 1677-1677 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	22	10.8 %
1	181	89.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

RAP_PCTSTRATEGY2	Read Aloud Profile: proportion read alouds with strategy2 print motivation pre, during, or post reading
-------------------------	--

Location: 1678-1678 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	48	23.6 %
1	155	76.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

RAP_PCTSTRATEGY3	Read Aloud Profile: proportion read alouds with strategy3 comprehension support pre, during, or post reading
-------------------------	---

Location: 1679-1679 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	26	12.8 %
1	177	87.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00

- Study 31581 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

RAP_PCTSTRATEGY3A	Read Aloud Profile: proportion read alouds with strategy3a vocabulary support pre, during, or post reading
--------------------------	---

Location: 1680-1680 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	151	74.4 %
1	52	25.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

RAP_PCTSTRATEGY3B	Read Aloud Profile: proportion read alouds with strategy3b background information pre, during, or post reading
--------------------------	---

Location: 1681-1681 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	24	11.8 %
1	179	88.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RAP_PCTSTRATEGY3C	Read Aloud Profile: proportion read alouds with strategy3c link to child's experience pre, during, or post reading
--------------------------	---

Location: 1682-1682 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	143	70.4 %
1	60	29.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

RAP_PCTSTRATEGY4	Read Aloud Profile: proportion read alouds with strategy4 sounds and letters pre, during, or post reading
-------------------------	--

Location: 1683-1683 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	183	90.1 %
1	20	9.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

RAP_PCTSTRATEGY5	Read Aloud Profile: proportion read alouds with strategy5 higher order thinking pre, during, or post reading
-------------------------	---

Location: 1684-1684 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	178	87.7 %
1	25	12.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00

- Study 31581 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

RAP_N_STRATEGIES **Read Aloud Profile: average number of strategies pre, during, or post reading**

Location: 1685-1685 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	4	2.0 %
1	12	5.9 %
2	33	16.3 %
3	73	36.0 %
4	39	19.2 %
5	33	16.3 %
6	9	4.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.31
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.32

RAP_PCTGE1_READ **Read Aloud Profile: % providers with at least 1 read aloud**

Location: 1686-1686 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3	1.5 %
1	200	98.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

QUEST_Q1 **QUEST: Q1 Provider shows interest in what children say or do**

- Study 31581 -

Location: 1687-1687 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	108	53.2 %
2	44	21.7 %
3	51	25.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.84

QUEST_Q2 **QUEST: Q2 Provider responds to child language**

Location: 1688-1688 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	4.9 %
2	53	26.1 %
3	140	69.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.64
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.57

QUEST_Q3 **QUEST: Q3 Provider has conversations with each child**

Location: 1689-1689 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	120	59.1 %
2	47	23.2 %
3	36	17.7 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

QUEST_Q4 **QUEST: Q4 Provider shows affect to child**

Location: 1690-1690 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	12	5.9 %
2	52	25.6 %
3	139	68.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.63
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.60

QUEST_Q5 **QUEST: Q5 Provider offers child help**

Location: 1691-1691 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	122	60.1 %
2	40	19.7 %
3	41	20.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

QUEST_Q6 **QUEST: Q6 Provider acknowledges specific aspects of each child**

- Study 31581 -

Location: 1692-1692 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	9	4.4 %
2	79	38.9 %
3	114	56.2 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.52
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

QUEST_Q7 **QUEST: Q7 Provider accepts child's feelings**

Location: 1693-1693 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	119	58.6 %
2	40	19.7 %
3	44	21.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.63
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

QUEST_Q8 **QUEST: Q8 Provider recognizes signs of distress**

Location: 1694-1694 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	4.9 %
2	56	27.6 %
3	137	67.5 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.63
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

QUEST_Q9

QUEST: Q9 Provider plays interactively with child

Location: 1695-1695 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	109	53.7 %
2	55	27.1 %
3	39	19.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.66
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

QUEST_Q10

QUEST: Q10 Provider holds babies

Location: 1696-1696 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13	6.4 %
2	54	26.6 %
3	104	51.2 %
. (M)	32	15.8 %

Based upon 171 valid cases out of 203 total cases.

- Mean: 2.53
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.64

- Study 31581 -

QUEST_Q11 **QUEST: Q11 Provider states needed limits**

Location: 1697-1697 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	15	7.4 %
2	55	27.1 %
3	132	65.0 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.58
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

QUEST_Q12 **QUEST: Q12 Provider helps child learn to understand and express their needs**

Location: 1698-1698 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	23	11.3 %
2	88	43.3 %
3	91	44.8 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.67

QUEST_Q13 **QUEST: Q13 Provider helps child notice others' needs**

Location: 1699-1699 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	23	11.3 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	83	40.9 %
3	94	46.3 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 2.35
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

QUEST_Q14

QUEST: Q14 Provider helps child experience consequences

Location: 1700-1700 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	28	13.8 %
2	67	33.0 %
3	108	53.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.39
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

QUEST_Q15

QUEST: Q15 Provider does not force child into activities

Location: 1701-1701 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	15	7.4 %
2	88	43.3 %
3	100	49.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.42

- Study 31581 -

- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

QUEST_Q16

QUEST: Q16 Provider emphasizes what child should do

Location: 1702-1702 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	25	12.3 %
2	95	46.8 %
3	82	40.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.67

QUEST_Q17

QUEST: Q17 Provider encourages/helps child resolve conflict

Location: 1703-1703 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	40	19.7 %
2	71	35.0 %
3	91	44.8 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.25
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

QUEST_Q18

QUEST: Q18 Provider redirects child

- Study 31581 -

Location: 1704-1704 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	21	10.3 %
2	63	31.0 %
3	118	58.1 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.48
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

QUEST_Q19 **QUEST: Q19 Provider uses time out or time away from group to help child gain self control**

Location: 1705-1705 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	24	11.8 %
3	174	85.7 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.84
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.42

QUEST_Q20 **QUEST: Q20 Provider can see or hear child at all times**

Location: 1706-1706 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	47	23.2 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	152	74.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.73
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.49

QUEST_Q21

QUEST: Q21 Provider offers an appropriate level of supervision

Location: 1707-1707 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	44	21.7 %
3	155	76.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.74
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.48

QUEST_Q22

QUEST: Q22 Provider offers special supervision during potentially hazardous activities

Location: 1708-1708 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	13	6.4 %
3	189	93.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 3.00

- Study 31581 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.28

QUEST_Q23

QUEST: Q23 Limited use of equipment that restrains child

Location: 1709-1709 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	34	16.7 %
2	35	17.2 %
3	104	51.2 %
. (M)	30	14.8 %

Based upon 173 valid cases out of 203 total cases.

- Mean: 2.40
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

QUEST_Q24

QUEST: Q24 Provider does not use physical punishment

Location: 1710-1710 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	7	3.4 %
3	195	96.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.96
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.23

QUEST_Q25

QUEST: Q25 Provider does not handle child roughly

Location: 1711-1711 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	15	7.4 %
3	184	90.6 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.90
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.35

QUEST_Q26

QUEST: Q26 Provider does not criticize or shame child

Location: 1712-1712 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	6	3.0 %
2	26	12.8 %
3	171	84.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.81
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.46

QUEST_Q27

QUEST: Q27 Provider does not take over or dominate

Location: 1713-1713 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13	6.4 %
2	35	17.2 %
3	155	76.4 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.70
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

QUEST_Q28

QUEST: Q28 Provider avoids power struggle

Location: 1714-1714 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13	6.4 %
2	36	17.7 %
3	153	75.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.69
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

QUEST_Q29

QUEST: Q29 Provider provides opportunities for and encourages children to work together

Location: 1715-1715 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	17	8.4 %
2	69	34.0 %
3	109	53.7 %
. (M)	8	3.9 %

Based upon 195 valid cases out of 203 total cases.

- Mean: 2.47
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.65

- Study 31581 -

QUEST_Q30 **QUEST: Q30 Provider teaches child about sharing**

Location: 1716-1716 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	32	15.8 %
2	73	36.0 %
3	95	46.8 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.73

QUEST_Q31 **QUEST: Q31 Provider encourages child to take care of others**

Location: 1717-1717 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	51	25.1 %
2	68	33.5 %
3	76	37.4 %
. (M)	8	3.9 %

Based upon 195 valid cases out of 203 total cases.

- Mean: 2.13
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

QUEST_Q32 **QUEST: Q32 Provider teaches social rules**

Location: 1718-1718 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	28	13.8 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	88	43.3 %
3	86	42.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

QUEST_Q33

QUEST: Q33 Provider notices teasing, bullying or hurtful behavior

Location: 1719-1719 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	4.9 %
2	44	21.7 %
3	143	70.4 %
. (M)	6	3.0 %

Based upon 197 valid cases out of 203 total cases.

- Mean: 2.68
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.57

QUEST_Q34

QUEST: Q34 Provider teaches child about community members

Location: 1720-1720 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	149	73.4 %
2	35	17.2 %
3	15	7.4 %
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.61

QUEST_Q35

QUEST: Q35 Provider respectful about people's similarities and differences

Location: 1721-1721 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	12	5.9 %
2	19	9.4 %
3	18	8.9 %
. (M)	154	75.9 %

Based upon 49 valid cases out of 203 total cases.

- Mean: 2.12
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

QUEST_Q36

QUEST: Q36 Provider takes care of equipment

Location: 1722-1722 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	11	5.4 %
2	76	37.4 %
3	116	57.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.52
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.60

- Study 31581 -

QUEST_Q37 **QUEST: Q37 Provider lets children plan their own activities**

Location: 1723-1723 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	31	15.3 %
2	93	45.8 %
3	78	38.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

QUEST_Q38 **QUEST: Q38 Provider provides opportunities to play**

Location: 1724-1724 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	4.9 %
2	73	36.0 %
3	120	59.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

QUEST_Q39 **QUEST: Q39 Provider supports child's play**

Location: 1725-1725 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13	6.4 %
2	49	24.1 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	141	69.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.63
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.60

QUEST_Q40

QUEST: Q40 Provider offers children active physical play every day

Location: 1726-1726 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	54	26.6 %
2	77	37.9 %
3	64	31.5 %
. (M)	8	3.9 %

Based upon 195 valid cases out of 203 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

QUEST_Q41

QUEST: Q41 Provider takes advantage of natural learning and teachable moments

Location: 1727-1727 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	47	23.2 %
2	94	46.3 %
3	57	28.1 %
. (M)	5	2.5 %

Based upon 198 valid cases out of 203 total cases.

- Mean: 2.05

- Study 31581 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

QUEST_Q42

QUEST: Q42 Provider provides activities for all children to engage in

Location: 1728-1728 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	19	9.4 %
2	81	39.9 %
3	99	48.8 %
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

QUEST_Q43

QUEST: Q43 Provider asks open-ended questions

Location: 1729-1729 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	109	53.7 %
2	54	26.6 %
3	9	4.4 %
. (M)	31	15.3 %

Based upon 172 valid cases out of 203 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

QUEST_Q44

QUEST: Q44 Provider teaches specific skills and concepts

- Study 31581 -

Location: 1730-1730 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	29	14.3 %
2	87	42.9 %
3	82	40.4 %
. (M)	5	2.5 %

Based upon 198 valid cases out of 203 total cases.

- Mean: 2.27
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

QUEST_Q45 **QUEST: Q45 Provider introduces and orients child to new activities**

Location: 1731-1731 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	59	29.1 %
2	70	34.5 %
3	68	33.5 %
. (M)	6	3.0 %

Based upon 197 valid cases out of 203 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

QUEST_Q46 **QUEST: Q46 Provider provides provides opportunitiesportunities for fine motor activities**

Location: 1732-1732 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	4.9 %
2	60	29.6 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	131	64.5 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

QUEST_Q47	QUEST: Q47 Provider provides opportunities for dramatic play
------------------	---

Location: 1733-1733 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	19	9.4 %
2	68	33.5 %
3	113	55.7 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 2.47
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

QUEST_Q48	QUEST: Q48 Provider teaches early math concept
------------------	---

Location: 1734-1734 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	47	23.2 %
2	95	46.8 %
3	60	29.6 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.06
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.73

QUEST_Q49

QUEST: Q49 Provider encourages child to use math

Location: 1735-1735 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	97	47.8 %
2	76	37.4 %
3	29	14.3 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.66
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

QUEST_Q50

QUEST: Q50 Provider provides opportunities for construction activities

Location: 1736-1736 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	35	17.2 %
2	65	32.0 %
3	101	49.8 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.33
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.76

QUEST_Q51 **QUEST: Q51 Provider provides opportunities explore natural and the physical environment**

Location: 1737-1737 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	124	61.1 %
2	49	24.1 %
3	27	13.3 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

QUEST_Q52 **QUEST: Q52 Provider provides opportunities for creative act that are provides opportunitiesen-ended**

Location: 1738-1738 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	55	27.1 %
2	84	41.4 %
3	62	30.5 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.76

QUEST_Q53 **QUEST: Q53 Provider displays evidence of children's art**

Location: 1739-1739 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	62	30.5 %
2	49	24.1 %
3	91	44.8 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.86

QUEST_Q54

QUEST: Q54 Provider provides opportunities for children to make their own music

Location: 1740-1740 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	75	36.9 %
2	69	34.0 %
3	58	28.6 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.81

QUEST_Q55

QUEST: Q55 Provider provides opportunities for children to dance/move creativity

Location: 1741-1741 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	84	41.4 %
2	57	28.1 %
3	60	29.6 %
. (M)	2	1.0 %

- Study 31581 -

Based upon 201 valid cases out of 203 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.84

QUEST_Q56

QUEST: Q56 Provider provides opportunities for sensory play

Location: 1742-1742 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	85	41.9 %
2	67	33.0 %
3	49	24.1 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

QUEST_Q57

QUEST: Q57 Provider reads to child

Location: 1743-1743 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	15	7.4 %
2	60	29.6 %
3	65	32.0 %
. (M)	63	31.0 %

Based upon 140 valid cases out of 203 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00

- Study 31581 -

- Standard Deviation: 0.67

QUEST_Q58

QUEST: Q58 Provider encourages child to look at/read books

Location: 1744-1744 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	53	26.1 %
2	74	36.5 %
3	74	36.5 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.10
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.79

QUEST_Q59

QUEST: Q59 Provider shows child functions/features of print

Location: 1745-1745 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	105	51.7 %
2	61	30.0 %
3	18	8.9 %
. (M)	19	9.4 %

Based upon 184 valid cases out of 203 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.67

QUEST_Q60

QUEST: Q60 Provider shows child sounds in words

Location: 1746-1746 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	141	69.5 %
2	49	24.1 %
3	11	5.4 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

QUEST_Q61

QUEST: Q61 Provider asks open-ended questions

Location: 1747-1747 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	118	58.1 %
2	74	36.5 %
3	7	3.4 %
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

QUEST_Q62

QUEST: Q62 Provider plays English-language games, sings, or says rhymes with child

Location: 1748-1748 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	59	29.1 %
2	98	48.3 %
3	43	21.2 %
. (M)	3	1.5 %

- Study 31581 -

Based upon 200 valid cases out of 203 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

QUEST_Q63

QUEST: Q63 Provider encourages child to write letters

Location: 1749-1749 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	117	57.6 %
2	48	23.6 %
3	17	8.4 %
. (M)	21	10.3 %

Based upon 182 valid cases out of 203 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

QUEST_Q64

QUEST: Q64 Provider encourages child to use language to communicate

Location: 1750-1750 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	24	11.8 %
2	102	50.2 %
3	72	35.5 %
. (M)	5	2.5 %

Based upon 198 valid cases out of 203 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00

- Study 31581 -

- Standard Deviation: 0.65

QUEST_Q65 **QUEST: Q65 Provider includes ELL children in activities**

Location: 1751-1751 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	5	2.5 %
3	56	27.6 %
. (M)	141	69.5 %

Based upon 62 valid cases out of 203 total cases.

- Mean: 2.89
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.37

QUEST_Q66 **QUEST: Q66 Provider encourages ELL children to talk in their home language**

Location: 1752-1752 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	3.9 %
2	16	7.9 %
3	57	28.1 %
. (M)	122	60.1 %

Based upon 81 valid cases out of 203 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

QUEST_Q67 **QUEST: Q67 Provider integrates English and children's home language(s)**

Location: 1753-1753 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	29	14.3 %
2	20	9.9 %
3	44	21.7 %
. (M)	110	54.2 %

Based upon 93 valid cases out of 203 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.88

QUEST_Q68

QUEST: Q68 Provider limits TV-video to 30 minutes per child

Location: 1754-1754 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	20	9.9 %
2	14	6.9 %
3	167	82.3 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.73
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

QUEST_Q69

QUEST: Q69 TV-video content is appropriate

Location: 1755-1755 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	4	2.0 %
3	195	96.1 %
. (M)	2	1.0 %

- Study 31581 -

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.96
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.24

QUEST_S1REV

QUEST: S1 reversed Summary rating-- provider tense to relaxed (1-5)

Location: 1756-1756 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	18	8.9 %
3	23	11.3 %
4	55	27.1 %
. (M)	106	52.2 %

Based upon 97 valid cases out of 203 total cases.

- Mean: 3.36
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

QUEST_S2

QUEST: S2 Summary rating-- provider harsh to gentle (1-5)

Location: 1757-1757 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	7	3.4 %
3	15	7.4 %
4	62	30.5 %
5	116	57.1 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 4.43
- Median: 5.00

- Study 31581 -

- Mode: 5.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.78

QUEST_S3REV

QUEST: S3 reversed Summary rating-- provider out of control to in control (1-5)

Location: 1758-1758 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	15	7.4 %
3	24	11.8 %
4	62	30.5 %
. (M)	99	48.8 %

Based upon 104 valid cases out of 203 total cases.

- Mean: 3.39
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

QUEST_S4

QUEST: S4 Summary rating-- provider harsh to gentle (1-5)

Location: 1759-1759 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	12	5.9 %
3	40	19.7 %
4	68	33.5 %
5	81	39.9 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 4.08
- Median: 4.00
- Mode: 5.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.92

- Study 31581 -

QUEST_S5REV **QUEST: S5 reversed Summary rating-- provider does not enjoy child to enjoys child (1-5)**

Location: 1760-1760 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	9	4.4 %
3	21	10.3 %
4	52	25.6 %
. (M)	118	58.1 %

Based upon 85 valid cases out of 203 total cases.

- Mean: 3.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

QUEST_S6 **QUEST: S6 Summary rating-- provider harsh to gentle (1-5)**

Location: 1761-1761 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	7	3.4 %
3	21	10.3 %
4	73	36.0 %
5	101	49.8 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 4.33
- Median: 4.50
- Mode: 5.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.80

QUEST_S7REV **QUEST: S7 reversed Summary rating-- provider impatient to patient (1-5)**

Location: 1762-1762 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	12	5.9 %
3	23	11.3 %
4	53	26.1 %
. (M)	112	55.2 %

Based upon 91 valid cases out of 203 total cases.

- Mean: 3.38
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

QUEST_S8

QUEST: S8 Summary rating-- provider harsh to gentle (1-5)

Location: 1763-1763 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	15	7.4 %
3	50	24.6 %
4	73	36.0 %
5	59	29.1 %
. (M)	6	3.0 %

Based upon 197 valid cases out of 203 total cases.

- Mean: 3.89
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.92

QUEST_S9REV

QUEST: S9 reversed Summary rating-- provider uninvolved to involved (1-5)

Location: 1764-1764 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	15	7.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	24	11.8 %
4	61	30.0 %
. (M)	102	50.2 %

Based upon 101 valid cases out of 203 total cases.

- Mean: 3.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.78

QUEST_S1

QUEST: S1 not reversed Summary rating-- provider tense to relaxed (1-5)

Location: 1765-1765 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	55	27.1 %
3	23	11.3 %
4	18	8.9 %
5	1	0.5 %
. (M)	106	52.2 %

Based upon 97 valid cases out of 203 total cases.

- Mean: 2.64
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.82

QUEST_S3

QUEST: S3 not reversed Summary rating-- provider out of control to in control (1-5)

Location: 1766-1766 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	62	30.5 %
3	24	11.8 %
4	15	7.4 %
5	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	99	48.8 %

Based upon 104 valid cases out of 203 total cases.

- Mean: 2.61
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.84

QUEST_S5 **QUEST: S5 not reversed Summary rating-- provider does not enjoy child to enjoys child (1-5)**

Location: 1767-1767 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	52	25.6 %
3	21	10.3 %
4	9	4.4 %
5	3	1.5 %
. (M)	118	58.1 %

Based upon 85 valid cases out of 203 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.82

QUEST_S7 **QUEST: S7 not reversed Summary rating-- provider impatient to patient (1-5)**

Location: 1768-1768 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	53	26.1 %
3	23	11.3 %
4	12	5.9 %
5	3	1.5 %
. (M)	112	55.2 %

Based upon 91 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 2.62
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.84

QUEST_S9 **QUEST: S9 not reversed Summary rating-- provider uninvolved to involved (1-5)**

Location: 1769-1769 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	61	30.0 %
3	24	11.8 %
4	15	7.4 %
5	1	0.5 %
. (M)	102	50.2 %

Based upon 101 valid cases out of 203 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.78

QUEST_SUBSCALE1_4 **QUEST: Average score for subscale1--Provider with children (items 1-28)**

Location: 1770-1773 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.36	1	0.5 %
1.57	1	0.5 %
1.64	1	0.5 %
1.75	1	0.5 %
1.79	2	1.0 %
1.81	1	0.5 %
1.82	1	0.5 %
1.88	1	0.5 %
1.89	4	2.0 %
1.96	1	0.5 %
2.00	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.04	5	2.5 %
2.07	2	1.0 %
2.11	4	2.0 %
2.12	1	0.5 %
2.14	2	1.0 %
2.18	1	0.5 %
2.20	1	0.5 %
2.21	7	3.4 %
2.23	1	0.5 %
2.25	6	3.0 %
2.26	1	0.5 %
2.29	4	2.0 %
2.31	1	0.5 %
2.32	4	2.0 %
2.35	1	0.5 %
2.36	7	3.4 %
2.38	2	1.0 %
2.39	6	3.0 %
2.42	2	1.0 %
2.43	14	6.9 %
2.44	1	0.5 %
2.46	15	7.4 %
2.48	2	1.0 %
2.50	14	6.9 %
2.52	1	0.5 %
2.54	15	7.4 %
2.57	10	4.9 %
2.58	2	1.0 %
2.59	1	0.5 %
2.61	11	5.4 %
2.62	1	0.5 %
2.63	2	1.0 %
2.64	9	4.4 %
2.65	2	1.0 %
2.68	7	3.4 %
2.69	2	1.0 %
2.71	8	3.9 %
2.75	5	2.5 %
2.76	1	0.5 %
2.77	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.79	1	0.5 %
2.80	1	0.5 %
2.82	4	2.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.43
- Median: 2.46
- Minimum: 1.36
- Maximum: 2.82
- Standard Deviation: 0.26

QUEST_SUBSCALE1

QUEST: Average score for subscale1--Provider caring for and responding to children (items 1-10)

Location: 1774-1777 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.10	1	0.5 %
1.20	1	0.5 %
1.30	1	0.5 %
1.33	1	0.5 %
1.50	4	2.0 %
1.56	1	0.5 %
1.60	3	1.5 %
1.70	4	2.0 %
1.78	2	1.0 %
1.80	6	3.0 %
1.89	6	3.0 %
1.90	27	13.3 %
2.00	42	20.7 %
2.10	24	11.8 %
2.11	8	3.9 %
2.20	15	7.4 %
2.22	1	0.5 %
2.30	10	4.9 %
2.33	4	2.0 %
2.40	12	5.9 %
2.44	4	2.0 %
2.50	5	2.5 %
2.56	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.60	6	3.0 %
2.67	1	0.5 %
2.70	3	1.5 %
2.78	1	0.5 %
2.80	7	3.4 %
2.90	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.11
- Median: 2.10
- Mode: 2.00
- Minimum: 1.10
- Maximum: 2.90
- Standard Deviation: 0.31

QUEST_SUBSCALE2	QUEST: Average score for subscale2--Provider uses positive guidance and discipline (items 11-19)
------------------------	---

Location: 1778-1781 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.22	1	0.5 %
1.33	2	1.0 %
1.44	4	2.0 %
1.56	1	0.5 %
1.67	11	5.4 %
1.78	7	3.4 %
1.86	1	0.5 %
1.89	5	2.5 %
2.00	7	3.4 %
2.11	12	5.9 %
2.22	16	7.9 %
2.33	14	6.9 %
2.44	15	7.4 %
2.50	1	0.5 %
2.56	18	8.9 %
2.67	26	12.8 %
2.75	2	1.0 %
2.78	18	8.9 %
2.88	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.89	15	7.4 %
3.00	25	12.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.44
- Median: 2.56
- Mode: 2.67
- Minimum: 1.22
- Maximum: 3.00
- Standard Deviation: 0.44

QUEST_SUBSCALE3	QUEST: Average score for subscale3--Provider supervision of children (items 20-23)
------------------------	---

Location: 1782-1785 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.50	1	0.5 %
1.75	4	2.0 %
2.00	10	4.9 %
2.25	12	5.9 %
2.33	4	2.0 %
2.50	39	19.2 %
2.67	1	0.5 %
2.75	36	17.7 %
3.00	96	47.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.72
- Median: 2.75
- Mode: 3.00
- Minimum: 1.50
- Maximum: 3.00
- Standard Deviation: 0.34

QUEST_SUBSCALE4	QUEST: Average score for subscale4--Provider does no harm to children (items 24-28)
------------------------	--

Location: 1786-1789 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.60	4	2.0 %
1.80	2	1.0 %
2.00	2	1.0 %
2.20	5	2.5 %
2.40	10	4.9 %
2.50	1	0.5 %
2.60	23	11.3 %
2.75	1	0.5 %
2.80	32	15.8 %
3.00	122	60.1 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.81
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.33

QUEST_SUBSCALE5

QUEST: Average score for subscale5--Provider support for socio-emotional development (items 29-36)

Location: 1790-1793 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	1	0.5 %
1.14	2	1.0 %
1.17	1	0.5 %
1.29	3	1.5 %
1.43	6	3.0 %
1.50	2	1.0 %
1.57	5	2.5 %
1.71	8	3.9 %
1.75	1	0.5 %
1.80	1	0.5 %
1.83	3	1.5 %
1.86	13	6.4 %
1.88	3	1.5 %
2.00	19	9.4 %
2.13	3	1.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.14	14	6.9 %
2.17	1	0.5 %
2.25	4	2.0 %
2.29	17	8.4 %
2.33	1	0.5 %
2.38	5	2.5 %
2.43	23	11.3 %
2.50	12	5.9 %
2.57	14	6.9 %
2.60	1	0.5 %
2.63	8	3.9 %
2.71	14	6.9 %
2.75	6	3.0 %
2.86	5	2.5 %
2.88	1	0.5 %
3.00	6	3.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.24
- Median: 2.29
- Mode: 2.43
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.43

QUEST_SUBSCALE6	QUEST: Average score for subscale6--Provider support for play (items 37-40)
------------------------	--

Location: 1794-1797 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	2	1.0 %
1.25	1	0.5 %
1.33	1	0.5 %
1.50	7	3.4 %
1.67	1	0.5 %
1.75	12	5.9 %
2.00	32	15.8 %
2.25	47	23.2 %
2.33	1	0.5 %
2.50	36	17.7 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.75	34	16.7 %
3.00	29	14.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.37
- Median: 2.25
- Mode: 2.25
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.44

QUEST_SUBSCALE7_8	QUEST: Average score for subscale8--Provider support for cognitive development (items 41-56)
--------------------------	---

Location: 1798-1801 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.06	1	0.5 %
1.13	1	0.5 %
1.19	2	1.0 %
1.25	2	1.0 %
1.31	1	0.5 %
1.38	3	1.5 %
1.40	1	0.5 %
1.44	6	3.0 %
1.47	1	0.5 %
1.50	3	1.5 %
1.53	1	0.5 %
1.56	2	1.0 %
1.60	1	0.5 %
1.63	9	4.4 %
1.67	2	1.0 %
1.69	4	2.0 %
1.73	4	2.0 %
1.75	6	3.0 %
1.80	1	0.5 %
1.81	12	5.9 %
1.87	1	0.5 %
1.88	10	4.9 %
1.93	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.94	9	4.4 %
2.00	10	4.9 %
2.06	9	4.4 %
2.07	4	2.0 %
2.13	13	6.4 %
2.19	7	3.4 %
2.20	1	0.5 %
2.25	8	3.9 %
2.27	2	1.0 %
2.31	12	5.9 %
2.33	3	1.5 %
2.38	4	2.0 %
2.40	2	1.0 %
2.44	13	6.4 %
2.45	1	0.5 %
2.47	3	1.5 %
2.50	4	2.0 %
2.54	1	0.5 %
2.56	4	2.0 %
2.60	1	0.5 %
2.63	3	1.5 %
2.64	2	1.0 %
2.67	1	0.5 %
2.69	2	1.0 %
2.75	2	1.0 %
2.80	2	1.0 %
2.81	3	1.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.05
- Median: 2.06
- Minimum: 1.06
- Maximum: 2.81
- Standard Deviation: 0.39

QUEST_SUBSCALE7	QUEST: Average score for subscale7--Provider support for cognitive development--instructional style (items 41-45)
------------------------	--

Location: 1802-1805 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	6	3.0 %
1.20	10	4.9 %
1.25	1	0.5 %
1.40	17	8.4 %
1.50	2	1.0 %
1.60	14	6.9 %
1.75	4	2.0 %
1.80	17	8.4 %
2.00	34	16.7 %
2.20	25	12.3 %
2.25	3	1.5 %
2.40	20	9.9 %
2.50	1	0.5 %
2.60	21	10.3 %
2.75	6	3.0 %
2.80	6	3.0 %
3.00	12	5.9 %
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

QUEST_SUBSCALE8

QUEST: Average score for subscale8--Provider support for cognitive development --learning activities and opportunities provided (items 46-56)

Location: 1806-1809 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.09	1	0.5 %
1.18	2	1.0 %
1.27	3	1.5 %
1.36	3	1.5 %
1.45	9	4.4 %
1.55	12	5.9 %
1.64	15	7.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.73	9	4.4 %
1.82	13	6.4 %
1.91	15	7.4 %
2.00	15	7.4 %
2.09	21	10.3 %
2.10	2	1.0 %
2.18	10	4.9 %
2.20	1	0.5 %
2.27	20	9.9 %
2.33	1	0.5 %
2.36	9	4.4 %
2.40	1	0.5 %
2.45	13	6.4 %
2.55	7	3.4 %
2.60	1	0.5 %
2.64	11	5.4 %
2.70	1	0.5 %
2.73	5	2.5 %
2.82	2	1.0 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.04
- Median: 2.09
- Mode: 2.09
- Minimum: 1.09
- Maximum: 2.82
- Standard Deviation: 0.39

QUEST_SUBSCALE9

QUEST: Average score for subscale9--Provider support for language development and early literacy (items 57-67)

Location: 1810-1813 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.13	3	1.5 %
1.14	1	0.5 %
1.17	1	0.5 %
1.22	2	1.0 %
1.25	5	2.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.29	5	2.5 %
1.30	1	0.5 %
1.33	4	2.0 %
1.38	4	2.0 %
1.43	1	0.5 %
1.44	3	1.5 %
1.45	2	1.0 %
1.50	13	6.4 %
1.57	3	1.5 %
1.60	2	1.0 %
1.63	7	3.4 %
1.64	3	1.5 %
1.67	5	2.5 %
1.70	4	2.0 %
1.71	2	1.0 %
1.73	4	2.0 %
1.75	7	3.4 %
1.78	3	1.5 %
1.80	6	3.0 %
1.82	3	1.5 %
1.83	1	0.5 %
1.86	2	1.0 %
1.88	11	5.4 %
1.89	1	0.5 %
1.90	4	2.0 %
1.91	4	2.0 %
2.00	21	10.3 %
2.09	2	1.0 %
2.10	1	0.5 %
2.11	1	0.5 %
2.13	5	2.5 %
2.14	3	1.5 %
2.18	3	1.5 %
2.20	5	2.5 %
2.25	5	2.5 %
2.27	5	2.5 %
2.29	6	3.0 %
2.30	1	0.5 %
2.33	5	2.5 %
2.36	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.38	1	0.5 %
2.40	1	0.5 %
2.43	1	0.5 %
2.44	2	1.0 %
2.45	1	0.5 %
2.50	2	1.0 %
2.55	3	1.5 %
2.57	3	1.5 %
2.60	1	0.5 %
2.63	2	1.0 %
3.00	1	0.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.87
- Median: 1.88
- Mode: 2.00
- Minimum: 1.13
- Maximum: 3.00
- Standard Deviation: 0.38

QUEST_SUBSCALE10	QUEST: Average score for subscale10--Provider use of TV and computers with children (items 68-69)
-------------------------	--

Location: 1814-1817 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.0	2	1.0 %
2.0	21	10.3 %
2.5	12	5.9 %
3.0	166	81.8 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.85
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.37

- Study 31581 -

QUEST_OVERALLMN

QUEST: Average score for 69 items

Location: 1818-1821 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.35	1	0.5 %
1.42	1	0.5 %
1.54	1	0.5 %
1.58	1	0.5 %
1.63	2	1.0 %
1.64	1	0.5 %
1.66	1	0.5 %
1.69	1	0.5 %
1.71	2	1.0 %
1.78	1	0.5 %
1.79	2	1.0 %
1.80	1	0.5 %
1.81	1	0.5 %
1.82	2	1.0 %
1.84	1	0.5 %
1.88	2	1.0 %
1.89	2	1.0 %
1.91	3	1.5 %
1.93	1	0.5 %
1.95	1	0.5 %
1.97	2	1.0 %
2.00	3	1.5 %
2.01	1	0.5 %
2.02	1	0.5 %
2.03	3	1.5 %
2.05	2	1.0 %
2.06	1	0.5 %
2.07	1	0.5 %
2.08	1	0.5 %
2.09	4	2.0 %
2.10	2	1.0 %
2.11	4	2.0 %
2.12	1	0.5 %
2.13	2	1.0 %
2.15	7	3.4 %
2.16	2	1.0 %
2.17	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.18	5	2.5 %
2.19	3	1.5 %
2.20	2	1.0 %
2.21	4	2.0 %
2.22	2	1.0 %
2.24	4	2.0 %
2.25	6	3.0 %
2.26	1	0.5 %
2.27	1	0.5 %
2.28	3	1.5 %
2.29	1	0.5 %
2.30	1	0.5 %
2.31	2	1.0 %
2.32	5	2.5 %
2.33	4	2.0 %
2.34	7	3.4 %
2.35	4	2.0 %
2.36	4	2.0 %
2.37	3	1.5 %
2.38	2	1.0 %
2.39	2	1.0 %
2.40	2	1.0 %
2.41	5	2.5 %
2.42	7	3.4 %
2.43	6	3.0 %
2.44	3	1.5 %
2.45	2	1.0 %
2.46	7	3.4 %
2.47	2	1.0 %
2.48	2	1.0 %
2.49	1	0.5 %
2.50	3	1.5 %
2.51	1	0.5 %
2.52	3	1.5 %
2.53	2	1.0 %
2.54	2	1.0 %
2.55	2	1.0 %
2.56	4	2.0 %
2.57	1	0.5 %
2.58	4	2.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.60	1	0.5 %
2.63	1	0.5 %
2.64	2	1.0 %
2.67	2	1.0 %
2.68	1	0.5 %
2.70	1	0.5 %
2.73	2	1.0 %
2.75	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.25
- Median: 2.31
- Minimum: 1.35
- Maximum: 2.75
- Standard Deviation: 0.27

QUEST_MNOFMNS	QUEST: Average of subscale scores
----------------------	--

Location: 1822-1825 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.00	1	0.5 %
2.13	2	1.0 %
2.33	1	0.5 %
2.56	2	1.0 %
2.67	1	0.5 %
2.78	4	2.0 %
2.86	2	1.0 %
2.88	1	0.5 %
2.89	1	0.5 %
3.00	2	1.0 %
3.11	6	3.0 %
3.13	1	0.5 %
3.22	2	1.0 %
3.33	3	1.5 %
3.44	2	1.0 %
3.50	3	1.5 %
3.56	4	2.0 %
3.60	3	1.5 %
3.63	7	3.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.67	4	2.0 %
3.71	3	1.5 %
3.75	5	2.5 %
3.78	5	2.5 %
3.80	1	0.5 %
3.83	3	1.5 %
3.86	1	0.5 %
3.88	4	2.0 %
3.89	1	0.5 %
4.00	26	12.8 %
4.13	1	0.5 %
4.14	5	2.5 %
4.17	9	4.4 %
4.20	8	3.9 %
4.25	4	2.0 %
4.29	3	1.5 %
4.33	5	2.5 %
4.38	1	0.5 %
4.40	4	2.0 %
4.43	2	1.0 %
4.50	12	5.9 %
4.60	10	4.9 %
4.67	2	1.0 %
4.75	13	6.4 %
4.80	9	4.4 %
5.00	13	6.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 4.03
- Median: 4.06
- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.64

ARN_1

Arnett: Speaks warmly to child

Location: 1826-1826 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5	2.5 %
2	20	9.9 %
3	42	20.7 %
4	136	67.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.52
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.77

ARN_2REV

Arnett: REVERSED Seems critical of child

Location: 1827-1827 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	10	4.9 %
3	26	12.8 %
4	163	80.3 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.73
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

ARN_3

Arnett: Listens attentively

Location: 1828-1828 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	30	14.8 %
3	60	29.6 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	109	53.7 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.35
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.80

ARN_4REV

Arnett: REVERSED Places high value on obedience

Location: 1829-1829 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	25	12.3 %
2	49	24.1 %
3	90	44.3 %
4	39	19.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.70
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.92

ARN_5REV

Arnett: REVERSED Seems distant/detached

Location: 1830-1830 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	11	5.4 %
3	44	21.7 %
4	146	71.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.65

- Study 31581 -

- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

ARN_6 **Arnett: Seems to enjoy children**

Location: 1831-1831 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	22	10.8 %
3	42	20.7 %
4	135	66.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.53
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.75

ARN_7 **Arnett: Explains rules to misbehaving**

Location: 1832-1832 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	9	4.4 %
2	48	23.6 %
3	79	38.9 %
4	66	32.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

- Study 31581 -

ARN_8 **Arnett: Encourage new experiences**

Location: 1833-1833 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	11	5.4 %
2	44	21.7 %
3	61	30.0 %
4	87	42.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.10
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.92

ARN_9REV **Arnett: REVERSED Exercises too much control over child**

Location: 1834-1834 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	7	3.4 %
2	43	21.2 %
3	93	45.8 %
4	60	29.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.01
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

ARN_10REV **Arnett: REVERSED Speaks w/ irritation/hostility**

Location: 1835-1835 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	10	4.9 %
3	35	17.2 %
4	156	76.8 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.70
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

ARN_11

Arnett: Enthusiastic about act/efforts

Location: 1836-1836 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	37	18.2 %
3	52	25.6 %
4	110	54.2 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.33
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

ARN_12REV

Arnett: REVERSED Threatens child to control

Location: 1837-1837 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	7	3.4 %
3	35	17.2 %
4	159	78.3 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.73
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

ARN_13REV

Arnett: REVERSED Act not involved with child

Location: 1838-1838 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	11	5.4 %
3	53	26.1 %
4	135	66.5 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 3.60
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

ARN_14

Arnett: Positive attention as individuals

Location: 1839-1839 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	32	15.8 %
3	71	35.0 %
4	95	46.8 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.27
- Median: 3.00

- Study 31581 -

- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.80

ARN_15REV

Arnett: REVERSED Reprimands too strongly when child misbehaves

Location: 1840-1840 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	12	5.9 %
3	35	17.2 %
4	152	74.9 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 3.68
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

ARN_16

Arnett: Talks at child level

Location: 1841-1841 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5	2.5 %
2	18	8.9 %
3	59	29.1 %
4	119	58.6 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 3.45
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

- Study 31581 -

ARN_17REV

Arnett: REVERSED Punish w/o explanation

Location: 1842-1842 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	5	2.5 %
3	19	9.4 %
4	175	86.2 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 3.84
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.46

ARN_18

Arnett: Exercises firmness

Location: 1843-1843 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5	2.5 %
2	29	14.3 %
3	92	45.3 %
4	77	37.9 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.19
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.77

ARN_19

Arnett: Encourages prosocial behavior

Location: 1844-1844 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	32	15.8 %
3	75	36.9 %
4	92	45.3 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.78

ARN_20REV **Arnett: REVERSED Finds fault easily**

Location: 1845-1845 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	8	3.9 %
3	33	16.3 %
4	157	77.3 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.70
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

ARN_21REV **Arnett: REVERSED No interest in child act**

Location: 1846-1846 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	2.0 %
2	11	5.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	61	30.0 %
4	127	62.6 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.53
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.69

ARN_22REV

Arnett: REVERSED Prohibits many things

Location: 1847-1847 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.5 %
2	33	16.3 %
3	95	46.8 %
4	71	35.0 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.16
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

ARN_23REV

Arnett: REVERSED No close supervision of child

Location: 1848-1848 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	1.0 %
2	13	6.4 %
3	44	21.7 %
4	144	70.9 %

Based upon 203 valid cases out of 203 total cases.

- Study 31581 -

- Mean: 3.63
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

ARN_24 **Arnett: Expects self-control from child**

Location: 1849-1849 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	6	3.0 %
2	34	16.7 %
3	91	44.8 %
4	72	35.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.13
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.79

ARN_25 **Arnett: Physically at child's level as talk**

Location: 1850-1850 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	7	3.4 %
2	27	13.3 %
3	61	30.0 %
4	108	53.2 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.33
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

- Study 31581 -

ARN_26REV **Arnett: REVERSED Unnecessarily harsh scold**

Location: 1851-1851 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.5 %
2	10	4.9 %
3	29	14.3 %
4	163	80.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.74
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

ARN_27REV **Arnett extension: REVERSED Does self-help tasks for child (not part of original Arnett)**

Location: 1852-1852 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	25	12.3 %
2	64	31.5 %
3	89	43.8 %
4	25	12.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.56
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

ARN_28REV **Arnett extension: REVERSED Does not get child help w/ task in class (not part of original Arnett)**

Location: 1853-1853 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	11	5.4 %
2	42	20.7 %
3	101	49.8 %
4	48	23.6 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.92
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

ARN_29

Arnett extension: Promotes leadership skills (not part of original Arnett)

Location: 1854-1854 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	81	39.9 %
2	56	27.6 %
3	46	22.7 %
4	18	8.9 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.00

ARN_30

Arnett extension: Assists child in productive choices (not part of original Arnett)

Location: 1855-1855 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	40	19.7 %
2	48	23.6 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	79	38.9 %
4	35	17.2 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.00

ARN_2

Arnett: NOT REVERSED Seems critical of child

Location: 1856-1856 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	163	80.3 %
2	26	12.8 %
3	10	4.9 %
4	3	1.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

ARN_4

Arnett: NOT REVERSED Places high value on obedience

Location: 1857-1857 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	39	19.2 %
2	90	44.3 %
3	49	24.1 %
4	25	12.3 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.92

ARN_5 Arnett: NOT REVERSED Seems distant/detached

Location: 1858-1858 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	146	71.9 %
2	44	21.7 %
3	11	5.4 %
4	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

ARN_9 Arnett: NOT REVERSED Exercises too much control over child

Location: 1859-1859 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	60	29.6 %
2	93	45.8 %
3	43	21.2 %
4	7	3.4 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00

- Study 31581 -

- Standard Deviation: 0.81

ARN_10 **Arnett: NOT REVERSED Speaks w/ irritation/hostility**

Location: 1860-1860 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	156	76.8 %
2	35	17.2 %
3	10	4.9 %
4	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

ARN_12 **Arnett: NOT REVERSED Threatens child to control**

Location: 1861-1861 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	159	78.3 %
2	35	17.2 %
3	7	3.4 %
4	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

ARN_13 **Arnett: NOT REVERSED Act not involved with child**

Location: 1862-1862 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	135	66.5 %
2	53	26.1 %
3	11	5.4 %
4	2	1.0 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

ARN_15 **Arnett: NOT REVERSED Seems distant/detached**

Location: 1863-1863 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	152	74.9 %
2	35	17.2 %
3	12	5.9 %
4	2	1.0 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

ARN_17 **Arnett: NOT REVERSED Exercises too much control over child**

Location: 1864-1864 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	175	86.2 %
2	19	9.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	5	2.5 %
4	1	0.5 %
. (M)	3	1.5 %

Based upon 200 valid cases out of 203 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.46

ARN_20

Arnett: NOT REVERSED Speaks w/ irritation/hostility

Location: 1865-1865 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	157	77.3 %
2	33	16.3 %
3	8	3.9 %
4	4	2.0 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

ARN_21

Arnett: NOT REVERSED Threatens child to control

Location: 1866-1866 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	127	62.6 %
2	61	30.0 %
3	11	5.4 %
4	4	2.0 %

- Study 31581 -

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.69

ARN_22

Arnett: NOT REVERSED Act not involved with child

Location: 1867-1867 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	71	35.0 %
2	95	46.8 %
3	33	16.3 %
4	3	1.5 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

ARN_23

Arnett: NOT REVERSED Reprimands too strongly when child misbehaves

Location: 1868-1868 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	144	70.9 %
2	44	21.7 %
3	13	6.4 %
4	2	1.0 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 31581 -

- Maximum: 4.00
- Standard Deviation: 0.65

ARN_26 **Arnett: NOT REVERSED Punish w/o explanation**

Location: 1869-1869 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	163	80.3 %
2	29	14.3 %
3	10	4.9 %
4	1	0.5 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

ARN_27 **Arnett: NOT REVERSED Finds fault easily**

Location: 1870-1870 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	25	12.3 %
2	89	43.8 %
3	64	31.5 %
4	25	12.3 %

Based upon 203 valid cases out of 203 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

ARN_28 **Arnett: NOT REVERSED No interest in child act**

Location: 1871-1871 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	48	23.6 %
2	101	49.8 %
3	42	20.7 %
4	11	5.4 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

ARN_POS

Arnett: Positive subscale

Location: 1872-1875 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.40	2	1.0 %
1.80	2	1.0 %
2.00	4	2.0 %
2.10	3	1.5 %
2.11	1	0.5 %
2.20	7	3.4 %
2.30	2	1.0 %
2.40	2	1.0 %
2.44	1	0.5 %
2.50	3	1.5 %
2.60	3	1.5 %
2.70	6	3.0 %
2.78	1	0.5 %
2.80	3	1.5 %
2.90	8	3.9 %
3.00	9	4.4 %
3.10	9	4.4 %
3.20	5	2.5 %
3.30	16	7.9 %
3.40	16	7.9 %
3.50	13	6.4 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.56	1	0.5 %
3.60	13	6.4 %
3.70	13	6.4 %
3.80	12	5.9 %
3.89	1	0.5 %
3.90	17	8.4 %
4.00	29	14.3 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.32
- Median: 3.40
- Mode: 4.00
- Minimum: 1.40
- Maximum: 4.00
- Standard Deviation: 0.61

ARN_NOT_PUN

Arnett: Not punitive subscale

Location: 1876-1879 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.43	1	0.5 %
1.86	1	0.5 %
2.00	2	1.0 %
2.14	1	0.5 %
2.29	2	1.0 %
2.43	1	0.5 %
2.57	2	1.0 %
2.71	1	0.5 %
2.86	2	1.0 %
3.00	4	2.0 %
3.14	7	3.4 %
3.29	7	3.4 %
3.43	7	3.4 %
3.57	14	6.9 %
3.71	14	6.9 %
3.83	2	1.0 %
3.86	21	10.3 %
4.00	112	55.2 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 3.73
- Median: 4.00
- Mode: 4.00
- Minimum: 1.43
- Maximum: 4.00
- Standard Deviation: 0.47

ARN_NOT_DET	Arnett: Not detached subscale
--------------------	--------------------------------------

Location: 1880-1883 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.75	3	1.5 %
2.00	2	1.0 %
2.25	1	0.5 %
2.50	3	1.5 %
2.75	11	5.4 %
3.00	11	5.4 %
3.25	14	6.9 %
3.50	34	16.7 %
3.75	45	22.2 %
4.00	77	37.9 %
. (M)	2	1.0 %

Based upon 201 valid cases out of 203 total cases.

- Mean: 3.60
- Median: 3.75
- Mode: 4.00
- Minimum: 1.75
- Maximum: 4.00
- Standard Deviation: 0.49

ARN_PERM	Arnett: Permissive subscale
-----------------	------------------------------------

Location: 1884-1887 (width: 4; decimal: 2)

Variable Type: numeric

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.8	2	1.0 %
2.0	7	3.4 %
2.2	7	3.4 %
2.4	15	7.4 %
2.6	19	9.4 %
2.8	21	10.3 %
3.0	37	18.2 %
3.2	33	16.3 %
3.4	26	12.8 %
3.6	14	6.9 %
3.8	13	6.4 %
4.0	8	3.9 %
. (M)	1	0.5 %

Based upon 202 valid cases out of 203 total cases.

- Mean: 3.04
- Median: 3.00
- Mode: 3.00
- Minimum: 1.80
- Maximum: 4.00
- Standard Deviation: 0.50

ARN_CH_INDEP

Arnett extension: Promotes child independence (not part of original Arnett)

Location: 1888-1891 (width: 4; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	1	0.5 %
1.25	5	2.5 %
1.50	8	3.9 %
1.75	19	9.4 %
2.00	18	8.9 %
2.25	30	14.8 %
2.50	36	17.7 %
2.75	23	11.3 %
3.00	31	15.3 %
3.25	13	6.4 %
3.50	9	4.4 %
3.75	5	2.5 %
4.00	1	0.5 %

- Study 31581 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	4	2.0 %

Based upon 199 valid cases out of 203 total cases.

- Mean: 2.51
- Median: 2.50
- Mode: 2.50
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.60

ARN_MN

Arnett: overall mean (26 items)

Location: 1892-1895 (width: 4; decimal: 2)

Variable Type: numeric

Based upon 203 valid cases out of 203 total cases.

- Mean: 3.24
- Median: 3.32
- Minimum: 1.66
- Maximum: 3.95
- Standard Deviation: 0.39